Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Issued November 4, 1907. U. S. DEPARTMENT OF AGRICULTURE, DIVISION OF PUBLICATIONS-BULLETIN No. 8. GEO. WM. HILL. EDITOR

INDEX TO

FARMERS' BULLETINS.


Nos. 1-250.

Prepared by

CHARLES H. GREATHOUSE, In Charge of Indexing, Division of Publications.



WASHINGTON: GOVERNMENT PRINTING OFFICE. 1907.



timelity of the Ballot diales corecowed.

Issued November 4, 1907. U. S. DEPARTMENT OF AGRICULTURE, DIVISION OF PUBLICATIONS—BULLETIN No. 8.

GEO. WM. HILL, EDITOR

INDEX TO

FARMERS' BULLETINS.

Nos. 1-250.

Prepared by

CHARLES H. GREATHOUSE,

In Charge of Indexing, Division of Publications.



WASHINGTON: GOVERNMENT PRINTING OFFICE, 1907.

LETTER OF TRANSMITTAL.

U. S. DEPARTMENT OF AGRICULTURE,

DIVISION OF PUBLICATIONS,

Washington, D. C., July 15, 1907.

SIR: I have the honor to transmit herewith the manuscript of an index to the first 250 bulletins of the Farmers' Bulletin series prepared by Mr. Charles H. Greathouse, Assistant in Charge of Indexing in this Division, and to recommend the publication of the same as Bulletin No. 8 of this Division.

It gives me pleasure to concur in Mr. Greathouse's request that due credit be given to Mrs. Mary A. E. Smith and Mrs. Laura B. Lawson of the Index Section, who have rendered very efficient aid, preparing most of the entries.

> GEO. WM. HILL, Editor and Chief.

Hon. JAMES WILSON, Secretary of Agriculture.

8

•

PREFACE.

Indexes are becoming more useful as knowledge accumulates and the number of books multiplies. Students feel more and more the need of reaching material in such a series as the Farmers' Bulletins without hunting through thousands of pages so loosely connected that it is impossible to refer to them readily even when the searcher is quite familiar with the desired passage; and even farmers and business men who have not students' habits, nevertheless realize the economy of time secured by the use of indexes. Proof of the latter assertion can be found in the card indexes in use in every important business office and in the homes of many progressive farmers. This index therefore will, it is hoped, be welcome.

Librarians who have sets of Farmers' Bulletins can make the contents accessible by placing the index beside them, but perhaps a more important want will be met by enabling students and readers generally to obtain information from these bulletins through libraries which have the index but not the books. The bulletins being for free distribution, can nearly always be procured from this Department on short notice, after the information wanted has been located by means of the index.

In all parts of the work more weight has been given to the probable needs and methods of searchers unfamiliar with technical rules than to decisions and technical authorities; but not so much, it is believed, as to lessen the value of the index.

> CHARLES H. GREATHOUSE, In Charge of Indexing.

WASHINGTON, D. C., July 15, 1907.

 $\mathbf{5}$

(.

·

.

•

. .

INDEX.

[Two numbers joined by a dash as 1-39 indicate that the subject is treated continuously throughout the pages noted.]

A.

A halana maa aa faad	Farmers' Bulletin No.	
Abalone, use as food	184	17 18
gumes as food " "Sugar as food "	121 93	$1-39 \\ 1-27$
Abortion, caused by cotton-seed meal cows, treatment, contagiousness	98 55	$\begin{array}{c} 17\\ 20\\ 32 \end{array}$
Acer spp. See Maple. Achillea millefolium, drug use with price, description, and range		35
Acid phosphate, value as fertilizer	140 42	27 20
Acidity, soil, correction by lime	215	6, 20, 21 13
use of phosphate of lime. Acorn weevil, distinction from cotton boll weevil. Acrobasis vaccinii, description, remedies.	130	$17\\10\\14$
Acrocy tis batatas, description and prevention	26	$22 \\ 29$
Actinella linearifolia, value for forage ADAMS, JOHN W., bulletin on "Horseshoeing" Adulterants, red clover seed	178 123	$1-30 \\ 5$
Adulteration, alfalfa seed, adulterants	$\begin{array}{ccc} . & 215 \\ . & 249 \end{array}$	32 26
milk		$11\\30\\42$
soil, necessity African gray geese, history, description, weight	245	· 7 40
Agaricus campestris. Sce Mushrooms. Age, tree, telling by ring growth	67	17
Agelaius phæniceus, food, habits	1.54 1.195	24 19
Agriculture. Department, aid in fruit growing injury by smoke and gases leguminous crops. importance	225	24 5-7 7
Agropyron repens. See Couch grass.		30
spicatum, value for hay and forage	18 10	$\begin{array}{c} 13\\ 15\end{array}$
Agrostemma githago, description, ways and symptoms of poisoning Agrostis alba. See Redtop.		10
spp., description Agrotis annexa, A. ypsilon. See Cutworms, tobacco. spp., grape enemy, remedy		24 18
Air. requirement for man and for domestic animals per day treatment for milk fever.	190	23 10-14
Alabama, apple varieties. cotton boll weevil quarantine	$\begin{array}{c} 113\\ 189\end{array}$	21 27
manuring experiments, results game, close seasons, county laws	230	4,6,11–13 50–51
grape varieties suitable negroes, dietary use of sugar, experiments	118	$13 \\ 17$

.

Alaska, gome law, text. 160 50-11 Alboy opmose-pendiuma, description; prevention 26 Albuminoids, classification, use. 23 Albuminoids, classification, use. 23 Alcohol, tormation, note. 112 iron whey. 9 Alcoholic fermentation. 233 Allog description. 215 Collector of plant food. 215 cultivation 215 cultivation. 215 cultivation. 215 cu		Farmers' Bulletin No.	Page.
Albuminoids, classification, use. 9 4 6, 7-8 uses in the body. 142 6, 9 Alcohol, formation, note. 112 15 Alcohol, formation, note. 112 15 Alcohol, formation, note. 112 15 Alcohol, formation, note. 112 16 Alcohol, formation, note. 112 3 Main argillacea, description, life bixory, and remedies. 47 3-10 Alein argillacea, description, life bixory, and remedies. 172 36-38 Labora. 215 9-11 56-38 sections. 215 9-11 56-36 sections. 215 9-11 56-36 collector of plant food. 214 1-15 collector of plant food. 214 contract and soil conditions. 215 1-33 cultivation 215 1-22 culture, advantages and disadvantages. 215 2-426 22-23 66 22-426 description, directions for planting. 66 22-23 66 26 66 26 66 26 66 26 66	Alaska, game law, text. Albugo ipomex-panduranx. description: prevention	160	50 - 51
uses in the body. 142 142 15 Alcoholi formation, note. 112 15 Iron whey. 9 14 Alcoholi formentation. 23 29 milk. 9 14 Alcoholi formentation. 9 14 Alcoholi formentation. 9 14 Alcoholi formentation. 9 14 Alcoholi formentation. 9 14 Alfalfa, acreage and yield in United States and in certain States and sections. 215 9-11 benefit of winter snowdrift. 228 20 20 climate and soil conditions. 215 9-13 3-33 cultivation (215 1-22 214 1-24 composition, digestibility relation to other feed. 215 1-33 215 2-23 cultivation (215 1-22 215 1-24 2 14 composition, digestibility relation to other feed. 215 36.39 22-33 66 26 culting time. 105 22	Albumen of milk, nature.	9	6
$\begin{aligned} & \text{Alcoholic formation, note.} & 112 & 15 \\ & \text{irrow whey.} & 9 & 14 \\ & \text{Alcoholic fermentation} & 233 & 29 \\ & \text{milk} & 9 & 14 \\ & \text{Alcia acyillaca, description, life history, and remedies} & 47 & 3-10 \\ & \text{Alegrodes cirit, characteristics, etc.} & 172 & 36-38 \\ & & \text{tabaci. Sce White fly,} \\ & \text{Alfalfa, acreage and yield in United States and in certain States and \\ & & \text{sections.} & 215 & 9-11 \\ & & \text{benefit of winter snowdrift} & 228 & 20 \\ & & \text{climate and soil conditions} & 215 & 11-15 \\ & & \text{collector of plant food.} & 21 & 11-15 \\ & & \text{collector of plant food.} & 21 & 11-15 \\ & & \text{cultivation} & 215 & 11-15 \\ & & \text{culture, advantages and disadvantages.} & 2 & 13-15 \\ & & \text{culture, advantages and disadvantages.} & 2 & 13-15 \\ & & \text{culture, advantages and disadvantages.} & 21 & 12-24 \\ & & & \text{description, directions for planting.} & 108 & 22-23 \\ & & & & & & & & & & & & & & & & & & $	uses in the body	142	
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	Alcohol, formation, note	112	15
Altia argillacea, description, life history, and remedies.473-10Alegrodes citri, characteristics, etc.17236-38tabaci.See White fly.17236-38Alfalfa, acreage and yield in United States and in certain States and sections.2159-11benefit of winter snowdrift.22820climate and soil conditions.21511-15collector of plant food.214composition, digestibility relation to other feed.21531-32cultivation(21516-22culture, advantages and disadvantages.213-15cutting time.10522-23description, directions for planting.6626enemies.21536-39feed tor hogs, with substitutes.10019horses.16216-19use.214feeding value.3118growing.21540and use in South.10230-31growing, analyses, various periods of growth.3120and silage, nutritive value.569-11yield per acre31114history, description, varietics.21522-25feeding value.31114cutting, curing, etc.21522-25feeding value.31117history, description, varietics.31117history, description, varietics.31117history, description, cuse, remedy.31117history, descript	Alcoholic fermentation	233	29
$ \begin{array}{c} tabaci. See White fly. \\ Alfalda, acreage and yield in United States and in certain States and sections $	Aletia argillacea, description, life history, and remedies	····· 9 ···· 47	
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	Aleyrodes citri, characteristics, etc		36–38
$\begin{array}{c} \text{benefit of winter snowdrift} & 228 & 20 \\ \text{climate and soli conditions} & 215 & 11-15 \\ \text{collector of plant food} & 215 & 31-33 \\ \text{cultivation} & 31 & 1-24 \\ \text{composition, digestibility relation to other feed} & 215 & 31-33 \\ \text{cultive, advantages and disadvantages} & 2 & 13-15 \\ \text{cutting time} & 105 & 24-26 \\ \text{cutting time} & 215 & 36-39 \\ \text{feed for hogs, with substitutes} & 100 & 19 \\ \text{horses} & 100 & 19 \\ \text{horses} & 162 & 16-19 \\ \text{use} & 215 & 36-39 \\ \text{feed for hogs, with substitutes} & 162 & 16-19 \\ \text{use} & 2 & 14 \\ \text{feeding value} & 16 & 17 \\ \text{fertilizing value} & 31 & 18 \\ \text{growing} & 215 & 40 \\ \text{and use in South} & 102 & 30-31 \\ \text{growth habits, sol, and drainage} & 31 & 7-8 \\ \text{hay analyses, various periods of growth} & 31 & 20 \\ \text{and silage, nutritive value} & 56 & 9-11 \\ \text{cutting, curing, etc} & 215 & 22-25 \\ \text{feeding value} & 31 & 11 \\ \text{history, description, varietics} & 97 & 15 \\ \text{yield per acre} & 31 & 17 \\ \text{history, description, varietics} & 31 & 17 \\ \text{hog pasture} & 16 & 8 \\ \text{pasturage for horses and hogs} & 31 & 7-8 \\ \text{hog pasture} & 16 & 8 \\ \text{pasturage for horses and hogs} & 31 & 17 \\ \text{history, clescription, cause, remedy} & 31 & 21 \\ \text{system} & 235 & 90-22 \\ \text{pests, animal, destruction} & 235 & 90 \\ \text{seed, adulteration} & 235 & 90 \\ \text{seed} & 31 & 17 \\ \text{harvesting} & 235 & 90 \\ \text{seed} & 31 & 17 \\ \text{harvesting} & 124 & 26 \\ \text{rot rot, description, cause, remedy} & 31 & 21 \\ \text{system} & 235 & 90 \\ \text{seed} & 30 & 17 \\ \text{system} & 235 & 90 \\ \text{seed} & 30 & 17 \\ \text{system} & 235 & 90 \\ \text{seed} & 30 & 17 \\ \text{system} & 235 & 90 \\ \text{seed} & 30 & 190 \\ \text{system} & 215 & 90-31 \\ \text{imported, analyses} & 194 & 9-10 \\ \end{array}$	Alfalfa, acreage and yield in United States and in certain States	and	0
$\begin{array}{c} \text{climate and soil conditions.} & 215 & 11-15 \\ \text{collector of plant fool} & 2 & 14 \\ \text{composition, digestibility relation to other feed} & 215 & 31-33 \\ \text{cultivation} & 31 & 1-24 \\ \text{culture, advantages and disadvantages} & 2 & 13-15 \\ \text{cutting time} & 105 & 24-26 \\ \text{cutting time} & 105 & 24-26 \\ \text{description, directions for planting} & 31 & 22-23 \\ \text{description, directions for planting} & 31 & 22-23 \\ \text{feed for hogs, with substitutes} & 100 & 19 \\ \text{horses} & 162 & 16-19 \\ \text{use} & 215 & 36-39 \\ \text{feed for hogs, with substitutes} & 102 & 16-19 \\ \text{use} & 2 & 14 \\ \text{feeding value} & 16 & 17 \\ \text{fertilizing value} & 215 & 40 \\ \text{and use in South} & 102 & 30-31 \\ \text{growing} & 215 & 40 \\ \text{and use in South} & 31 & 21 \\ \text{substitutes} & 31 & 7-8 \\ \text{hay analyses, various periods of growth} & 31 & 20 \\ \text{and slage, nutritive value} & 31 & 16, 18 \\ \text{for hogs, varies exceeded of a structure} & 31 & 16, 18 \\ \text{for hogs, varies exceeded of a structure} & 31 & 16, 18 \\ \text{for hogs, varies exceeded of a structure} & 31 & 16, 18 \\ \text{for hogs, varies exceeded of a structure} & 31 & 16, 18 \\ \text{for hogs, varies exceeded of a structure} & 31 & 16, 18 \\ \text{for hogs, varies exceeded of a structure} & 31 & 16, 18 \\ \text{for hogs, structure} & 31 & 16, 18 \\ \text{for hogs, structure} & 31 & 16, 18 \\ \text{for hogs, structure} & 31 & 16, 18 \\ \text{for hogs, structure} & 31 & 16, 18 \\ \text{for hogs, structure} & 31 & 16 \\ \text{figure} & 31 & 16 \\ \text{figure} & 31 & 17 \\ \text{history, description, varietics} & 31 & 17 \\ \text{pasturage for horses and hogs, 31 & 17 \\ \text{pasturage for horses and hogs, 31 & 17 \\ \text{pasturing} & 215 & 25-26 \\ \text{pots, animal, destruction} & 215 & 29-29 \\ \text{seed, adulteration} & 215 & 29-31 \\ \text{imported, analyses, etc.} & 194 & 9-10 \\ \end{array}$	benefit of winter snowdrift	$ 215 \\ 228 $	
$\begin{array}{c} {\rm composition, digestibility relation to other feed. 215 31-33 cultivation$	climate and soil conditions	215	11-15
$\begin{array}{c} \mbox{cutting time.} & 2 & 13-15 \\ \mbox{cutting time.} & 105 & 24-26 \\ \mbox{cutting time.} & 105 & 24-26 \\ \mbox{cutting time.} & 105 & 24-26 \\ \mbox{description, directions for planting.} & 31 & 22-23 \\ \mbox{description, directions for planting.} & 31 & 22-23 \\ \mbox{description, directions for planting.} & 1215 & 36-39 \\ \mbox{feed for hogs, with substitutes.} & 100 & 19 \\ \mbox{horses.} & 162 & 16-19 \\ \mbox{use.} & 2 & 14 \\ \mbox{feeding value.} & 16 & 17 \\ \mbox{fertilizing value.} & 31 & 18 \\ \mbox{growing.} & 215 & 40 \\ \mbox{and use in South.} & 102 & 30-31 \\ \mbox{growth habits, soil, and drainage.} & 31 & 7-8 \\ \mbox{hay analyses, various periods of growth.} & 31 & 20 \\ \mbox{and silage, nutritive value.} & 56 & 9-11 \\ \mbox{cutting, curing, etc.} & 215 & 22-25 \\ \mbox{feeding value.} & 31 & 16, 18 \\ \mbox{for hogs.} & 97 & 15 \\ \mbox{yield per acre.} & 97 & 15 \\ \mbox{yield per acre.} & 31 & 11 \\ \mbox{history, description, varietics.} & 215 & 7-8 \\ \mbox{hog pasture.} & 215 & 7-8 \\ \mbox{hog pasture.} & 215 & 7-8 \\ \mbox{hog pasture.} & 215 & 7-22 \\ \mbox{manure, use.} & 16 & 8 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 22 \\ \mbox{pasturage for horses and hogs.} & 31 & 22 \\ \mbox{pasturage for horses and hogs.} & 31 & 21 \\ \mbox{system.} & 233 & 9 \\ \mbox{system.} & 233 & 9 \\ \mbox{system.} & 233 & 9 \\ \mbox{system.} & 215 & 28-29 \\ \mbox{seed, adulteration.} & 215 & 28-29 \\ \mbox{seed, adulteration.} & 215 & 29-31 \\ \mbox{description, use, etc.} & 194 & 1-13 \\ \mbox{harvesting.} & 31 & 21 \\ \mbox{system} & 215 & 29-31 \\ \mbox{inpasturage} & 194 & 9-10 \\ \mbox{system} & 215 & 29-31 \\ sys$	composition, digestibility relation to other feed	215	31-33
$\begin{array}{c} \mbox{cutting time.} & 2 & 13-15 \\ \mbox{cutting time.} & 105 & 24-26 \\ \mbox{cutting time.} & 105 & 24-26 \\ \mbox{cutting time.} & 105 & 24-26 \\ \mbox{description, directions for planting.} & 31 & 22-23 \\ \mbox{description, directions for planting.} & 31 & 22-23 \\ \mbox{description, directions for planting.} & 1215 & 36-39 \\ \mbox{feed for hogs, with substitutes.} & 100 & 19 \\ \mbox{horses.} & 162 & 16-19 \\ \mbox{use.} & 2 & 14 \\ \mbox{feeding value.} & 16 & 17 \\ \mbox{fertilizing value.} & 31 & 18 \\ \mbox{growing.} & 215 & 40 \\ \mbox{and use in South.} & 102 & 30-31 \\ \mbox{growth habits, soil, and drainage.} & 31 & 7-8 \\ \mbox{hay analyses, various periods of growth.} & 31 & 20 \\ \mbox{and silage, nutritive value.} & 56 & 9-11 \\ \mbox{cutting, curing, etc.} & 215 & 22-25 \\ \mbox{feeding value.} & 31 & 16, 18 \\ \mbox{for hogs.} & 97 & 15 \\ \mbox{yield per acre.} & 97 & 15 \\ \mbox{yield per acre.} & 31 & 11 \\ \mbox{history, description, varietics.} & 215 & 7-8 \\ \mbox{hog pasture.} & 215 & 7-8 \\ \mbox{hog pasture.} & 215 & 7-8 \\ \mbox{hog pasture.} & 215 & 7-22 \\ \mbox{manure, use.} & 16 & 8 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 17 \\ \mbox{pasturage for horses and hogs.} & 31 & 22 \\ \mbox{pasturage for horses and hogs.} & 31 & 22 \\ \mbox{pasturage for horses and hogs.} & 31 & 21 \\ \mbox{system.} & 233 & 9 \\ \mbox{system.} & 233 & 9 \\ \mbox{system.} & 233 & 9 \\ \mbox{system.} & 215 & 28-29 \\ \mbox{seed, adulteration.} & 215 & 28-29 \\ \mbox{seed, adulteration.} & 215 & 29-31 \\ \mbox{description, use, etc.} & 194 & 1-13 \\ \mbox{harvesting.} & 31 & 21 \\ \mbox{system} & 215 & 29-31 \\ \mbox{inpasturage} & 194 & 9-10 \\ \mbox{system} & 215 & 29-31 \\ sys$	cultivation	$ \begin{cases} 31 \\ 215 \end{cases}$	
cutting time 133 22-23 description, directions for planting 31 22-23 description, directions for planting 31 22-23 description, directions for planting 31 21 addescription 1215 36-39 feed for hogs, with substitutes 162 16-19 use 2 14 feeding value 31 18 growing 215 40 and use in South 102 30-31 growth habits, soil, and drainage 31 20 and use in South 102 30-31 growth habits, soil, and drainage 31 16 and silage, nutritive value 56 9-11 cutting, curing, etc. {215 22-25 feeding value 31 16, 18 for hogs 31 117 history, description, varietics 31 111 history, description, varietics 31 17 history, description, varietics 31 17 pasturage for horses and hogs 31 17 p	culture, advantages and disadvantages	2	13-15
$ \begin{cases} 66 & 26 \\ 215 & 36-39 \\ 1215 & 36-39 \\ 1215 & 36-39 \\ 1215 & 36-39 \\ 1215 & 36-39 \\ 1215 & 36-39 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 19 \\ 100 & 100 \\ 100 & 19 \\ 100 & 100 $	cutting time	(18	
enemies.	description, directions for planting	31	
feed for hogs, with substitutes 100 19 horses 162 16-19 use 2 14 feeding value 31 16 growing 215 40 and use in South 102 30-31 growth habits, soil, and drainage 31 7-8 hay analyses, various periods of growth 31 20 and silage, nutritive value 56 9-11 cutting, curing, etc. (215 22-25 feeding value 31 16, 18 for hogs 97 15 yield per acre 31 16, 18 for hogs 97 15 yield per acre 31 17 history, description, varietics $\begin{cases} 31 & 5-7 \\ 215 & 7-8 \\ 215 & 7-8 \\ 215 & 7-8 \\ 215 & 7-8 \\ 215 & 20-22 \\ manure, use 31 18 irrigation 215 20-22 manure, use 31 17 pasturage for horses and hogs 31 17 18 20 ipig forage 124 26 20-22 20 215 25-26 pests, animal, destr$	enemies		21
horses. 162 16-19 use. 2 14 feeding value 31 18 growing. 215 40 and use in South 102 30-31 growth habits, soil, and drainage. 31 7-8 hay analyses, various periods of growth 31 20 and silage, nutritive value. 56 9-11 cutting, curing, etc. $\{215, 22-25, 22-25, 52-22-25$	feed for hogs, with substitutes	100 (215)	
feeding value 16 17 fertilizing value 31 18 growing 215 40 and use in South 102 30-31 growth habits, soil, and drainage 31 7-8 hay analyses, various periods of growth 31 20 and silage, nutritive value 56 9-11 cutting, curing, etc $\begin{cases} 231 \\ 215 \\ 22-25 \end{cases}$ 14 feeding value 31 11 for hogs 97 15 yield per acre 31 11 history, description, varietics $\begin{cases} 31 \\ 215 \\ 7-8 \end{cases}$ 16 hog pasture 11 17 nipurious to orchard 31 18 irrigation 215 20-22 manure, use 16 8 pasturage for horses and hogs 31 17 pasturing $\begin{cases} 147 \\ 225 \\ 20-22 \\ 215 \\ 20-22 \\ 215 \\ 20-22 \\ 215 \\ 215 \\ 20-31 \\ 215 \\ 39 \\ 215 \\ 39 \\ 215 \\ 39 \\ 39 \\ 215 \\ 215 \\ 39 \\ 39 \\ 701 ation of crops 216 \\ 31 \\ 31 \\ 31 \\ 31 \\ 31 \\ 31 \\ 31 \\ $	horses	162	16-19
fertilizing value 31 18 growing 215 40 and use in South 102 30–31 growth habits, soil, and drainage 31 7–8 hay analyses, various periods of growth 31 20 and silage, nutritive value 56 9–11 cutting, curing, etc $\{215, 22-25, 22-25, 22-25, 22-25, 22-25, 22-25, 25, 22-25, 25, 25, 27-38, 21, 21, 22, 22, 21, 22, 22, 21, 21, 22, 22$	feeding value	16	
growth habits, soil, and drainage.317-8hay analyses, various periods of growth.3120and silage, nutritive value.569-11cutting, curing, etc. $\begin{cases} 31 & 14\\ 215 & 22-25 \end{cases}$ feeding value.3116, 18for hogs.9715yield per acre.3111history, description, varietics. $\begin{cases} 31 & 5-7 \\ 215 & 7-8 \\ 215 & 7-8 \\ 117 & 18-20 \\ 117 &$	fertilizing value		
hay analyses, various periods of growth 31 20 and silage, nutritive value 56 $9-11$ cutting, curing, etc. $\{215$ $22-25$ feeding value 31 $16, 18$ for hogs 97 15 yield per acce 31 11 history, description, varietics $\{215$ $27-25$ friggion 215 $27-26$ hog pasture $\{31$ 17 pasturage for horses and hogs 31 11 pasturing $\{147$ 22 pasturing $\{147$ 22 pasturing $\{147$ 22 pasturing $\{215$ $25-26$ pests, animal, destruction $\{215$ $25-26$ pot rot, description, cause, remedy 31 21 system 233 9 rotation of crops 215 $28-29$ seed, adulteration $\{215$ $29-31$ description, use, etc 194 $8-9$ seed, adulteration $\{31$ 15 harvesting $\{31$ 15 pasting $\{215$ $29-31$ description, use, etc 194 $9-10$	and use in South	102	30-31
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	hay analyses, various periods of growth	···· 31 ···· 31	
feeding value3116, 18for hogs.9715yield per acre.3111history, description, varietics. $\begin{cases} 31 & 5-7\\ 215 & 7-8 \end{cases}$ hog pasture. $\begin{cases} 31 & 17\\ 117 & 18-20 \end{cases}$ injurious to orchard.3118irrigation.21520-22manure, use.168pasturage for horses and hogs.3117pasturing. $\begin{cases} 147 & 22\\ 215 & 25-26\\ 215 & 39 \end{cases}$ pig forage.12426root rot, description, cause, remedy.3121system.2339rotation of crops.21528-29seed, adulteration. $\begin{cases} 194 & 8-9\\ 215 & 29-31\\ description, use, etc.194harvesting.\begin{cases} 31 & 15\\ 215 & 29-31\\ 15 & 29-31\\ 16 & 29-31$	and silage, nutritive value	56	· · · ·
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			22 - 25
yield per acre. 31 11 history, description, varietics. 31 $5-7$ hog pasture. 215 $7-8$ hog pasture. 31 17 117 $18-20$ injurious to orchard. 31 18 irrigation. 215 $20-22$ manure, use 16 8 pasturage for horses and hogs. 31 17 pasturing. 1477 22 pasturing. 215 $25-26$ pests, animal, destruction. 215 $25-26$ post, animal, destruction. 215 39 pig forage. 124 26 root rot, description, cause, remedy. 31 21 system. 233 9 rotation of crops. 215 $28-29$ seed, adulteration. 215 $29-31$ description, use, etc. 194 $1-13$ harvesting. $\{31$ 15 imported, analyses. 194 $9-10$			· · · · · · · · · · · · · · · · · · ·
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	yield per acre	31	11
hog pasture $\{117$ $18-20$ injurious to orchard 31 18 irrigation 215 $20-22$ manure, use 16 8 pasturage for horses and hogs 31 17 pasturing $\{147$ 22 pasturing $\{215$ $25-26$ pests, animal, destruction $\{31$ 22 pig forage 124 26 root rot, description, cause, remedy 31 21 system 233 9 rotation of crops 215 $28-29$ seed, adulteration $\{194$ $8-9$ seed, adulteration $\{215$ $29-31$ description, use, etc 194 $1-13$ harvesting $\{31$ 15 upported, analyses 194 $9-10$	history, description, varietics	$(215)^{31}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	hog pasture	$\{ 31 \\ 117 \}$	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	injurious to orchard	31	18
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	manura use	16	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	pasturage for horses and hogs	31	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			25 - 26
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	pests, animal, destruction		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	pig forage	124	26
seed, adulteration. description, use, etc. harvesting. $\begin{cases} 194\\215\\29-31\\1-13\\\\15\\215\\215\\29-31\\15\\215\\29-31\\194\\9-10 \end{cases}$	system	233	9
description, use, etc.1941–13harvesting. $\begin{cases} 31 & 15 \\ 215 & 29-31 \\ 194 & 9-10 \end{cases}$	rotation of crops	215 (194	
harvesting. $\begin{cases} 31 & 15\\ 215 & 29-31\\ 194 & 9-10 \end{cases}$	seed, adulteration	····{215	29-31
imported, analyses			15

	Farmers' Bulletin No	Dom
	f 2	. Page. 14
Alfalfa seed, quantity per acre	31	9, 11–13
	(147) 66	$\frac{26}{22}$
testing	194	12
vitality, test	56	$\begin{array}{c} 10\\ 25 \end{array}$
silage	$ \{ 215 $	27
soil inoculation reports	214	34-37
soiling	$(215)^{51}$	$\frac{17}{27}$
value as fertilizer	133	6
pig feed, mixed rations. Alkali conditions, Montana, Yellowstone Valley	133 88	$27 \\ 6-8$
effect on alfalfa	210	13
germination and growth of plantslands.		8 1-23
plants, miscellaneous.	108	1-25
resistance, sorghum	246	19
salts, pounds per acre in one foot of soil, plant belts soils and alkali, remarks		7 17
plants adapted to	97	6-8
sugar beets Alkaline fermentation of milk	92	5 10 12
ALLEN, E. W., bulletin on "Feeding farm animals"	$\frac{9}{22}$	10-13 1-40
ALLEN, E. W., bulletin on "Feeding farm animals" "Leguminous plants for green manur	ing	
Allenrolfea occidentalis. forage plant for alkali soils	$ 16 \\ 108$	1-23 17
Alligator pear, growing and use	169	21
Alsike clover, description, directions for sowing	18	26
use in South		31 9
Althxa rosea, growing	195	32
Alum bread, test	112	31 1-48
"Cheese making on the farm".	166	1-40 1-16
"Dairy herd, formation and ma	an-	1 (0
agement"	$\dots 55$	1-40 20
Amanita cæsarea, distinction from Amanita muscaria	86	5
fly, description, symptoms of poisoning	86 86	4-6 4-6
muscaria, poisoning symptoms. phalloides, description, and symptoms of poisoning	86	4-0 6-7
Amaranth, spiny, distribution, description, remedies	28	17-18
Amaranthus albus, description, remedies	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$13 \\ 17-18$
Amber sorghum, description	246	* 12
Ambrosia spp., description. remedies	\dots 10 \dots 44	12 8
sources	140	24
Ammoniacal copper carbonate formula.	243	13
solution of copper sulphate, formulas	54	
Ampelopsis spp. See Ivy.		
Amphicerus bicaudatus. See Grape cane-borer. Analyses, irrigation waters, Delaware and New Jersey rivers	46	10
"Ananasine," pineapple, digestive medicine	140	36, 46
Anarsia lineatella. See Borer, twig, peach.	51	90
Andalusian chickens, description	51	28
provincialis, use as hay and forage	102	11
sorghum. See Sorghum. Angora goat culture, localities, climate, and soil, adaptation	137	27-29
description, growing, and uses	137	1-48
flock, building up and management	137	37-42

ς.

	Farmers' Bulletin No.	Page.
Angora goat manure, enrichment of land		27
meat and the markets	137	23-25
milk, comparison with cow's milk	137	25
registration associations	137	47
skins, uses, value	137	25-26
value for clearing land	150	7
goats, breeding, directions.	137	38-42
feeding, salting, marking.	137	32-33
herding and fencing	107	29-30 33-37, 42
name for male and for female	137	11
pets		27
shearing and shedding.	137	42-44
shelter and pens	137	30
Angoumous grain moth, description, life history	45	6
injuries to stored corn, treatment	81	21
Animal body, composition. fattening ration of cotton-seed products.	22	3
fattening ration of cotton-seed products	36	14
food for ducklings	233	25-26
manure, amount and value, different animals	21	5-7.30
analyses and value per ton, table	21	10 20
influence of age and kind of animal Animals, domestic, susceptibility to anthrax	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10, 30 23
farm. See Farm animals.	10 .	20
milks, comparative composition	74	6
Anise seed, adulteration with poison-hemlock seed	86	26
Ankee millet, remarks.	110 •	16 - 17
Annuals, suitable for school grounds.		37-38
Anopheles crucians, note	155	9
maculipennis, note	155	9
punctipennis, note	155	9
Ant, leaf-cutting, injuries to cotton, remedies	47	28
Anthonomus grandis. See Boll weevil.	991	0
Anthracnose, cranberry	221	8 89
grape, description, treatment	201	-9 4.9
remedial measures	. 118	31-32
	(7	16
treatment	38	11
	1 10	28
tomato, description	76	28
Anthrax, hog, sometimes mistaken for cholera	243	22-23
Anthrax, hog, sometimes mistaken for cholera	24	4.9
nature, transmission	79	23-25
nature, transmission Antirrhinum, growing Antiseptics, danger in preservation of grape juice and sweet cide	195	45
Anuseptics, danger in preservation of grape juice and sweet cide	70	
Ants destribution by Highering	r 78 54	29
Ants, destruction by flickers	54	11, 13
treatment with carbon bisulphide	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25$
treatment with carbon bisulphide	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11, 13
treatment with carbon bisulphide	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15$
treatment with carbon bisulphide use by toad as food Aphelocoma californica, food habits and destructiveness Aphides. Pacific northwest.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{r} 11, 13 \\ 25 \\ 15 \\ 9 \end{array} $
treatment with carbon bisulphide use by toad as food Aphelocoma californica, food habits and destructiveness Aphides, Pacific northwest peach, brown or black root, prevention, remedics	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21$
treatment with carbon bisulphide use by toad as food Aphelocoma californica, food habits and destructiveness Aphides, Pacific northwest peach, brown or black root, prevention, remedics Aphis, green, apple, description, enemies, and remedics. Pac	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17$
treatment with carbon bisulphide use by toad as food. <i>Aphelocoma californica</i> , food habits and destructiveness Aphides, Pacific northwest. peach, brown or black root, prevention, remedics Aphis, green, apple, description, enemies, and remedics. Pac northwest.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{r} 11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ \end{array} $
treatment with carbon bisulphide use by toad as food. <i>Aphelocoma californica</i> , food habits and destructiveness Aphides, Pacific northwest. peach, brown or black root, prevention, remedics Aphis, green, apple, description, enemies, and remedics. Pac northwest. wooly, Pacific northwest, note.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9$
treatment with carbon bisulphide. use by toad as food. Aphelocoma californica, food habits and destructiveness. Aphides, Pacific northwest. peach, brown or black root, prevention, remedics. Aphis, green, apple, description, enemies, and remedics. Pac northwest. wooly, Pacific northwest, note. treatment.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9 \\ 24, 25$
treatment with carbon bisulphide use by toad as food Aphelocoma californica, food habits and destructiveness Aphides, Pacific northwest peach, brown or black root, prevention, remedics Aphis, green, apple, description, enemies, and remedics. Pac northwest	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9$
treatment with carbon bisulphide use by toad as food. <i>Aphelocoma californica</i> , food habits and destructiveness Aphides, Pacific northwest. peach, brown or black root, prevention, remedics Aphis, green, apple, description, enemies, and remedics. Pac northwest. wooly, Pacific northwest, note treatment. Apiarian legislation Apiary, locations, suitable.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9 \\ 24, 25 \\ 46 \\ 46$
treatment with carbon bisulphide use by toad as food Aphelocoma californica, food habits and destructiveness Aphides, Pacific northwest peach, brown or black root, prevention, remedics Aphis, green, apple, description, enemies, and remedics. Pac northwest	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9 \\ 24, 25 \\ 46 \\ 9-11 \\ 11$
treatment with carbon bisulphide use by toad as food. Aphelocoma californica, food habits and destructiveness Aphides, Pacific northwest. peach, brown or black root, prevention, remedics Aphis, green, apple, description, enemies, and remedics. Pac northwest. wooly, Pacific northwest, note. treatment. Apiarian legislation Apiary, locations, suitable returns to be expected Apiculture journals, list. Apium graveolens. See Celery.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9 \\ 24, 25 \\ 46 \\ 9-11 \\ 11-12 \\ 47 \\ 47 \\ 11-12 \\ 47 \\ 11-12 \\ 47 \\ 11-12 \\ 47 \\ 11-12 \\ 1$
treatment with carbon bisulphide	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9 \\ 24, 25 \\ 46 \\ 9-11 \\ 11-12 \\ 47 \\ 30$
treatment with carbon bisulphide. use by toad as food. Aphelocoma californica, food habits and destructiveness. Aphides, Pacific northwest. peach, brown or black root, prevention, remedics. Aphis, green, apple, description, enemies, and remedics. Pacific northwest. wooly, Pacific northwest, note. treatment. Apiarian legislation. Apiary, locations, suitable. returns to be expected. Apiculture journals, list. Apium graveolens. See Celery. Apple aphis, description and remedies. remedies, etc Pacific northwest.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9 \\ 24, 25 \\ 46 \\ 9-11 \\ 11-12 \\ 47 \\ 30 \\ 29$
treatment with carbon bisulphide	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11, 13 \\ 25 \\ 15 \\ 9 \\ 19-21 \\ 13 \\ 17 \\ 29 \\ 8, 9 \\ 24, 25 \\ 46 \\ 9-11 \\ 11-12 \\ 47 \\ 30$

•

	Farmers' Bulletin No.	Page.
Apple blight, spread, prevention		25
budding codling moth, control	$ 113 \\ 247$	7 9–12, 22
crop, gathering	113	29
diseases and enemies in Pacific northwest fungous, treatment	$ 153 \\ 7 $.7–8 14
fungous, treatment	1 38	11-12
grafting	(243)	18-19 12-15
		8-13
growing practical, New York	237	$1-32 \\ 8-11$
jelly and marmalade from low-grade apples	233	20 28
orchard, cultivation	113	25
fertilizers	113	$\begin{array}{c} 15\\ 16\end{array}$
protection from mice and rabbits	113	29 -
selection of trees		17-18 24
pomace, feed for milch cows		21-22
propagation		7 10
pruning	104	24-25
with reference to growth	181	$\frac{14}{24}$
sauce, cider, makingscab, cause, control	203	14-23
description and remedies Pacific northwest	153	33
racine northwest	153 (38	14 11
treatment	$153 \\ 247$	33 12–21
tree, forms and height	····· `113	12-21 26-29
trees, root-grafting experiments	79	12-15
twig-borer. See Grape cane-borer. use of arsenicals as insecticides, directions		7-9
uses	113	6
varieties for planting keeping qualities	119	18-24 16
self-sterile and self-fertile	65	16_{15}
Apples, cold storage growing and storage, remarks		$\frac{15}{29}$
keeping qualities	119	16-18
low-grade, utilization		$20-22 \\ 31$
packing for market		, 21
storage, temperature, and handling, barns, etc	(7 7 0	15-17 5-9
without ice, buildings	125	15-17
thinning	$\frac{73}{202}$	$17\\16$
Apricots, food value	105	22 - 24
remarks		$\frac{30}{28}$
Arachis hypogea. See Peanut.		
Aragallus lambertii, description and symptoms of poisoning Arbor Day, origin, celebration, effects	86	$\begin{array}{c} 16 \\ 7-8 \end{array}$
grape	156	13
Arctia phyllira, damages to cotton, remedy Arctium lappa, drug use with description and range	47 188 .	26, 27 11-12
Arid. See Semiarid.		
Aristida fasciculata. See Needle grass. Arizona, apple varieties	113	23
Arkansas, apple varieties	113	22
cotton-manuring experiments, results	48	5, 7

•

	Farn	aanal
	Bullet	
Armillaria mellea, cause of apple disease	18	53 9-11
Armored scales, discussion Army worm, description, distribution, habits, etc	1'	72 19–26
Army worm, description, distribution, habits, etc	18	32 30-32
fall, description, habits, remedies, etc.	···· 13	32 34
injury to corn, note	18 19	$ \begin{array}{ccc} 91 & 9 \\ 32 & 31 - 34 \end{array} $
preventives, natural enemies, remedies	1:	32 31-34 31-34
worms, use by toad as food	19	$\frac{1}{96}$
Arsenic and lime, insecticide preparation, Pacific northwest	18	53 19
soda and lime, insecticide preparation	1	53 19
use against tobacco insects	12	20 31
white, use as insecticide		7 7-9
Arsenical dips, sheep scab insecticides, use against codling moth	1	59 30 70 12 16 12 16 16
poisoning of potato leaves	· · · · · · · · · · · · ($\begin{array}{cccc} 70 & 13, 16 \\ 91 & 15 \end{array}$
poisoning of polato reaves		
poisons, use against bollworm		12 28–31, 32
sprays, use against couring moting		LI LU, initia
Arsenicals, insecticides, directions for applications	<u> </u>	19 5-9
treatment of twig borer, precautions.		80 14
Arsenite of lead, description, cost, use as insecticide Arsenites, insecticides, cautions		$ \begin{array}{ccc} 19 & 5 \\ 7 & 7-9 \end{array} $
Arsenoids, "green," "pink," and "white," composition, valu	ie as	1 1-0
insecticides		46 8-10
Artemisia biennis, description, remedies		10 13
Artesian wells, control of flowing water	1	38 19
use in protecting citrus trees against cold		
Artichoke and other crops, food and fertilizing constituents		73 12
cultural directions		94 15
use as forage plant in South		
Jerusalem, description, propagation, value, and uses	10 5	73 10–13
for pigs		92 20
packing for market		
Arundinaria spp., value for forage	14	47 11
Arundo donax, use on home grounds	18	S5 19
Ash constituents of feeding stuffs		4, 30-39
in food		$ \begin{array}{ccc} 23 & 5 \\ 34 & 11 \end{array} $
meat, quantity and food value mineral matter, use in the body	1	
seed, planting for forest		$12 \\ 20 \\ 18$
use on home grounds	1	
Ashes, cotton hulls, fertilizing constituents		36 13
fertilizer, use, question of economy	(65 25-28
leached and unleached, use as fertilizers	'	77 18
necessity for hogs	10	
value as fertilizer	1^{\prime}	
wood for vogetable garden	···· 1'	
wood, for vegetable garden use on apple orchard	1	13 15
Asparagus bean, description and food use	19	21 13
bed, cost, yield	(61 22-23
beds, selection and preparation of soils	(61 12-13
beetle, description, habits, remedies		61 34-38 32-30
twelve-spotted, description, habits, remedies		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
canning and drying cultural directions		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
culture		61 1-40
cutting, bunching, and sorting		61 25-27
fertilizers.	23	33 11–13
comparative value, table	23	33 13
forcing in the field		6-8
under glass		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
fungus diseases		61 30-34

	Bull	etin 1	No.	Page.
Asparagus, harvesting and marketing		61		21-28
history, botany, and varieties		61		5-8
insect enemies		61		34-39
manuring beds, methods		61		18-22
nacking for market		62		25
packing for market		61		14-17
plants, selection, male and female plants compared		61		11
production of plants from seed		61		8-11
rust, description, preventive measures		61		30-34
seed. saving, cleaning. number of sprouts per pound		61		10
Aspidiotus aurantii, treatment with resin wash		19		13
perniciosus. See San Jose scale.				
spp., characteristics		172		23-25
Aster, China. growing				24
growing				20
Astragalus crassicarpus, value for forage		72		26
mollissimus, description. symptoms of poisoning		86		14
Ataria crunta habits		47		28
Ataxia crypta, habits		<u>\$</u> 3		16
Atriplex spp. See Saltbushes.		00		10
ATWATER, HELEN W., bulletin on "Bread and the principles	of			
head making?	OL	าาจ		1 10
bread making" "Poultry as food"		112		1-40
Poultry as 100d		182		1-10
W. O., bulletin on "Nutrition and nutritive value		7 ()		
food"		142		1 - 4S
"Nutritive value and cost of food				32
Auction sales, live stock, periodical, discussion, with rules		184		6-8
Australian saltbush, growing and uses		10S		7
Austrian export tobaccos, description				21
Avena fatua, description, distribution, and remedies		28		21 - 22
Aylesbury duck, history, description, weight		64		5-8
Ayrshire cows, usefulness for southern dairy		151		19
Ayrshires, dairy cattle, characteristics, etc		106		6-11
		100		·) II
В.				
		1.2		10
Babcock test, use and cost				19
Bacillus butyricus, characteristics		9		11
cyanogenus. cause of blue milk		9		13
				41 - 43
hive, treatment and prevention		59		30
hive, treatment and prevention		59 112		
hive, treatment and prevention mesentericus vulgatus, injury to bread No. 41, butter flavor		59 112 29		18
<i>mesentericus vulgatus</i> , injury to bread No. 41, butter flavor		59 112 29		18
<i>mesentericus vulgatus</i> , injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato.	· · · ·	112 29		
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions.	· · · ·	112 29 244		25
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. food value.	· · · ·	112 29 244 244		$\frac{25}{24}$
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. food value. soft, study.	· · · ·	 112 29 244 244 162 		25 24 26
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. food value. soft, study. sugar-cured. recipe.	· · · · · · · · · · · · · · · · · · ·	112 29 244 244 162 183		25 24 26 32
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops.	· · · · ·	112 29 244 244 162 183 214		25 24 26 32 1-48
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops.	· · · · ·	112 29 244 244 162 183 214		25 24 26 32 1-48 26
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful.		112 29 244 244 162 183 214 92 29		$25 \\ 24 \\ 26 \\ 32 \\ 1-48 \\ 26 \\ 19-22 $
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making. pure cultures. useful and harmful. conveyance by food and drink.		112 29 244 244 162 183 214 92 29 142		25 24 26 32 1-48 26 19-22 31
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making. pure cultures. useful and harmful. conveyance by food and drink.		112 29 244 244 162 183 214 92 29 142		$25 \\ 24 \\ 26 \\ 32 \\ 1-48 \\ 26 \\ 19-22 \\ 31 \\ 6$
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. food value. soft, study. sugar-cured, recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth.		$ \begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ \end{array} $		25 24 26 32 1-48 26 19-22 31 6 6-12
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. iood value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making. pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth. effect of high and low temperatures.		$ \begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 63\\ \end{array} $		25 24 26 32 1-48 26 19-22 31 6 6-12 9
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making. pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth effect of high and low temperatures. hog cholera and swine plague, description.		$ \begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ \end{array} $		25 24 26 32 1-48 26 19-22 31 6 6-12 9 8
mesentericus vulgatus, injury to bread. No. 41. butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink description. reproduction, conditions affecting growth effect of high and low temperatures. hog cholera and swine plague, description. injury to bread.		$ \begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ \end{array} $		$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32 \end{array}$
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. iood value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth. effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\end{array}$		$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\end{array}$
mesentericus vulgatus, injury to bread. No. 41. butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. food value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink description. reproduction, conditions affecting growth effect of high and low temperatures. hog cholera and swine plague, description. injury to bread.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\end{array}$	-	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32 \end{array}$
mesentericus vulgatus, injury to bread. No. 41. butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. food value. soft, study. sugar-cured, recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter. exclusion by straining. etc.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \end{array}$	-	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\end{array}$
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. iood value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth. effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \end{array}$	-	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\\ 27\end{array}$
mesentericus vulgatus, injury to bread. No. 41. butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. iood value. soft, study. sugar-cured, recipe. Bacteria, beneficial for leguminous crops. cheese making. pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth. effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter. exclusion by straining. etc. sources, number, kinds.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \left\{\begin{array}{c} 9\\ 9\\ 29\end{array}\right.}$	S, 11.	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\\ 27\\ 6-8\end{array}$
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. iood value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter. exclusion by straining. etc. sources, number, kinds. studies by scientists.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \left\{\begin{array}{c} 9\\ 9\\ 29\end{array}\right.}$	8. 11.	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\\ 27\\ 6-8\\ 6-10\end{array}$
mesentericus vulgatus, injury to bread. No. 41, butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. iood value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth. effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter. exclusion by straining. etc. sources, number, kinds. studies by scientists. nature, kinds, action.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \left\{\begin{array}{c} 9\\ 9\\ 29\\ 9\\ 2\end{array}\right.}$	8. 11.	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\\ 27\\ 6-8\\ 6-10\\ 19, 21\end{array}$
mesentericus vulgatus, injury to bread. No. 41. butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. iood value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth. effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter. exclusion by straining. etc. sources, number, kinds. studies by scientists. nature. kinds, action. nitrogen-gathering.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \left\{\begin{array}{c}9\\9\\2\\9\\2\\16\end{array}\right\}$	8. 11.	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\\ 27\\ 6-8\\ 6-10\\ 19, 21\\ 6\end{array}$
mesentericus vulgatus, injury to bread. No. 41. butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking, directions. iood value. soft, study. sugar-cured, recipe. Bacteria, beneficial ior leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter. exclusion by straining. etc. sources, number, kinds. studies by scientists. nature, kinds, action. nitrogen-gathering.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \left\{ \begin{array}{c} 9\\ 9\\ 29\\ 9\\ 2\\ 16\\ 31 \end{array} \right.$	8, 11.	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\\ 27\\ 6-8\\ 6-10\\ 19, 21\\ 6\\ 6\end{array}$
mesentericus vulgatus, injury to bread. No. 41. butter flavor. solanacearum. See Potato brown rot; also Wilt. tomato. Bacon, cooking. directions. iood value. soft, study. sugar-cured. recipe. Bacteria, beneficial for leguminous crops. cheese making, pure cultures. useful and harmful. conveyance by food and drink. description. reproduction, conditions affecting growth. effect of high and low temperatures. hog cholera and swine plague, description. injury to bread. milk, cream, butter. exclusion by straining. etc. sources, number, kinds. studies by scientists. nature. kinds, action. nitrogen-gathering.		$\begin{array}{c} 112\\ 29\\ 244\\ 244\\ 162\\ 183\\ 214\\ 92\\ 29\\ 142\\ 29\\ 63\\ 63\\ 24\\ 112\\ 2\\ 210\\ \left\{\begin{array}{c}9\\ 9\\ 2\\ 9\\ 2\\ 16\\ 31\\ 214\end{array}\right.$	8. 11.	$\begin{array}{c} 25\\ 24\\ 26\\ 32\\ 1-48\\ 26\\ 19-22\\ 31\\ 6\\ 6-12\\ 9\\ 8\\ 30-32\\ 6-9\\ 27\\ 6-8\\ 6-10\\ 19, 21\\ 6\\ 6\\ 19\end{array}$

Farmers'

· · · · ·	Farmers'	
	Bulletin No.	Page.
Bacteria, nitrogen-gathering, effect of fertilizer growth and distribution	214	$\begin{array}{c} 25\\ 15-22 \end{array}$
leguminous plants	65	20
liquid culture for distribution	214	16-22
peanut	25 214	$ \frac{3}{9-11} $
summary	214	47-48
relation to fermentation		15, 16
yeasts and fermentation Bacterial diseases, orchard fruits, Pacific Northwest	203	5
plants	78	24-28
Bagworm, injuries to shade trees	99	5
Bagworms, cotton, habits, damages Bakewell, Robt., work in sheep rearing	47 96	$26 \\ 3$
Baking bread and cooling bread	112	26-28
Baling tobacco. BALL, CARLETON R., bulletin on "Pearl millet"	60	13
BALL, CARLETON R., bulletin on "Pearl millet" "Saccharine sorghums for forag	168	1-16
"Winter forage crops for	the . 240	1-38
South"	147	1–36
Balsam, flower, growing.	195	21
Bamboo, value in warm climates Banana flour, preparation, composition, etc		$\begin{array}{c} 32\\21 \end{array}$
Bananas, shipping, temperature management	125	14
Banding trees to destroy tussock moths	99	19
Bantam, booted white, chickens, description		$45 \\ 44-46$
Cochin, chickens, description	51	45
ducks, description	64	14-17
game, chickens, description	51 51	$\begin{array}{c} 44 \\ 45 \end{array}$
Polish, chickens, description	51	46
rose-comb, chickens, description	51	44
Sebright, chickens, description		44
Bark grafting, propagation of plants. Barks, drug, collection and curing.	188	$\frac{19}{9}$
Barletta onions, description	39	13
Barley, bread use	112	41
chemical composition feed, horse		$\frac{15}{29}$
sheep	49	$\frac{-0}{20}$
value		12, 13
food usevalue analysis		$\frac{9}{14}$
products, digestibility		18
smuts. description	75	10
treatment	75	$5 \\ 11, 14$
wild, description, remedies		15
winter pasture grass	147	14
yield per acre with and without green manuring Barm, Scotch method of bread making	16 112	$\begin{array}{c} 16\\.22 \end{array}$
Darm, Scotch method of bread making	(119	5-9
Barn, apple, description, etc		16
arrangement of stalls, light, etc	126	46-47 45-46
bank, advantages and objections		40-40
cow, construction and care	241	8
curing tobacco	60	$ 10 \\ 8-12 $
dairy, Southernlocation, plans, cost, etc	126	34-48
Barnacle scale, characteristics, etc	172	32
Barn-grass, description, remedies	$10 \\ 102$	$ 14 \\ 8-9 $
0	(102	0-9

Farmers' Bulletin No.

200

	Farmers' Bulletin No.	Page, ·
Barnyard grass. See Grass.		
manure. See Manure, barnyard.		
millets. See Millets.	50	0
Basswood blossoms, value as bee pasturage	09 913	$9\\17$
"Batting" or harvesting, black raspberry BEAL, F. E. L., bulletin on "Some common birds"	54	1-48
W. H. hulloting on "Dammand manune"	∫ 21	1-32
W. H., bulletins on "Barnyard manure"	192	1-32
Deall, apparagus, description and rook dec	e e e stránísti	13
broad or Windsor, description and food use	121 191	$\begin{array}{c} 8-9\\ 34\end{array}$
geographical distribution and use	121	54 7-8
Kidney. description and food use	121	9-10
lablab, food use	121	13
mungo, food use		13
sausages, use in Germany.	58	23
soy. See Soy bean. velvet, composition, comparison with cowpeas		13–14
culture and uses	78	13-14 12-14
feeding, precautions		14
growing and use as forage in South	102	41-43
soil inoculation reports	214	46
wild, value for forage.	72	31
Beans, bacterial disease, prevention	78 191	26 33
composition, table	22	35
cultural, directions	94	17
dietary use	121	26-28
digestibility. discussion, experiments, etc	121	21-25
fertilizer formulas	222	9
	(100	1-39 26-29
value	249	20-29
nutritive value of several varieties. table		19
packing for market		$\overline{25}$
pole, growing under glass		13–17.
preparation for food	121	28-33
spil inequlation reports	··· 49 914	12 42 46
soil inoculation, reports		42-43, 46 11
soja, as cover crop for orchards.	87	15
Corr Cas Corr boons		
string, salted	121	29
See also Legumes.		
Beardless brome grass. See Brome.	7.19	1-32
BEATTIE. W. R., bulletin on "Celery culture"	232	1-32 1-16
Beaumont, William, experiments on the gastric juice	142	23
Bedding. animal, fertilizing constituents	21	12
proportion to manure	21	6
dairy cows	$\int 55$	26
quantity per animal, value as absorbents, different kine	ds. 21	$\begin{array}{c} 20-21\\17\end{array}$
Beds, mushroom, preparation, casing, and watering	204	12-15
Bee escape, description, use	59	15
hive, desirable construction	59	19
keepers', National, Association. object. work. membership fee	e <u>59</u>	47
keepinglocations suited	59 59	1-48 9-11
moth. injuries to hives.	59 59	$9-11 \\ 45$
paralysis. treatment.	59	43
stings, how to avoid	59	14-16
veil and gloves, description	59	15
Beef animal, Chicago market, method of cutting, value of cuts	143	11
8		4

	Farmer	
Beef cattle conformation	Bulletin 143	No. Page. 1–44
study of details	143	18-35
polled type profitable and unprofitable feeders, description	143	39
rations, rate of gain	71	14-19 21-23
selection for feeding	71	11-13
silage feeding type, general characteristics	32	$\begin{array}{c} 26\\ 16\end{array}$
See also Cattle, beef.	140	10
characteristics, defined		8-11
composition and fuel value as food, table		$\begin{array}{c} 24-26\\ 30\end{array}$
cuts, directions		19-21
dried, recipe		31
fattening		23 8-9
production, beef type v. dairy type	233	22
some essentials value of soft corn	71	1-24 22-23
quality from cotton-seed products		22-25
shipping, temperature management	125	11
steer and heifer, comparative value type of cattle, points	73 71	27-28 4-6, 15-19
Sce also Meat.	/1	
Beefsteak, food value, analysis	249	15
Bees, Carniolan, description, habits Caucasian, description, origin		$\frac{16}{16}$
comb building, foundation	133	23-25
common black or brown, characteristics	59	18
cross breeds, charactéristics	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$18\\14,21$
diseases	59	41-44
handling and control insect enemies and other enemies	59 59	13 $45-46$
races, description, directions for choosing		16-19
robber, habits, prevention selection of gentle races to avoid stings	59	. 45
selection of gentle races to avoid stings	59 59	14 21-25
Syrian, characteristics.		18
winter food	59	37
wintering, suggestions Beet culture on alkali lands	59 92	36-41 5
irrigated land	∫ 52	7
		$\begin{array}{r}14-15\\19\end{array}$
juice, sugar content determination	1 0	7
leaves and waste, composition, value as fertilizer		12, 15
"mothers" for seed, selection, testing for gravity and sugar tent.		29-31
pulp preservation in silos	22	23
value as animal feed	22	24
fertilizer seed growers, list, Europe and United States	$\begin{array}{c} 22\\ 22\\ 22\\ 22\\ 52\\ 52 \end{array}$	23 12
quantity per acre	()	10
	(2	19, 33 4
sugar, area. location. comparative advantages	52	4-6
	$\left(\begin{array}{c} 3\\52\end{array}\right)$	1-24
	79	1-48 8
culture	···· j 92	5
-	$\begin{array}{c} 94\\210\end{array}$	17 14-15
factories waste lime, use as fertilizer		14-10
8		

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250.

- -	-
	1
1	
-	

.

.

	Farmers' ulletin No.	. Page.
	(3	14-16
Beet, sugar, growing, cost per acre	$\begin{cases} 52\\79 \end{cases}$	26-27 11
harvesting, siloing	$-3 \\ 52 \\ 52 \\ 52 \\ 52 \\ 52 \\ 52 \\ 52 \\ 5$	16-18 29
moisture requirements molasses, use and value as animal feed	3	4 24
preparation of land, planting, cultivation	$\left\{\begin{array}{c}3\\-52\end{array}\right\}$	9-14 17-25
root system	`233 3 52	10 7 31
production, details	$-\begin{cases} 3\\ 52 \end{cases}$	18 29–33
source of sugar. history of manufacture	93	11
waste products, uses	$-\begin{cases} 3\\ 52 \end{cases}$	21 12, 15, 39
See also Sugar, beet. topping, uses of leaves and neck. Beetle, cigarette. confused flour, description, life history. drug-store, tobacco enemy.	120 45	28 26-30 11 30
drug-store, tobacco enemy elm leaf, imported, distribution. food. life history, and re- edies	n- • 99	7-12
flea. <i>See</i> Flea-beetle. leather, tobacco insect, remarks		30
Beetles, asparagus, description, habits, remedics	61	34-39 5
flour, description		27 11–14
grain, description, life history use by toad as food wingless, May, injurious to young cotton and truck. remedi	45 196	11-14 15-18 10 13
Beets, culture, climate, soil, and water supply essential	$\int \frac{3}{3}$	3-5, 9
effect of lime on soil	79	87
mangel-wurzel, feed for sheep, danger packing for market	49 62	5,11 26
rotation methodstatistics.		$9 \\ 22-24$
storage, temperature managementsubject to potato scab	125 56	19 24
sugar content, determination	52 79	27 9
feed for chickens feed for cows		15 *28-29
feeding value	84	15
of products	162 (124)	10-15 13
fertilizers	02	6-9 13-17
industry in United States on alkali soils	$ \begin{bmatrix} 222 \\ 79 \\ 92 \end{bmatrix} $	9 8–11 5
plant food constituents price per ton. 1899	52 52	$\begin{array}{r}14\\40\\42-48\end{array}$
varieties, description		5
yield as affected by irrigation		8–13 14–15
Beggar weed, use for forage in South Belgium. flax growing	$\begin{array}{ccc} & 102 \\ & 27 \end{array}$	31-33 4, 5, 6
Bellflower, growing Bent grasses, description	195 66	23 24
(22) N_{0} 0 0^{-} 0		

6838—No. 8—07—2

	Farmer	s'
	Bulletin 1 72	No. Page. 1–32
BENTLEY, H. L., bulletin on "Cattle ranges of the Southwest" BENTON, FRANK, bulletin on "Bee keeping"	59	1-32 1-48
Berkshire hog, characteristics.	100	7
Bermuda grass, description, directions for planting	87	$\begin{array}{c} 23 \\ 17 \end{array}$
for winter forage	147	11
recommendation for permanent pasture or hay	$\{ 18 \\ 72 \}$	6, 7, 8, 9, 10 21
recovery washed soil	`20	21
remarks		9-11 9
use in lawn making	(100)	10
Berseem, soil inoculation, reports	214	46
Big blue-stem, remarks. Billings, F. S., experiments, inoculation for hog cholera, review.	102	$11 \\ 9-27$
Mont., salt content of springs and wells	88	17-18
Binding material in road building Bindweed, black, description, remedies	95 10	41 14
Birds, caged, meal worms as food	45	14
close season, laws, 1902.	160	52-56
common, in relation to agriculture	54	1–48
imported, destination		9-10
Biscuit, ship's and other, remarks. BISHOPP, F. C., and A. L. QUAINTANCE, bulletin on "The cott	112 ton	24
bollworm "	212	1-32
Bisulphid, treatment of stored corn Bisulphide of carbon, treatment of subterranean insects	81 19	$21 \\ 25$
value as insecticide, application		35, 37
vapor, use as insecticideinsecticides on vines	127	29-30
Bitter milk, cause		$\begin{array}{c} 20\\12\end{array}$
rot, apple, treatment.	38	12
grape, remedial measures		31–32 18
Bittersweet, description, distribution, poisonous property	86	31
"Black death," composition, value Black grama. See Grama black.	146	11
pepsin, butter making, description, methods of advertisi	ng,	
quality of butter		5-8, 10-12, 15
raspberries. See Raspberries, black.		10-12, 10
rot. See Rot, black.		
scale. See Scale black. Spanish chickens, description	51	29
Blackberries, packing for market	62	20
pruning	1154 1151	$\begin{array}{c} 11 \\ 35 \end{array}$
Blackberry disease, treatment	243	23
Blackbird, crow, food, habits, usefulness redwinged, food, habits	54 54	$\begin{array}{c} 29\\ 24 \end{array}$
Blackcaps. See Raspberries, black.		
Blackhead cranberry worm, description, injuries, remedies, etc turkey, symptoms and treatment	178 200	$9-12 \\ 38$
Blackheart, pineapple, cause	140	42
Blackknot, treatment	$\dots 243$ 148	$19, 20, 22 \\ 20-24$
Blast and scald, cranberry treatment	243	23
Blight, apple and pear, spread, prevention	78	25 17–18
 celery, causes, control corn, description, causes 	78	27
early, potato, description, treatment	91	9
leaf, cucurbits, description	$\ldots 231$ $\ldots 91$	9
pear, control methods, Pacific northwest		35–38
8		

	Farmers'	
Blight, pear, Pacific northwest		o. Page. 9, 13, 14
potato, description, treatment	91	3, 13, 14 11
wilts, pineapple, cause and remedy	140	38
Blights, pear and others, treatment	243	19,
"Blind" disease, pineapple, remedy	140	0, 21, 22, 23 42
Blissus leucopterus. See Chinch bug.		12
Blister-mite, pear leaf, description and remedies	153	9, 31
Bloat, cattle and sheep, from pasturing alfalfa	31	17
sheep, causes, treatment	49 78	$\begin{array}{c} 15\\11\end{array}$
Bloating, cattle, danger on alfalfa pasture	215	25
danger to stock from rape	164	12
Block cattle. See Beef cattle. Blood and bone, value as fertilizer	01.1	24
Blossoming, plums, table showing order	103	24 9–12
Blue milk, formation, causes	9	13
Blueberries, improvement	119	18-19
Plushind food behits beneficial	62 ž 1	21
Bluebird, food habits, beneficial	54 54	46 48
Bluegrass, Canada, description, seed, quantity per acre		23
Kentucky, description, etc		21
testing of seed	(66)	22
use in lawn making	248	12 9
South		17
value for pasture crop		15
Texas, propagation by sod, value for perennial pastur Bluestem, big, use as hay and forage		21 11
Bluestone and lime treatment, wheat stinking smut, direction.	102	8-16
Boar, management	205	33-35
selection and treatment		11-13
for foundation of herd	205 222	22-23 29
Boars, market, price, etc		. 18
Boat crews, dietary use of sugar. Bobolink, food habits, destructiveness in rice fields	54	23
Bobwhite. See Quail.	1.(2)	-
Body, human, chemical composition Bog, cranberry, ideal, discussion.	142 178	5 30–32
draining	138	17-18
Boiling meats, directions, effects on taste and digestibility	34	15
Bokhara, clover, value as forage crop and bee pasturage		9,29
Boll, insects injurious, remedies weevil, cotton, burning plants as control measure	47 217	28 - 30 16
control, failure of trap lanterns and ot	her	*
methods	216	23
in cotton seed and at ginneries	209 (130	32 10–29
	163	10-29 1-16
methods	209	28-30
memous	<i>4</i> 11	23
	216 217	$\begin{array}{c} 32\\ 16 \end{array}$
oil mills	209	28 - 30
recommendation of cultural metho	d 216	3–5
specific remedies	163	0.10.23
use of paris green damage caused	$211 \\ 216$	9-19, 23 12-15
estimated, 1902	189	12 - 13
description	<i>{</i> 189	24-26
distribution, habits, enemies, re		8-10
dies	47	16-23
distinction from acorn weevils	130	10

A

	Farmers'
Boll weevil, cotton, distinction from sharpshooters	Bulletin No. , Page.
egg	130 7-8
extermination by cultural methods	130 10-21 $10-21$
grazing cotton field as remedy	216 3-5 130 20-21
habits modified by locality	
hibernation	$ \begin{array}{c} 130 & 9 \\ 189 & 20-22 \end{array} $
in cotton seed, funigation experiment	ts \dots 209 $6-12$
information (1903–4) injuries, relation of cultural methods.	189 1-29
investigation of Entomology Bur	
Mexican, life history and habits, m	ethods of
control	
migration outlook for future	
Paris green as insecticide, Departmen	nt of Agri-
	experi-
experim	211 9-14 ents by
planters	211 . 14–19
prospects, 1904.	189 23-24 130 8
pupa and larva quarantine laws	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
rate of increase	130 16–18
recommendations (1904)spraying and sprayers	189 7-8 130 24-28
spread, cotton seed and ginneries as f	actors 209 $5-6$
1904, territory affected	
trap crop trapping	
treatment of squares containing	130 13–16
warning, 1904 Bollworm, cotton, account, with 1903 results	
control	
ineffective methods	
damages 1903	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
damages, 1903 destruction on corn	212 1, 12 27
destructiveness eggs on corn, number and distribution.	
farm practices as cause of spread	
field experiments, 1904	
food plants, and generations investigations, 1904	
larva, feeding habits	
life history and habits	$\int \frac{47}{101} = \frac{10-16}{5.7}$
• me mstory and babits	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
moth, description, habits	47 12
recommendations for control	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
trap crop use of arsenical poisons for control	212 28-31, 32
Bologna sausage, making, directions	
Bone, ground, fertilizing value	$\begin{cases} 44 & 9\\ 56 & 15 \end{cases}$
Boneset, drug use, with price, description and range Books. See Publications.	188 30
Bordeaux mixture, dust	243 11–12
formula, directions for making, testing	ng, apply-
ing	
formulas	$\begin{array}{c} 1 \\ 7 \\ 19 \end{array} \begin{array}{c} 12 \\ 7 \\ 7 \end{array}$
formulas	19 7 243 5-12
8	(240 9-12

	Farmers' Bulletin No	o. Page.
	(91	9
Bordeaux mixture, preparation and use	$146 \\ 153 \\ 156$	$ \begin{array}{r} 13 \\ 20-21 \\ 20 \end{array} $
	221	9
spraying in Pacific Northwest	$\begin{array}{c} 231 \\ 153 \end{array}$	20-22 8-9
use against apple scab	247	13-16
on cucurbits, quantity per acre grapevines		14-15 31-32
peach trees potatoes, increased yield	33	$\begin{array}{c}19\\6\end{array}$
Borer, twig, apple. See Grape cane borer. parasites.		12
peach, life history and treatment		1 - 16
Borers, injury to shade trees.		27 7
peach, remedies	33	15-17
tree trunks, treatment with carbon bisulphide Boss, ANDREW, bulletin on "Meat on the farm"	145 183	16 1-38
Bottles, milk, advantages and objections	42	26
"Bottom disease," caused by poisonous plant Bounties, coyotes, State laws	86 226	17 17
Bouteloua curtipendula, value for pasture	72	28
oligostachya. value for hay and forage Boxelder, injuries by insects	72 99	$\begin{array}{c} 31\\ 24 \end{array}$
seed, planting for forest	20	18 11
Brabant sugar beet, description. BRACKETT, G. B., bulletin on "The apple and how to grow it"	113	1-32
Brahma chickens, description Bran, feed for hogs		$\frac{10}{28}$
value	170	12
feeding, dairy cattle sheep		35 5, 9, 12, 17
wheat, relation to value of wheat products as food	249	19
Branding, cattle, by use of juice of poisonous plant Brassica napus. See Rape. nigra. See Mustard.	86	19
Brazil. native home of the peanut	25	4
Bread, "aerated," method of leavening		$\begin{array}{c} 19\\ 14 \end{array}$
baking and cooling	112	26-28
chemical composition	$112 \\ 112$	28–29 33–34
food use and digestibility	∫193	26
general use		18
hot, digestibility	112	36
impurities and imperfections ingredients and baking		30-32 8
leaven	112	23 1–40
household methods	112	25-26
use of skim milk market value		$\frac{16}{36}$
nutritive value and cost	112	32-37
raised	112	19–24 19
several kinds, food value, analysissour, causes		$\begin{array}{c} 15\\ 31 \end{array}$
stale, remarks	112	29
Breads, special, making	···· 112 ∫105	$\begin{array}{c} 24\\ 19-22 \end{array}$
Breakfast foods, cereal	(249)	1-37
Breeding Angora goats, directions	137	38-42

	Farmers'	
	Bulletin No.	Page.
Breeding corn, method.	229	10-16
special composition as objects crate for hogs cross, grading up common stock ewes, feed grape, for special characteristics hogs	$ 210 \\ 205$	11-13
cross, grading up common stock.	143	33 42–44
ewes, feed.	49	3-8
grape, for special characteristics	144	19 - 22
hogs	117	17-18
relation to prevention of disease pigeon, for squab raising	24	$14 \\ 17-19$
sheep, management.	117	13 - 16
sheep, managementstock, hog raising	205	31-32
turkeys, selection and treatment	200	17-21
type, cattle, versus block	/1 139	$\frac{13}{15}$
Breeds, chickens, selection	41	$10 \\ 12$
cows, southern dairy	151	18 - 22
dairy cattle	106	1-48
comparison	106	$\begin{array}{r} 46 - 48 \\ 21 \end{array}$
Brewers by-products, origin and use as feeding stuffs		$\frac{21}{22}$
Brine, use in curing meat, comparison with dry curing	183	$\frac{1}{30}$
Brome, awnless, value for forage, seed quantity per acre	147	10
grass, beardless, testing of seed.	111	15
Bromus inermis. See Brome, awnless, and Hungarian brome gra unioloides. See Rescue grass.		
Brooder, home-made, direction	237	24
houses for ducks	64	22-28
successful.		2731
Brooders, management of chicks Broom corn		$19 \\ 1-32$
baling		1-32 22-25
bulking	174	22
cultivation, etc		16
description		8-10 26-28
drying.		20-28
harvesting.		16 - 21
marketing	174	25-30
planting		15-16
relation to sorghum		$\frac{7}{20}$
statistics		$\frac{1}{28}$
thrashing		21
Broom-corn millets, growing, varieties, etc.		20-22 17
Broth, meat, composition, nutritive value BROWN, EDGAR, bulletin on "Alfalfa seed"	194	1-13
Brown rot. See Rot, brown.		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
Swiss dairy cattle, characteristics, etc	106	11-15
Brush, clearing by means of Angora goats.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{r}12\text{-}15\\26\end{array}$
Brussels sprouts, packing for markets Buck, Angora, management	137	20 41
Bucket, milk, advantage of cover	210	26 - 27
Buckeye, red, description, poisonous character		22
use in catching fish.		22 15
Buckwheat, as cover crop for orchards	112	15
food value, analysis		14
products, digestibility		18
value as bee pasturage	59	$29 \\ 14-16$
Bud worms, tobacco enemies Buddings, citrus fruit, details of operation	238	44 - 46
propagation of plants	157	21 - 23
studies for schools	218	29-31
Buds, peach, protection by laying down		$15 - 18 \\ 12$
tree, formation and development	67	12

⁸

		ners' tin No.	Page.
Buffalo bur, distribution, description, remedies			16-17
grass, growth habits, value for grazing		72	23
use in lawn making	2	48	13
"Bug death," composition, value	1	46	11
tarnished plant, celery, control			19
Building blocks, concrete	2	35	25
Buildings, farm, location fumigation with carbon bisulphide, directions			6-8 18-19
practical suggestions	1	.26	1-48
Bulbilis dactyloides. See Buffalo grass.			
Bulbs, propagation of plants.			8
Bulb-worm, wheat, description, distribution, remedies Bull, dairy herd, in South.			29-30 23
selection and management		55	11 - 13
Bull-bat, food habits, usefulness		54	13
Bunching asparagus for market		61 39	$\frac{26}{26}$
onions, production Bunt. See Smut, stinking.		09	20
Bur clover. See Clover, bur.			
Burdock, drug use, with description and range	1		11-12
Bur-grass, description, remedies. Burley, white, tobacco, curing.		10 60	$\begin{array}{c} 14 \\ 16 \end{array}$
lands of Kentucky and Ohio		83	10
Burn, tip or leaf, potato, description and treatment		91	14
Burning waste land, as remedy for chinch bug	1	.32	11
wheat stubble to prevent Hessian fly and other insects			21,29 6
Butchering, age for killing.	1	.00 83	1-38
preparation of animals	1	.83	6
selection of animals	1	.83	5-6
Butter, churning, washing, and salting.	2	41 19	$\begin{array}{c} 26\\ 3,12 \end{array}$
compound, "gilt-edged," description of process cultures, use with pasteurized cream		03	3, 12 21
effect of cassava as feed for cows	1	.67	24
fat increase by use of separator			6
• production of cows, effects of exposure to weather			$29 \\ 15$
increase of yield, proper methodkeeping quality		86	29
lower-grade, danger with cream separator	2	201	7
making, flavor-producing bacteria		29	17-19
milk pasteurization on the farm	·····	92 57	23–25 20
on the farm	{2	241	1-32
relation of milk bacteria		9	18-21
southern dairy]	51 *	43-47
the churn and churning use of black pepsin	• • • • • •	$\frac{97}{12}$ 5-8	14-16, $10-12$
versus patronizing creameries	2	12 0 0 141	30
<i>versus</i> patronizing creameries marketing, storing nostrums for increasing the yield	2	241	29 - 31
nostrums for increasing the yield		12	1-16
packing for market, directions tubs and small packages	 ඉ	62	$\frac{15}{28}$
production. relation of type of dairy cow:		24	28 - 30
quality, effect of cotton-seed meal	1	.19	24
rancidity, cause, relation to butyric acid	{	9	11
renovated, boiling test	(1	31	16 6-7
household tests for detection	1	.31	1-10
methods of making	1	.31	5 - 6
waterhouse test			7-8
salting and working	· · · · · ·	25	17-18 12
stripper, flavor	1	84	$\frac{12}{24}$
water content			30
0			

	Farmers'	
	Bulletin No.	Page.
Butter, white specks, cause and remedy	57	16
working	∫ 57	17 - 18
" OTRAINS	241	26 - 28
in southern dairy	151	47
Butter-making compounds, composition and analyses	12	10 - 15
Buttermilk for skim-milk calves	233	24
nutritive value	74	15 - 16
BUTTERWECK, OTTO CARL, bulletin on "The culture of tobacco	'' 82	1 - 24
Butyric-acid fermentation	29	12
formation, relation to rancidity of butter	9	11
note	112	16
By-products, composition	170	11
dairy, disposal		20 - 23
origin and use as feeding stuffs		20 - 22
pineapple		46-47

C.

Cabbage, bacterial disease, description, prevention		26
black rot		1 - 22
losses		8
prevention, synopsis of rules	. 68	20-21
study, and suggestions for prevention	. 68	10-31
cultural directions		17
enemies, treatment		18
fertilizer, nitrate of soda	. 162	7
fertilizers	. 107	7
losses in cooking experiments		24
packing for market	. 62	26
plusia, tobacco enemy	. 120	24
root maggots, treatment with carbon bisulphide	. 145	14
California, apple varieties.	. 113	23
coyote bounty laws		17
game preserves		12
grape acreage		7 10
vine disease, ravages, description, remedies	. 50	7-10 1-28
hop culture		3-5, 13, 15
peach twig-borer, studies and treatment	105	3-5, 15, 15 23
poppy, growing	$170 \\ 179$	· 23
Riverside, experiments in frost protection		15
sugar-beet growing, cost per acre		16
wages to farm laborers.	52	26
wind-breaks, planting		20
Call ducks, gray and white, history, description, crosses	64	14-15
Calliopsis, growing.	195	23
Calorimeter, description, use		13
Calves, care and feeding	55	21
dairy, remarks	151	24-25
fattening, supplement to skim milk	92	21-23
feeding, effect of tuberculous milk	. 107	23
manure production	. 192	7-10
raising, cost from birth to maturity	£107	21
		24-27
prevention of tuberculosis		23
skim-milk, feed methods		22-25
feeding, results	. 84	22
Camelina sativa, origin, distribution, remedies.	28	22-23
Campanula, growing. Campine chickens, description	195	23
Campine chickens, description	51	35
Canada field peas.	224	1-16
soll-inoculation reports	214	45 16
forest protection	020	
game sale laws	230	36, 39-40 33-34
shipment laws	230	33-34

	Farmer Bulletin	
Canada, introduction of rape, and experiments in culture	11	5–7
mutton importation into United States Canary grass, southern, as winter pasture crop	96	4 19
use for forage in South	102	25
Candy, adulteration injurious effects of excessive use	93 93	23 22
(and vtuit growing	- 195	24
Cane, sorghum, grinding. yield of juice per ton	90	17 13
sugar. <i>See</i> Sugar-cane. value for forage.		
Cane-borer, grape, description and remedies	147	11 27
life habits, remedies		11-13
Canker, apple, in Pacific northwest blackspot apple, description and remedies	153 $ 153$	7,8 31–33
pigeon, treatment	177	28
Canned fruit, preserves, and jellies, household methods		$19-20 \\ 1-32$
vegetables, cause and prevention of "swells"		28
Canner, tomato, form of contract with producer		32 23
Canneries, tomato growing, cost and profit		18-23
tomatoes for supply Canning and preserving, principles	203	26-31 5
utensils	203	9-11
asparagus		29 28–29
fish, process	85	7 15–20
fruit, directions selection and preparation of supply	203	15-20 12-13
peas, details	73	29 35–36
prevention of swelling of canned peas	225	32 signal
sirup, with labels bearing maker's name		30 25
sweet potatoes Cans, cheese, handling		23 28
Cantaloupes, planting, relation to spraying	231	12 23
Canterbury bells, growing Canvas cover for tobacco-seed bed	195	23 4
Capercailzie, introduction experiments Capriola dactylon, use in lawns	197	17 9
Carbohydrates, constituents of feeding stuffs	22	5,30-39
in food	23	· 5 11
sources, uses as food	142	7, 10
Carbolic acid emulsion, formula	$\dots 39 \\ 124$	27 * 19
dips, sheep scab	159	31
Carbon bisulphid as an insecticide	of 145	1-28
ignition	145	25-28
dangers from explosion		8, 15, 19, 26–28
effects of inhalation		6-8
fumigation for cotton boll weevil, experime and methods		8-12
insects, stored products	$\{\begin{array}{c}19\\15\end{array}$	27
properties, liquid and vapor	145	$22 \\ 5-6$
treatment of seeds	145	$20 \\ 7$
Caribou. See Game.		
CARLETON, MARK ALFRED, bulletin on "Emmer: a grain for a semiarid regions".	he .	, 1-16
0	105	1-10

	/	,
	'Farmers Bulletin N	
CARLETON, MARK ALFRED, bulletin on "Lessons from the gra	in-	
rust epidemic of 1904"	219	1 - 24
Carnation growing	195	41
Carniolan bees, description, habits	59	16
Carob, description and food use	121	14
Carottes, Perique tobacco, rolling	60	23
Carpet grass, description, directions for planting	18	20
remarks.	102	11-12
use in lawn making. Carpodacus mexicanus frontalis, food habits and fruit destruction	248 54	. 13 33
Carrot, wild, distribution, description, remedies.	28	20-21
Carrots, composition	170	10
cultural directions		18
packing for market	62	26
storage, temperature management	125	19
Casein of milk, description	9	5
Cassava, crop rotation	167	11-12
cultivation		14
digging the roots		19
diseases		15
factory waste, use as feed	107 167	29
fertilizers, kinds and effectiveness forage for hogs, propagation and yield		$\begin{array}{c}10-11\\25\end{array}$
growing and use	167	1-32
harvesting crop		1-32 16-21
planting.		12 - 14
preparation of ground		11
region of growth, limit by frost	167	8
soil and moisture requirements	167	9-10
storing roots	167	17, 19
use as forage in South	102	46
value as horse feed		22-23
varieties, description, etc	167	3-7
yield and profit	107	21-23
Cassidæ, sweet potato enemies, treatment	105	$\begin{array}{c} 24\\ 25\end{array}$
Castor bean, growing	185	20
	(100	18
Castration, hogs, age, suggestions	$(100)^{100}_{205}$	$\frac{10}{32}$
kids	137	37
Catalaccus anthonomi, parasite of cigarette beetle	120	29
Catalpa, hardy, use on home grounds		17
Catbird, food hal its	54	39
Catch basins, drainage		31
crops, citrus fruit grove		16
Caterpillar, celery, control	140	19
		3–10
dies white-line sphinx, life history and remedies	223	S-10
Caterpillars, leaf-feeding, damages to cotton, remedy	47	26 - 27
use by toad as food	196	11
webworm, destruction by torches	99	21
Cathartus, spp., description and life history	45	15 - 18
Catnip, drug use, with price, description, and range	188	31-32
Cattine, silkworm disease. Cattle, beef or dairy, raising in the South	165	30
tune, beer or dairy, raising in the South	98 71	42 42 42
type, points	215	4-0.10-19 25
rape		12
branding by use of juice of poisonous plant	86	19
dairy and beef, conformation	143	1-44
breeds.		1-48
purebred and grades	55	10
special adaptation	55	8
digestion of feeds, comparison with horses	170	28
8		

	Bulletin 1	
Cattle dip, preparation		11
dipping plants.		13 - 24
effects of corn smut as feed	69	16-18
fattening for market		23
use of sugar		18
feed, alfalfa, experiments	56	11
Canadian field peas	224	5
cassava		24-27
$\operatorname{corn} v.$ wheat		4
cowpeas.		12
feeding, alfalfa pasture, danger of bloating		25
rape		17 11–13
selection with cotton seed		24
Kafir corn and other foods, experiments.		14
sugar-beet pulp		23
fever, Texas, prevention		42
protection of northern cattle		27
foods, condimental and medicinal		22-24
killing and dressing		7-14
lice, dipping		13
losses by poisonous plants	86	3,
		12, 14, 23-27
manure, production, composition, quality	$\int 21$	6-10
	$\cdots (192)$	7-14
market classification	184	
northern, protection against Texas fever		27
packing-house methods	184	19
pedigreed, numbers in United States, table	1/2	12–14
points and measurements range, overstocking, effect on range lands	···· 140 79	12-14
ranges of the Southwest	72	1-32
ranges of the Southwest	55	11
scab, disinfection.	152	11
scabies.	152	1-24
score card, directions for use		6-7
ship transportation		37-40
slaughter, temperature, etc	125	22
soiling	22	27
speculation, bad effect on ranch lands		11
Texas, prices, 1883	72	8,9
tick, extermination	244	29-32
ties, different devices.	55 59	15 16
Caucasian bees, origin, description Cauliflower, cultural directions	94	18
packing for market	62	27
Caviar, preparation	85	21 I
Cayuga, black, duck, history, description, weight	64	10-12
Cecidomyia destructor. See Hessian fly.		
oxycoccum, description, injuries, remedies, etc	178	17-19
vaccinii, description	13	14
Cedarbird, food habits	54	38
Celery, bacterial disease, description	78	27
blanching, methods	148	20-24
blight, causes and control		17-18
aultural dimensions	$\int \frac{94}{122}$	18
cultural directions	135	7-18 1-32
culture, cost and profits	()	29-30
danger of carrying disease.	148	25-50
fertilizer, nitrate of soda	162	
foutilizous	(133	10
fertilizers		S
forcing	`133	13
fungous diseases, control	148	16-18
8		

28 INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250.

	Farmers' Bulletin No.	Page.
Celery, insect enemies, control	148	18–20
marketing	148	28-29
mulching and cultivation	148 169	15-16 9
plants per acre	148	30
preparation for market	$\begin{cases} 62 \\ 142 \end{cases}$	27
shipping in carload lots		28 28
soil preparation, fertilizers, rotation of crops	148	9-10
sowing seed, transplanting, and watering	148	10-15
storage cellars and trenches	$ 133 \\ 125$	15–18 21
storehouse, directions for building and packing	148	26-27
storing for winter use	<i>{</i> 133	15
		24–27 14
varieties	1135	30-31
Cellars, caves, and houses for mushroom culture	204	10-11
celery storage, construction	133	15-18
sweet potato, description	195	18-19 27
Cement, definition, classes, production, and storage	235	2. 34
mortar, preparation and use on farm	235	1-32
silos, directions, cost	32	$\begin{array}{c} 16\\11\end{array}$
Cenchrus tribuloides, description, remedies	10	14
Centaurea, growing	195	29
Cephus spp. See Sawflies.	• 96	01
Ceratocystis fimbriata, description and treatment Ceratonia siliqua, description and food use	121	$21 \\ 14$
Cercospora henningsii cause of disease of cassava	167	15
Cereal breakfast foods	{237	14-18
dietary position	249	1-37 31-33
discussion	105	19-22
home preparation	249	30
summary of discussion crops, smut, annual loss	249 250	34-36 4-13
foods, raw		26
grains, feeding use	170	11-14
Cereals, breakfast, comparison of cost	249	33-34 27-28
cooking		27-28
fertilizer requirements		18
root systems		6-8 24
solubility, relation to food usevalue as food, pecuniary economy	142	43
varieties resistant to rust	219	9-20
winter pasture crops.	147	12-14
world-wide use, remarks	249	1
Ceroplastes spp., characteristics, etc	172	31-32
Cesspool, construction, dangers	43	7,11
Chatochloa spp. See Millets. Chaff scale, characteristics	172	25
Chalcidid fly, enemy of black scale	172	30
Chalcis ovata, enemy of bollworm	47	14
Charlock, destruction Cheese bacteria, sources, action		20 20–21
Camembert, in United States		31
canning	210	28-30
coating with paraffin	190	17-20 28
cottage food_value		22-23
method of making	244	22
cream, making on farm	166	14
8		

()	()
• /	u
1	11
_	~

	Farmers' Bulletin No.	Page.
Cheese, curing experiments, results.		27-30
in cold storage.	186	30-32
room, construction	97 97	23-26 26
rooms, central, cooperative		19-23
injurious bacteria, causes	9	22
making bacteria, pure cultures	92	26
useful and harmful		19-21 24-28
farm.		1-16
home, notes	166	15-16
relation of milk bacteria Neufchatel, making on farm		21-23 13
pot, making on farm.		13 12
print, making on farm	166	10-12
prints, study	162	28-31 27
sage, manufacture		12
small, making on farm	166	8-10
swelling, remedies		22
Swiss, gassy fermentation Chemicals, use in destruction of weeds	237 194	29-32 19-21
Chenopodium album, description, remedies	10	13
Cherries, cold storage	119	15
food value packing for market		22 21
varieties, remarks	98	31
Cherry bird, food habits	54	38
black, description, ways and symptoms of poisoning		13
coast region, Pacific northwest		9 12
diseases, treatment	{243	22
ground, for vegetable garden		20
leaf blight, treatment	181	$\frac{15}{29}$
pruning. Surinam, description and use.	169	23
wild, poisoning by leaves	103	16
CHESNUT, V. K., bulletin on "Thirty poisonous plants of United States".	the 86	1-32
Chester swine fecundity.	87	23
Chester-White hog, characteristics	100	8
Chestnut, leaf blight, spraying as remedy		11 10
propagation Chestnuts, cultivation		9
food value	114	12
Chicago, horse market, rules and methods	184	* 9-10
Chickadee, food habits Chicken breeds, selection	54 41	* 43 12
standard	51	1-48
weight of eggs		24
brooders, management	237	$\frac{19}{24}$
colonies	141	14
coops, directions and illustrations		10-13
disease and lice, prevention		21 18
feed troughs	{141	13
food value		_21
house, construction	····)141	5-7 9-13
floors	141	11
roosts	{ <u>41</u>	8
suggestions and directions for building		11 9–13
ventilation		8
8		

Farmers' Bulletin No	o. Page.
Chicken manure, composition, value $\begin{cases} 21\\ 192 \end{cases}$	6, 7, 10
preservation, value	9, 10, 14 5-6
mite, combating 190	6–8 9
nests, arrangements. $\begin{cases} 41\\ 141 \end{cases}$	11
yards, size, management, site	4-5, 11 27-31
care and feeding 41	1-24
composition, fuel value as food, table34dressing and shipping41	$\begin{array}{c} 30\\23\end{array}$
drinking fountains $\begin{cases} 41\\141 \end{cases}$	$\begin{array}{c} 10\\ 13 \end{array}$
dust box	11
eggs, weights for several breeds	$24 \\ 14-19$
food use, important features	8
gape disease, description	$\begin{array}{c} 28\\ 26-27\end{array}$
$\left(\begin{array}{c}41\\\end{array}\right)$	17-20 19-20
11 and 1236	30
roup treatment	$\begin{array}{c} 23-25\\ 22\end{array}$
standard varieties	1–48
varieties, egg production and weight	8 16
Chicks, feeding	17 - 19
ground grain v . whole grain for feed	19 20
incubator, care and feed $\begin{cases} 41\\236\\raising by broody hen \\237 \end{cases}$	30 23
with brooders	24
skim milk as feed	$\begin{array}{c} 20\\ 25 \end{array}$
Chimneys, building, suggestions, caution	24 - 25
China aster, growing	24 5–13
enemy to growing wheat, preventives and remedies 132	11–13 41
Chinese geese, brown and white, history, description	26
CHITTENDEN, F. H., bulletin on "Insect enemies of asparagus" 61 "Insects injurious to stored grain" 45	$34-39 \\ 1-24$
Cholera, chicken, treatment	22
hog	1-16 1-40
method, effects 8	6–9 36–37
symptoms 100 treatment 205	37-38
pigeon, treatment	29 39–40
turkey.200Chondrilla, distribution, description, remedies.28	20
Chordeiles virginianus, food habits and usefulness	13 15
Chrysanthemums, growing	25
Chrysopa spp., enemies of scale insects172Chufa, use as forage in South102	8 46
Chufas, forage for hogs 100 Churn, use and cleaning, directions 241	$\begin{array}{c} 25\\ 24 \end{array}$
Churning, dairy, in South	46
methods and difficulties	14-16 25-26
<i>Cicer arietinum</i> , description and food use	16
Cicuta maculata, description and symptoms of poison	23 24

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250.

	Farmers'	
I	Bulletin No.	Page.
Cider, boiled, preparation	203	23
sweet, composition	233	28
preservation		29
utilization of low-grade apples	73	20
vinegar, suggestions		28 - 32
Cigar tobacco, northern, curing	60	5 - 8
tobaccos, description	83	9 - 15
Cigarette beetle, tobacco enemy, description and remedies	120 .	26 - 30
Cinders, use in making concrete	235	8
Citron, classification	238	12
Citrus fruit, budding		42-48
with dormant buds	238	48
cuttings, use in propagation		42
growing, climate remarks		14
preparation of the land	238	14
marketing	238	28
marketing	238	40 - 41
seed-bed preparation, sowing and cultivation	n. 238	38-39
seedling grove	238	
selecting and keeping seed	238 238	

picking		20
seedling grove		41
shipping	238	26
sorting	238	27
varieties		11-14
washing		23-24
wrapping and packing.	238	20 21 25
whapping and packing	200	
grove. site	238	9-11
growing, Gulf State	238	1-48
pests, not scale insects	172	36 - 42
scale insects, classification and characteristics	172	18-36
enemies, natural		8
tree, stocks suitable for different sections		35 - 42
trees, Florida, commercial fertilizers		21-22
injurious action of muck	200	20
propagation	238	33-48
protecting against cold	238	29-32
scale insects and mites	172	1-43
setting out	238	15 - 16
sprays		15-18
transplanting.		39-40
mater requirements	200	
water requirements.	110	9
Cladosporium fulrum. See Mold. olive. tomato.	105	7.0
Cladrastis tinctoria. use on home grounds	185	18
Clam, long, remarks	103	19
Clarkia. growing	195	26
Clay soil, heavy, relation to alfalfa growing	210	14
use in clearing sorghum juice	135	* 16,
		21, 34, 36, 37
settling sorghum juice or sirup	00	22-25
Chapting long and stratical illustration	90	
Clearing land, practical illustration	150	19-20
new land		1-24
Cleft grafting, apple		12
	113	
propagation of plants	$\frac{113}{157}$	
propagation of plants	157	
cleora pampinaria, description, injuries, remedies, etc	$\frac{157}{178}$	17-18 19-21
propagation of plants	$ \begin{array}{r} 157 \\ 178 \\ 37 \end{array} $	17-18 19-21 9
propagation of plants	$157 \\ 178 \\ 37 \\ 210$	17–18 19–21 9 11–13
propagation of plants <i>Cleora pampinaria</i> , description, injuries, remedies, etc Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco	$157 \\ 178 \\ 37 \\ 210 \\ 83$	17–18 19–21 9 11–13 8
propagation of plants. Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks.	$ \begin{array}{r} 157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \end{array} $	17–18 19–21 9 11–13 8 8
propagation of plants Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks flax growing	$ \begin{array}{r} 157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \\ 27 \\ \end{array} $	17-18 19-21 9 11-13 8 8 10-11
propagation of plants. Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks flax growing. relation to housing of hogs.	$ \begin{array}{r} 157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \\ 27 \\ 205 \\ \end{array} $	17–18 19–21 9 11–13 8 8
propagation of plants. Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks. flax growing. relation to housing of hogs. proximity of water.	$ \begin{array}{r} 157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \\ 27 \\ 205 \\ 104 \\ \end{array} $	17-18 19-21 9 11-13 8 8 10-11
propagation of plants Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks flax growing	$ \begin{array}{r} 157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \\ 27 \\ 205 \\ 104 \\ \end{array} $	17-18 19-21 9 11-13 8 8 10-11 12-15
propagation of plants. Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks. flax growing. relation to housing of hogs. proximity of water. scale insects on citrus trees.	$157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \\ 27 \\ 205 \\ 104 \\ 172 \\$	$17-18 \\ 19-21 \\ 9 \\ 11-13 \\ 8 \\ 8 \\ 10-11 \\ 12-15 \\ 9 \\$
propagation of plants Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks flax growing. relation to housing of hogs. proximity of water. scale insects on citrus trees. requirements of sugar-beet culture.	$157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \\ 27 \\ 205 \\ 104 \\ 172 \\ 52 \\ 104 \\ 172 \\ 52 \\ 104 \\ 172 \\ 52 \\ 104 \\ 172 \\ 52 \\ 104 \\$	$17-18 \\ 19-21 \\ 9 \\ 11-13 \\ 8 \\ 8 \\ 10-11 \\ 12-15 \\ 9 \\ 6 \\ 4$
propagation of plants. Cleora pampinaria, description, injuries, remedies, etc. Climate adapted to Kafir corn alfalfa requirements. and distribution of tobacco citrus fruit growing, remarks. flax growing. relation to housing of hogs. proximity of water. scale insects on citrus trees.	$157 \\ 178 \\ 37 \\ 210 \\ 83 \\ 238 \\ 27 \\ 205 \\ 104 \\ 172 \\ 52 \\ 104 \\ 172 \\ 52 \\ 104 \\ 172 \\ 52 \\ 104 \\ 172 \\ 52 \\ 104 \\$	$17-18 \\ 19-21 \\ 9 \\ 11-13 \\ 8 \\ 8 \\ 10-11 \\ 12-15 \\ 9 \\ 6 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 $

Fa	rmers'	
- Bull	etin No. Page	2.
Climatic conditions, influence on root nodules	214 13-1	-
Cline, Joseph L., remarks on frost protection Cloth, screens, use for protection from frost	104 1	.7
CLOTHIER, GEORGE L., bulletin on "Forest planting and farm man-	104 1	1
agement"	228 1-2	2
Clover, adaptation to new land		3
aftermath, use in sheep feeding.	49 8, 1	
alsike, description use in South		25 1
and lime		
bird's foot, use in South		3
		5
bur, description, directions for sowing seeduse in South		5
winter pasture, seed quantity per acre		3
crimson, cover crop for orchards	87 1	$\overline{5}$
danger in use as feed		.1
description, value, seed, quantity per acre		$\frac{16}{26}$
description, value, seed, quantity per acte	147 25-2	
experiments	69 <u>8–1</u>	-
feeding value	16 1	7
forage for hogs		6
areen manure		.0 .3
		9
soil inoculation	214 4	
testing of seed	111 1	.6
use in South feed for chickens		.6
		.0 6
		6
hog pastureJapan, description, directions for sowing seed	117 18–2	
Japan, description, directions for sowing seed	$\frac{18}{16}$ $\frac{2}{1}$	4
green manure use in South		2
mammoth, cover crop for orchard	87 1	
Mexican, use as forage plant in South	102 4	6
red. See Red clover.		
seed. See Seed, clover. sickness, cause and cure	214 14	1
sod for corn lands.	81	4
soil and fertilizer note	122	7
sweet. See Sweet clover.	110 11	-
use in apple orchard	$ \begin{array}{cccc} 113 & 14 \\ 66 & 24 \end{array} $	
use as forage in South		
value as pasture	147 23	
yield and value, comparison with cowpeas	98 4	
Clovers, fertilizers, formulas		8 s
recommendation for forage plants	18 6-1	
soiling crops.	66 1	1
true, description, value as forage plants, seed per acre	147 25-28	
use in fertilizing land for onions	$39 \\ 59 \\ 28, 29$	7
varieties, recommendation for recovery washed soil	20 20 2	
to plant	66 1	
to plant. Cnicus benedictus, drug use, with price, description, etc Coal, use in frost protection.	188 3-	
Coal, use in frost protection Cob, corn, large and small, discussion of relative value	$ \begin{array}{cccc} 104 & 16 \\ 81 & 15 \end{array} $	
Cobæa scandens, growing	195 27	
Coccycus spp., food habits and insect destruction	54 7	7
Cochin chickens, description.	51 14	
Cockle, corn, description, ways and symptoms of poisoning	86 10)

	Farmers Bulletin N	
Cocklebur, description, remedies		No. Page. 12
spiny, distribution, description, remedies	28	18–19
Cock's foot. See Orchard grass. Cockscomb, growing. Cocoons, silkworm, preparing for market	195	27
Cocoons, silkworm, preparing for market	165	26
Codling moth, apple, use of arsenical poisons banding trees as remedy	170	5, 8 21–23
		1-23 1-24
control		1-22
measures		9-23
on apple description, remedies, etc., Pacific Northwest	247	9-12, 22 25
distribution, life history, remedies, etc		5.6-8
enemies		5-9
Pacific Northwest		
remedial measures		12-21
spraying time	170	21
studies. remedies	92	19-20
Coffee substitute, soy beans		$23 \\ 22-23$
substitutes cereal products		22-23 33-34
tree, Kentucky, use on home grounds.	185	17
Colaptes spp., food and nesting habits	54	10
Cold frame, making and care	195	18
frames for seedlings	76	
storage, apple, buildings	119	5-9 16
cheese curing	186	30 - 32
farm, house	<i>∫</i> 119	9-12
fish preservation		$\begin{array}{c} 19-20\\ 5\end{array}$
fruit	193	15 - 20
mechanical		12-15
packing house poultry	184 182	$\begin{array}{c} 20\\ 18 \end{array}$
wave warnings, value to stockmen of the West	98	46
Colinus virginianus. See Quail.		
Collard, value as soiling food	100	39
Colletotrichum, effects on asparagus.	61	34
<i>phomoides.</i> See Anthracnose, tomato. Colony houses, chicken	1/1	14
Colorado, apple varieties.	113	23
beetle, tomato, treatment	76	$\overline{27}$
grass, remarks	102	12
value for hay	72	* 24 5
potato-beetle, treatment Colors in milk, production by bacteria		15
Columbia livia, introduction, note	187	18.
Columbine, growing. Comb building, foundation	195	- 28
Comb building, foundation	133	23-25
Commercial fertilizers, composition and use. Composts, preparation, directions.	44	$\begin{array}{c}1-24\\26\end{array}$
Concrete, detail direction for making.	235	8-15
drains and culverts, construction	136	12
effect of freezing		13
material for making mixing	235 235	$6-8 \\ 10$
preparation and use for farm purposes		1-32
retempering	235	12-31
rubble	235	13
use for sidewalks, floors, posts, and building blocks Condimental feeding stuffs	235	15-26 28
feeds and condition powders		20 21
6838—No. 8—07—3		

6838—No. 8—07—3

	Farmers'	
Condition powders and condimental feeds	Bulletin No. 233	Page. 21
Cone-flower, growing	195	$\frac{21}{28}$
Confectionery, adulteration	93	23
Conium maculatum. See Hemlock, poison. Connecticut, apple varieties	113	20
Connecticut, apple varieties curing Sumatra tobacco, cultivation, fermenta	tion,	20
baling. Experiment Station, origin, work	60	8-13
farmers' reading courses	···· 1 ···· 109	6, 9–11 9
game preserves	207	13
valley tobacco soils	83	10
"yellows" law Contagious disease, sheep scab, description, etc	17	$\begin{array}{c} 18\\9-14\end{array}$
diseases, dead animals, disposal	190	3^{-14} 32
Cooking asparagus, canned and dried	61	29, 30
beans, peas, and other legumes effect on nutritive value of food	121	28-33 30-32
effects on digestibility of foods	74	12^{-32}
eggs. methods	128	7-11
various methods, effect on digestibility feed for animals, experiments	87 22	$\frac{26}{25}$
hard water as compared with soft water for boiling	121	$\frac{23}{31}$
-	(34	1 - 32
meats	$\dots \{ \begin{array}{c} 162 \\ 193 \end{array} \}$	9-10
different methods, effect on digestibility		29 - 31 14 - 19
purposes and relation to food value of breakfast cereals.	249	22 - 24
poultry		20-23
toast, remarksuse in keeping meats		$\frac{29}{28}$
Cooling milk, methods		31 - 33
Comparing mink, methods	····\241	17
Coops, chicken, directions and illustrations Copidosoma variegatum, parasites of twig-borer	141 80	$\begin{array}{c}10-13\\12\end{array}$
Copper acetate solution, formula	243	12
carbonate ammoniacal solution, formula, directions	<i>₹</i> 7	12
		$\frac{8}{22}$
insecticide, preparation	156	$\frac{22}{21}$
manufacturing, directions	4	7
compoundsuse, from hygienic standpoint, discussion	243	5-14 16-20
sulphate, ammoniacal solution, formula	4	6
simple solution formula	4	5
solution, formula treatment for wheat and barley smuts	243 75	$\frac{12}{11}$
smut	5	7
Copperas, effects on cotton	14	22-24
Coppice, formation, management CORBETT, L. C., bulletin on "Annual flowering plants"	67	$35 - 37 \\ 1 - 48$
"Beautifying the home grounds"	185	1-24
. "Cranberry culture"	176	1-20
"Pruning" "Raspberries"		$1-40 \\ 1-38$
"Strawberries"	198	1-24
"The home fruit garden"	154	1-50
"The lawn" "The propagation of plants"		$1-20 \\ 1-24$
"The school garden"	218	1-40
"Tomatoes"	220	1-32
Corduroy roads, construction	95 195	$\frac{25}{23}$
Corimelæna extensa, tobacco bugs, remedies	120	18
Corms, propagation of plants	157	8

		Farmers'	Dama
Corn	adaptation to new locality	Bulletin No. 944	Page. 7-8
00111,	alfalfa as rotation crop.		28
	breakfast foods, value		15 - 16
	breeding for special purposes	210	11-13
	increase field		16
	method		10-16 27
	blight, description, causes		27
	bread, use, remarks	112	14
	characters, important	229	6 - 10
	chemical composition	112	15
	cockle, description, and symptoms of poisoning	86	10
	composition and feeding value	50 202	17
	effect of popping	202	$19\\12$
	of kernel crop, Mississippi, value, comparison with cotton-seed crop	98	17
	cultivation, deep and shallow, discussion	81	16 - 19
	in Idaho	227	9
	methods, improvement		17 - 31
	cultivators		28-31
	culture in the South.		1-24
	summary of directions	$\ldots 81 \\ \ldots 229$	$\begin{array}{c} 23 \\ 14 \end{array}$
	diet for hogs, objections	24	14
	ears, selection and seed	229	8, 9, 11
	feed for chickens.		14, 23
	hogs, value		28, 31, 35
	sheep		17, 19, 22
	value		12
	fertilizer compost, formula		27,28 20
			7-11
	fertilizers	107	6
	home mixing	222	$\ddot{7}$
	fertilizing value		18
	flint varieties, value		8-9
	fodder and silage, digestible nutrients in 100 pounds, and		24
	acre	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$24 \\ 12-14$
	digestibility, comparison with sorghum fodder		20
	use as hay substitute		$\frac{20}{24}$
	for bedding cows		21
	in dairy	151	32
	food use		9
	value, analysis	$\ldots 249$ $\ldots 233$	$15 \\ 24$
	forage crop, experiments	<u>2</u> 35	× 6
	growing	199	1-31
	area, experiments for extension	227	8-10
	fertilizers and crop rotation	199	13 - 17
	land too poor preparation of ground	199	7-10
•	preparation of ground	227	9
	relation to hog raising in United States	205 199	3-5 10-11
	harvesting.		9
	kernel desirable	229	9
	lands, flat plowing and bedding	81	5
	methods of feeding to cattle, comparison	107	16
	moldy, feeding.	122	26-27
	pasture with cowpeas for steers	124 97	$27 \\ 9-12$
	planting		3-12 21-25
	and replanting, experiments		21 20 6
	breeding plat	229	13
	methods, discussion	81	14-16
	8		

.

ŀ	armers	,
	lletin N	
Corn, planting, time and manner in Idaho		9 17–20
popping experiment with several varieties	. 202	18
products, digestibility	. 249	18
root system	- 233	6–8
selection for oil or protein content	. 210	13
of seed	. 193	20-26
shrinkage during storage, experiments	. 149	12-14
silage, capacity of round silos.	. 32 . 81	$\begin{array}{c} \cdot 10 \\ 20 \end{array}$
cost of growing and filling silo planting, cutting	$\frac{01}{2}$	20 11
value as horse feed	222	20
silo use	. 151	31
smut, composition, comparison with feeding stuffs		$17 \\ 18-20$
description, methods of prevention	- 69 - 69	18-20 16-18
remedy	. 75	10 10 10
soft, value for beef production	. 210	22 - 23
soil condition, improvement.	$. 199 \\ . 7$	7-10
starch production per acrestoring.	. 87 . 81	27 21
stover. See Corn fodder.	. 01	21
strain for different localities, necessity	. 229	5
sweet, fertilizers	. 124	15
packing for market.	$- \frac{62}{07}$	27
plant, food value at different stages of growth seed growing in South	$ \begin{array}{c} 97 \\ 222 \end{array} $	$\begin{array}{c} 11\\ 9-11\end{array}$
		0 11
See also Sweet corn. trap crop for cotton boll weevil		25,
c 1 11	101	26, 27, 28, 32
use as trap crop for bollwormvarieties for planting in South	. 191 - 81	21-22 11-14
versus wheat as feed for cattle	. 51	4
white and yellow, composition	. 81	12
yield and nutritive value, various stages of growth	. 32	20
as affected by irrigation	.210	14
Corned beef, recipe Cornflower, growing	-105	$\frac{30}{29}$
Cornstalks, fertilizer for sweet potatoes	$100 \\ 129$	15
waste in feeding Corrosive sublimate as disinfectant	. 107	16
Corrosive sublimate as disinfectant	. 243	18
treatment for potato scab	. 15 . 75	$\begin{array}{c} 6,7\\11\end{array}$
Cosmos, growing		29
Cost, foods, comparison of breakfast cereals	. 249	27-28
Cotswolds, sheep, feeding experiments data	. 96	13
Cottage cheese. Cotton, acreage and production in Texas and Louisiana, comparison	. 202	$\frac{28}{15}$
boll weevil. See Boll weevil cotton.	. 210	10
bollworm. See Bollworm, cotton.		
by-products, origin, and use as feeding stuffs	- 22	21
production, 1905 caterpillar, description, habits, life, history, enemies, and	. 36	4
remedies	. 47	3-10
cultivation of crop	. 217	14 - 26
cultural methods against bollworm	. 191	16-19
cutworm, damages, remedies		$\frac{24}{7}$
damage by boll weevil		12-13
deferred planting, experiment	. 216	20-21
early crop, essential steps in securing	. 217	1-16
preparation of soils	. 217	4-5 5-7,10
fertilizers	. 417	0-7,10

		Farmer	
Cotton		Bulletin 1 48	No. Page. 13–16
Cotton,	effects of fertilizers, general conclusions Egyptian, relation of boll weevil	163	13-10
	expense and loss in growing crop, reasons		36
	fertilizer, amount, mode and time of application	48	11 - 12
	compost, formulas	21	27, 28
		(48	5,
	formulas	···- 14	6, 7, 9, 11, 16
		(11	$\begin{array}{c} 29\\ 1-31 \end{array}$
	fertilizers	$ \{ 216 \}$	1. 18–19
	cost	14	30
	fertilizing constituents	£ 48	3
			24
	ginned, system of handling.	209 98	23
	growing, how to return fertilizing constituents to the soil insects affecting young plants, description and remedies.	··· 98 993	$11 \\ 5-14$
	injurious to leaves	223	14-16
	stalks, squares and bolls	223	17 - 23
	miscellaneous, of Texas	223	1-24
	leaf-fly history	223	20
	lice, damages, remedies	47	25
	lint, fertilizing constituents	36	3
	yield per acre	14	24-26
	manuring, experiments	48	1-16 $\cdot 11-13$
	fertilizing constituents absorbed	98	9
	insects affecting	47	1-32
	plants, dry, composition, value as fodder	36	3, 16
	treatment with dry Paris green, results, tables	211	10. 12, 13, 14
	requirements in fertilizer		6-11
	root bark, use in medicine	36	4.16
	seed and ginneries, control of boll weevil		1-32
	factor in spread of boll weevil	(26	5-6 1-16
	its products	$\dots \{ 98 \}$	13-19
	meal, fertilizing value		18
	annual crop, value, feeding and manurial	98	11
	crop, Mississippi value, comparison with corn crop.	98	17
	feed for hogs, bad effects.		29,34
	food and fertilizing constituents fumigation for boll weevil		
	hulls, food and fertilizer constituents	••••••••••••••••••••••••••••••••••••••	11-13
	use as hay substitute	210	24
	value as fuel	36	12
	infested with boll weevil, quarantine restrictions	189	26 - 28
	manure for cotton, value, notes		4-16
	meal and bran, protein content comparison	$\begin{array}{ccc} & 98 \\ \dots & 22 \end{array}$	43
	hulls for fattening steers		$\begin{array}{c} 17\\ 34 \end{array}$
	effect on quality of butter	119	24
	feeding value, constituents	98	9-10
	food and fertilizer constituents	36	10-11
	sheep feeding		13
	uselessness in work against boll weevil		13-14
	value as feed, comparison with cotton seed a		13-16
	. corn fertilizer		24
	horse feed.	222	24
	oil. See Oil, cotton.		
	products, feeding to farm animals		13-16
	manufacture	36	6-7
	per ton.		5
	use as fertilizer for cornvalue as feed, comparison with corn and cotton-se		8
	meal		14-15
5			1. 10

.

	Farmers'	
	Bulletin No	. Page.
Cotton seed, value to farmer	124	24
See also Seed cotton.	01.0	F 0.0
seppa, and weevil damage, relation	$ 216 \\ 917$	5-20
shedding the forms	189	15 25
squares, indications of boll weevil, treatment, etc	130	13-16
stainer, injuries, remedy, use in making dye	47	30
stalk borer, work on cotton	47	28
fiber, uses	36	4, 16
territory affected by boll weevil	163	5-7
varieties compared as to average maturity and yield resistant to bollworm	217 191	7-9 16
tests and comparison		15-18
volunteer, danger of protecting boll weevil		21-23
note	130	19
note worm, description, habits, life history	47	3-6
moth, habits, injuries to fruit	47	5
parasites and enemies		6
remedies.	47	7-10
See also Bollworm. yield on fertilized and unfertilized soil, comparison	48	4
Cotton-boll rot, description and prevention		27^{4}
Cotton-hull ashes, value as fertilizer for tobacco	65	28
Cottons, Mexican, supposed immunity from boll weevil	216	22 - 23
Cottony scale, description, remedies	153	28
Coturnix spp. See Quail.		
Couch grass, description, remedies.		15
drug use, with prices, description, and range Coulure, grape, cause, description, treatment	188	19-20 11-14
Country, insect conditions compared to those of city		$11-14 \\ 1-20$
Cover crop for tobacco fields	237	13-14
crops for orchards		12-16
irrigated orchard value for protection of fruit trees in winter	116	46
value for protection of fruit trees in winter	227	14
Cow, air requirement per day. appearance after death from milk fever	190	23, 24
appearance after death from milk fever	206	8
barn, construction and care	149	8 28–31
ration	22	15
restorer of fertility		9-12
type, relation to milk and butter production	124	28 - 30
See also Cows, dairy.	2.2.0	
disease, milk fever, predisposition and cause	206	4-6
dual-purpose, usefulness for southern dairy	36	$\frac{21}{15}$
milk, ration of cotton-seed products milking, directions	241	6-8
stable, care, cleaning and disinfecting	63	22-25,36
construction, suggestions	63	25, 36
uncleanliness, effect on milk	63	15
stall, improved, details and directions for making	144	30-32
Cowpea, description, and food use. directions for sowing, value as fertilizer.	121	$\frac{11}{23}$
growing and uses in South	109	33-37
hay, southern studies.	222	13-17
seed, storing, fumigating	225	11
Cowpeas and soil renovation		8-9
baked, note	121	33
composition, comparison with velvet beans		· 14 10
effect of root nodules cover crop for orchards		10
crop before onions.		7
cultivation and uses		1-16
feed for pigs.		18
feeding value	89	14
fertilizers		15
for forage	89	9

	Bulletin No.	Page.
Cowpeas for silage		12
green manure	16	7 14
for cotton		4, 14, 15
hay, harvesting, curing, value		10-12
pasture for hogs	100	23
with corn for steers		27 13
soil inoculation reports		39-40
varieties		7
yield and value, comparison with clover		$\frac{44}{32}$
Cows, abortion, yeast treatment		20-21
breeds, southern dairy.	151	18-22
care and feeding.		25
resultscleaning, brushing, and washing	<u> </u>	$\begin{array}{c} 10\\ 20, 37\end{array}$
covered yards		20, 37
dairy, and products, value, 1889	42	õ
diseases, treatment		20
drving off and calving fall-fresh, most profitable		19 18
feed, comparison of home-grown protein with		10
protein		22-24
use of apple pomace		21-22
Canadian field peas	167	4 24-27
silage		25
		31-32
feeding grain, comparison of quantities fed with cotton seed		25-26 24
improvement, experiments		3-5
pasturage and soiling		24-26
productive capacity	98	12
profit, differences		· 24 14
rape, value for soiling and pasture		35
score card, scale of points	143	14
silage as feed	32	25 31-32
soiling	22	27
crops	∫151	29-30
		8-14
stabling requirements		15, 26 36-38
water	169	5-6
diseased milk		27
feed and managementuse of peanut cake		$9-11 \\ 21$
soy beans		14
feeding in barn without pasture		9
with corn, comparison of methods	107	10 15 16
food requirements gestation period	103	10, 15–16 18
good versus poor, testing	 56	3
manure, value		õ
milch. See Cows, dairy. necessity of good water supply		17
necessity of good water supply		21
profitable and unprofitable		14
protection from flies.	225	$19-21 \\ 17$
ration containing sunflower seed rations, simplified calculation, adjustment to milk y	vield 22	17 16
soy beans as feed		14
susceptibility to tuberculosis		22

-

	Farmers'	Dama
Cows, tests in dairying	Bulletin No.	Page. 26
tuberculous, milk, effect on calves:	107	23
use of tuberculin test Cox, M. M., statement on frost protection	$ \dots 63 \\ \dots 104 $	$\begin{array}{c} 20\\ 18 \end{array}$
Covote, hunting	226	10 16
Coyotes, destruction, methods	226	15 - 18
fences, directions for making investigations and experiments	226 - 226	18-20, 22 19-23
food habits, beneficial and injurious		$10^{-2.5}$ 11^{-13} .
general habits	226	10-11
relation to sheep industrystock raising in the West	226	$12-15 \\ 1-24$
Crab grass, description, value as hay	18	19
remarks	102	12
CRAIG, JOHN A., bulletin on "Sheep feeding" Crambus hortuellus, description, injuries, remedies, etc	49 178	1-24 21-24
Cranberries, diseases, treatment	243	23
grading	227	18
harvesting	176 227	$15\\18$
liming of soil, experiments	227	18
rotting, remedy proposed	114	9
storage	$170 \\ 227$	17 19
Cranberry blast, description of disease	221	5
bog, ideal, discussion		30-32
culture experiment station work		1-20 15-19
irrigation	46	12
drainage and flooding		10
flooding	176	11 14
frost protection	$\{104 \\ \dots \\ 227 \}$	$22 \\ 16-17$
• fungous diseases		10-17 1-16
application of remedies	221	13-16
gall fungus, description, treatment		$15 \\ 1-16$
favorable conditions, localities, and soil	13	3-6
preparation of land	13	6-8 12-14
insects, injurious	$13 \\ 178$	12-14 1-32
stem	178	21-24
marketing.		$17-18 \\ 9-12$
planting, methods preparation		9-12 9-13
protection from frost	104	12, 15
seald, description of disease		$\frac{6}{14}$
soil		8
species, description, etc	176	6-8
varieties worms, descriptions, remedies	176 13	18 13–14
Crates, packing small fruits, description		20-21
shipping for asparagus	61	26
comb honey	$\frac{1}{62}$	34 31
fruits and vegetables, notes	62	15-31
Cream, care after separation	241	$16-18 \\ 9-13$
and treatment		9-13 25
cheese, making on farm	166	14
delivery to creamery	201	15-18 12-15
farm management:	201	12-10
8 -		

.

	Farmers' Bulletin No). Page.
		21
Cream, flavors, cause		14
fuel value, compared to other foods		22
grading	201	22 5-6
loss in skimming, comparison with separator		5-0
pasteurized, use with butter cultures	103	21
		23-25
restoring consistency		23-23
raising by dilution	2.11	18-22
bacteria		10 01
flavors, causes		18-21
principles	57	9
southern dairy		45
ropy, cause and remedy		26
screw, use in testing milk		10
separating, cooling. and holding		11-13
separation, explanation of principle	241	12
separator and gravity, keeping, need of ice		15
its operation		11-16
Kansas investigations		18 - 24
on western farms	201	1 - 24
skimming on the farm	63	35
starter, direction for making	241	19
preparation and use		10-11
tests		22 - 24
Creameries, patronizing, v. butter making	241	. 30
paying the patrons	237	27-29
responsibility in handling cream	201	21
Creamometer, use in testing milk		17
Cress, packing for market		27
Crevecœur chickens, description		.36
Crickets, injuries to cranberries		29-30
mole, use of carbon bisulphide	145	20 00
tree, tobacco enemy		25
use by toad as food		
Crimson clover. See Clover, crimson.	••• 100	J
Crioceris spp. See Asparagus beetle.		
	91.1	5 -
Crop production. importance of nitrogen	52	0-7
rotation, beet culture		0 11
benefits, effect on humus content and fertility of s		8-11
corn, and fertilizers	199	13-17
lands, suggestions	81	0 - 7
effect on humus in soil		6-7
flax growing		00.00
necessity in the South		38, 39
potato culture	35	* 4
systematic method of fertilizing	44	20-22
Cropping orchards		16-21
systems, gain or loss of humus		· 6
Crops adapted to new land	150	22-24
amount and management on model farm		11
books for farmers' reading courses		16
cover. for orchards		12-16
irrigated orchard	116	-16
value in preventing leaching and surface washing		õ
destruction by alkali	: 88	7, 14, 21
different, effects of lime on acid soils	133	6
diversification, prevention of cotton insects	47	8

diversification, prevention of cotton insects

effect of lime in soil. farm, plant food per acre removed.

forage experiments.....

fertilizer requirements..... 107

41

22

6

5 - 9

6 - 10

5 - 8

13

65 -69

-65

-16

8

	D	
	Farmers' Bulletin No	o. Page.
Crops, protection by forest growth		45
quality, effect of irrigation experiments	210	13 - 15
several, frost seasons	104	21
silage, selection, culture	32	19-21
soiling. See Soiling crops.		
trap, prevention of bollworm, directions	47	15
various, fertilizer requirements	44	18 - 20
Cross-breeding geese	64	48
pollination in relation to fruitfulness	65	15 - 19
plums	103	6
Crotalaria sagittalis. See Rattlebox.		
Crow, food habits, injurious and useful	54	22
Crowder, irrigation implement	116	33
Crown gall, Pacific northwest	153	38
peach, description.	33	14
Crown-working, citrus trees		34
Cuban tobacco, Florida, growing, curing, sorting, handling	60	14 - 16
Cuckoos, food habits, insect destruction	54	7
Cucumbers, bacterial disease, description, cause	$ \begin{array}{cccc} 78 \\ 94 \end{array} $	28
cultural directions		$19 \\ 1-24$
diseases, spraying	62	27
packing for market	231	12
planting, relation to spraying Cucurbits, disease-resisting strains	231	12 10
Cultivation, corn, deep and shallow, discussion	81	16 - 19
effect on orchard.	237	9
means of preventing soil washing		11
orchard		12 - 16
vegetable garden		13
See also Alfalfa, Corn, Tomatoes, Wheat, and other s	spe-	20
cific crops.	P.C	
Cultivators, corn	199	28-31
		23-25, 32
Cultural method for boll-weevil control	{216	3-5
insect control		29
Culture, bacteria, definition	29	6
nitrogen-fixing, directions for using	240	3-4
Culverts, directions for laying, size of drain pipes	136	12
Cupressus macrocarpa, use in California, wind-break	228	17
Curculio, peach, remedies		18
plum, control	149	25
use of arsenical insecticides, directions		8
Curd, cheese, condition proper for filling cans, experiment	210	29
test in cheese making	84	$\begin{array}{r} 24-28\\ 25\end{array}$
Curds, gassy and tainted, origin	$\begin{array}{ccc} & 92 \\ & 60 \end{array}$	1-24
Curing tobacco, methods	6	6-7
Curly mesquite, value for pasture	79	26
Currants, cold storage	119	15
cutting flower tips, experiments	73	15
diseases, treatment	243	23
packing for market.		21
		11
pruning	{181	35-36
CURTISS, CHARLES F., bulletin on "Essentials in beef production "Raising sheep for mutton"	n". 71 96	$1-24 \\ 1-48$
Cuscuta epithymum. See Dodder.		
CUSHMAN, ALLERTON S., bulletin on "The corrosion of fence wire"	·' 239	1 - 32
Cuts, beef, different methods	71	8-9
meat, various kinds	34	19-23
Cutting tobacco	60	6, 9, 14, 22
Guttings, citrus fruit, use in propagation	238	42
plant, studies for schools		21-26
propagation of plants	157	10-12
8		

	Farmers' Bulletin No.	Dago
Cutworms, grape, remedy		Page. 18
prevention		24
tobacco enemies riddance	120	22-24 31
note		5
use by toad as food	196	11
young cotton plants, life history and remedies Cyanocitta spp., food habits, destructiveness	$ 223 \\ 54 $	5-6 18-21
Cyclas formicarius, description, treatment		25
Cycloloma platyphyllum, description, remedies	10	13
Cynodon dactylon. See Bermuda grass. Cyperus esculentus. See Chufa.		
Cypress, Monterey, use in California wind-breaks	228	17
vine, growing	195	33, 34
Cyprian, bees, description, habits	59	17
Dactulie alomerata See Orchard gross		
Dactylis glomerata. See Orchard grass. Dactylopius citri. See Mealy bug.		
Dairy bacteria, number and kinds	63	10-12
barn, Southern, discussion	151	8-12 46-48
breeds, comparison	100	40-40
by-products, disposal	84	20-23
cattle, adaptation to special lines	55	8 1–48
breeds		1-40
study of details	143	18-35
type, general characteristics	143	$16 \\ 32-34$
typical milk veins and udders	145	52-54 1-8
cow. See Cows, dairy.		
employees, rules for cleanliness	63 	22, 36–38
farm, products, care and value farming, benefit to worn-out soil	242	15
influence on fertility of soil		11
feeding, rations in South herd, building up in South		$38 \\ 22-27$
feeding, suggestions		27
formation and management	∫ 55	1-30
two methods, purchase and breeding.		19,379
grading up.	114	25
grading up		17
keeping records house, location and care	55 63	13
husbandry, irrigation	46	12
inspection, necessity		16
keeping, requisite conditions milking, methods	42	21-23 15-17
necessity of cleanliness.	2	8
production of clean milk, experiments	227	24-28
products, shipping, temperature management records and tests of cows	120	11-12 26
rules, fifty	63	36-38
salt, study		28 - 30 41
separator stable, necessity of cleanliness		15
ventilation	192	26 23–31
thermometer, use and cost	57	13
type <i>versus</i> beef type for beef production	233	22
utensils, kinds and care selection, care		39-41 27.38
water supply		28

•

	Farmers'	D
Dairying, books for farmers' reading courses	Bulletin No. 109	Page. 18
experiments, food consumption and butter production	98	11
handling of milk. importance of cleanliness and low temperature	29	15-17
relations of milk fermentations	···· 9 ··· 9	$15-18 \\ 1-24$
southern	151	1-24 1-48
Dairyman, qualifications desired	55	7
Dakota, North and South, troublesome weeds Dam, brush, washed lands, directions for making		$\frac{16}{17}$
cloth, metal, or wood for irrigation ditches		24-26
"Damping off," celery, cause, prevention	148	16
Dandelion, drug use, with prices, description, and range	188	13-15
Dandelions, lawn weed, removal Danvers onions, description		18-20 11
Date palm, climate and soil	92	17
enemies, protection		19
in the United States, introduction, culture		16 - 19
pollination	$\begin{array}{ccc} & 92 \\ \dots & 92 \end{array} \bullet$	18 17
yield of fruit	92	19
Datura stramonium. See Jimson weed.		
Daucus carota, distribution, description, remedies		20-21
Dawson Golden Chaff Wheat, description Dead animals, contagious, disposal		9 32
Death cup, description, symptoms of poisoning	86	6-7
Decanting devices, use in sorghum sirup manufacture	135	32-33
Deer. See Game.	0.0	15
Delaine, sheep, National, feeding experiments, data Delaware, apple varieties		$\frac{15}{20}$
crop rotation for poor soil		11
prevalence of anthrax	79	23
River water, analysis.	46	10
Delphinium. See Larkspur. Densmore Brothers, letter about sorghum sirup making	90	30
DENTON, A. A., bulletin on "Sorghum sirup manufacture"	135	1-40
Dermestes vulpinus, tobacco insect	120	30
Desmia maculalis, description, remedies Desmodium tortuosum, use for forage in South	118	28 31–33
Detasseling corn to prevent self-pollination	229	14
Devon cows, usefulness for southern dairy	151	20
dairy cattle, characteristics, etc	$\begin{cases} 106 \\ 151 \end{cases}$	15-18
DEWEY, L. H., bulletin on "Russian thistle and other troublesc		20
weeds"	10	1-16
"Weeds, and how to kill them"		1-32
Dextrose, characteristics.		8 32
Diabase, use in road building Diabrotica, twelve-spotted, tobacco enemy		26
Dianthus, growing	195	41
Diaspis bromelix, remedy	140	40
Dicyphus minimus, description and remedies Diet, cereal, breakfast foods, place	$ \begin{array}{c} \dots & 120 \\ \dots & 249 \end{array} $	16-18 31-33
eggs, place		19-22
fish, place	85	22-24
one-sided, danger	142	$45 \\ 35 - 37$
poultry, place Dietaries, adults, practical use of sugar	93	21
and dietary standards, American and European	∫ 23	18
children, use of sugar	142 93	32 - 37
daily, giving food amount, cost, nutrients, and fuel val	93 ue. 23	$\begin{array}{c} 24\\ 29-31 \end{array}$
use of legumes, discussion		26 - 28
Dietary standards	74	23-25
studies, Japan, value of soy-bean preparations methods of making	58 142	$\begin{array}{c} 23\\ 32 \end{array}$
	112	02
8	•	

	Bulletin No.	Page.
Digestibility, apparent and actual	142	22
bread, comparisons	112	33-36
cereal foods, table	249	18
coefficients, food materialseggs, experiments		27-28 26
feeding stuffs.		6-9
fish		20-22
food		15
		9-12
legumes, bean, pea and lentil		21-25
meats milk, raw. pasteurized, and cooked	34	-13 - 27
Digestion, ease and quickness of different substances	149	23-25
experiments, comparison of toast and bread		20 20 27
food, processes		$\overline{21}$
milk, processes		10
Digitalis, growing.	195	31
purpurea. See Foxglove.	05	0.0
Diorites, use in road building Diospyros virginiana and D. Kaki. See Persimmons.		32
Diplosis tritici Kirby. See Wheat midge.		
Dipping animals, stock yard	184	17
goats for lice		45
hogs for vermin	205	38-40
injury to sheep	159	33-35
plants	159	35-42
cattle scab	102	13–24 38
sheep for scab	159	17-18
Dips, cattle, preparation	152	11
shoon scah	∫ 96	38
sheep scab	159	18-33
	44	11
Disbudding Disease, conveyance by food and drink	181 149	$\frac{19}{31}$
cow, milk fever, predisposition and cause		· 4-6
fruit, prevention, use of fungicides		1-32
treatment		18-23
infectious, spread by milk	63	13
millet, horses, experimental tests	69	20-21
water contamination.	43	5, 7, 17
Diseases, animal, relation of water supply	97 	$17 \\ 24-28$
bacterial, of plantsdairy cows		24-28
fruit, spraying		12 12
fungous, celery, control		16-18
cranberries		16
goat. remedies		44-45
grape, Pacific coast		$15 \\ 20-22$
treatment		36-38
	(50	17
mushrooms		17-18
plant, identification, means		30-32
plum, control		25
potato, and their treatment	91	1-16 31-32
tomato Disinfectants, cow stable		31-32 24-25
Disk plow, experiments.		31
Distillers' by-products, origin, and use as feeding stuffs	22	22
Ditch, grading from survey	187	24
irrigation, building	138	12-15
cost		27-28
devices for turning water	130	24

	Farmers'	
Ditch invigation line determination	Bulletin No.	Page.
Ditch, irrigation, line determination Ditches, construction and usefulness	138	8 10–14
grade lines, methods of running	158	10 - 17 12 - 17
machine construction	187	11
open, construction prevention of soil washing	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	21–23 12
side, road building.		$\frac{12}{16}$
side, road buildingsmall, building for irrigation	158	1 - 28
Ditching machines, remarks		27
DOANE, C. F., milk testing method. Dock, description, remedies.	233 10	$\frac{27}{13}$
drug use with prices, description, and range	188	15 - 19
Dodder, adulterant of alfalfa seed	194	11
description in clover seed		$38 \\ 17-18$
injuries to alfalfa, remedy	31	21
DODGE, CHAS. RICHARDS, bulletin on "Flax for seed and fiber"	27	1 - 16
Dogs, breeds useful in hunting coyotes.	226	16
injuries by Russian thistle prairie. See Prairie dogs	10	4
Dolerus arvensis, description	132	36
Dolerus arvensis, description	54	23
Dolichos lablab, food use	121	13
sesquipedalis, description and food use	121	13
sinensis. See Cowpea. Domestic economy, books for farmers' reading courses	109	19
Dominique chickens, description	51	9
Dorking chickens, description, history	51	37
Dorset, sheep, feeding experiments, data		14
Dough, preparation for bread		$\begin{array}{c} 20-24\\ 21 \end{array}$
straight, making		$\frac{21}{21}$
Dove, mourning, food habits, weed destruction	54	6
. See also Game.	107	10
Doves, species, introduction, notes Down-Merino cross bred sheep, feeding experiments		$18 \\ 35 - 37$
Downy mildew, grape, description, treatment		3.8
treatment	∫156	22
treatment	(243)	22
Dragoon, pigeon for squab raising Drainage, apple orchard	1//	$\frac{15}{15}$
cranberry	13	10 10
effect in removing salt from soil	88	16 - 23
on grain rust		24
farm lands		$1-24 \\ 1-40$
hardpan as factor, remarks		35
irrigated lands	187	34-38
natural and artificial		8 10
orchard, necessity results from underdrains	187	27
		11
rice roads, and subdrainage, directions	136	7-16
necessity		$12-15 \\ 25$
sand roads, injurious	···· 95	20 5
surface and underdrainage		9
surveys and grades.		19-20
tile, cost and profit		28-31 14-33
trench digging and ditch grading.	187	23-25
trench digging and ditch grading		14-33
prevention of soil washing	20	11
vegetable garden	94	4
8		

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250. 47

	Farmers	,
	Bulletin N	o. Page.
Drainage, vineyard	156	3–5 4
water, loss of soil fertility	187	33–34
Drains, depth and distance apart	187	15
interruption of irrigation	18	38
location, direction		$10 \\ 16-19$
obstruction by roots	187	32
open, cooperative, proportion of cost per tract	40	18-21
discussionoutlets, protection		10-14 31
Dredge, drag-boat steam, for opening ditches	40	20
steam, use in ditch making	187	12
Drier, hop-kiln, for black raspberries Drill planting for potatoes		28-33 18
Drinking fountains, chickens.	141	13
water, distilled	124	5-7
Drosophila, note	155	17 20
Drought, resistance of sorghum Droughts, Texas, bad effects on ranch lands		13
Drug plants, descriptions	188	10-45
Drugs, collection and curing.	188	7-10
disposal Dry cows, care and feed	188	$10\\19$
rot, sweet potato, description, treatment	26	23
Drying and salting fish		7-8
asparagus fruit, cheap evaporation	61	29 29–32
raspberry, methods.	202	29-32
Dryobates spp., food habits	54	8-13
Duchesse pigeon for squab raising	177	$\frac{15}{21}$
Duck eggs, food value	234	21 21
See also Game.		
Duckling, development in egg.	64	34-36
hatching and rearing Ducklings, animal food	64 233	7, 30, 36-37 25-26
weight gain, cost, table	233	20 20 26
Ducks, breeding, directions for buildings	64	20-28
breeds and management brooder houses	64 64	1-37 22-28
feeding at various ages		30-33
experiments	107	20
food value, important features		$\begin{array}{c}12\\7,9,14\end{array}$
importationincubation period	236	8
killing and dressing for market	64	* 33
laying, rations	64	31, 32 18–37
management necessity of animal food	64 97	10-57
feeding grit	64	33
standard breeds and management	64	1-37
water supply. DUGGAR, B. M., bulletin on "The cultivation of mushrooms".	64 204	29 1-24
J. F., bulletin on "Potato culture"	35	1-23
"Sweet potatoes: culture and uses"	· 26	1-32
Duroc-Jersey hog, characteristics. Dust, Bordeaux mixture	100 243	8 11–12
Dutch Belted dairy cattle, characteristics, etc	106	18-20
Dyestuff, content of cotton seed	36	4
Dynamite, use in clearing land, precautions. Dysdercus suturellus, injuries, remedy; use in making dyes	150 47	8–10 30
8		

Е.

	Eo umous!	
	Farmers'	Daga
	Bulletin No.	Page.
Earth closets, descriptions		7-11
roads, construction	95	19 - 25
and maintenance	136	1 - 24
East Indian, black, duck, history, description, weight	04	15 - 17
Eastern, States, Middle, pastures and meadows, formation	66	30
	í 4	6, 7
Text colorts formular		
Eau celeste formulas) (13
	243	13
Echocerus, spp., description and life history		11-14
Ecolocei us, spp., description and me mistory	10	
Education, agricultural, endowments, methods, importance	98	32 - 36
farmers', reading courses	109	1 - 20
higher, for farmer and mechanic	00	
		27
value of trees and school grounds planting, studies	134 5	-7, 21-27
Eelorass use	105	6, 9
Egg industry, importance, growth, etc	100	
Egg industry, importance, growth, etc	128	30 - 31
powders	128	29
production, feed of laying hens	186	23-27
production, recu of faying fields	1.100	
varieties of chickens		8
records, nest box for keeping	114	19
aubatity too	190	
substitutes		29-30
Eggplant, bacterial disease, prevention	78	28
packing for market	62	27
Eggs, average yield under various rations		25 - 28
brown-shelled and white-shelled, comparison, analyses		24, 25
cooking methods, effects on digestibility		26
cooking methods, enects on digestionity	01	
uses	128	7-11
danger from eating	128	30
description, composition		11–14
desiccated	128	29
destruction by jays		20
digestibility	128	15 - 19
flavor	128	14 - 15
velation to food	100	
relation to feed		25 - 26
for incubation, study	236	4-7
game birds', importation for propagation		1 - 27
game birds, importation for propagation	100	
introduction	160	50
goose, number and time for incubation	64	46
guinee Sta Cuinee ogge		20
guinea. See Guinea eggs.		
hatching, air cells		29
hens', food value		24 - 26
incubation, period for different fowls		8
incubator, evaporation control	186	28
marketing	128	23 - 27
	140	
packing for market, suggestions		16
place in diet	128	19 - 22
	198	23-27
preserving in water glass	120	
in water glass	103	17
	(122	24
selling by weight		
	(128	28
shipping, temperature management	125	11
storing	128	25
testing		27
uses as food	128	1-31
varieties used, discussion		5-6
winter, cost of production	190	5-6
Egyptian, colored, geese, history, description, weight	64	43
cotton relation of boll weavil	162	14
cotton, relation of boll weevil	601	
Ehrhorn, Mr., studies of peach twig borer	80	-1
Einkorn and emmer, resistance to rust		15
owigin of opping	120	6
origin or enimer	109	
origin of emmer. ELDRIDGE, MAURICE O., bulletin on "Earth roads"	136	1 - 24
"Good roads for farmers"		1-48
	(9	9
Electricity, volution to gouring of wills	9	1

Electricity, relation to souring of milk.....

 $\begin{cases} 9\\29 \end{cases}$

10

	Farmers'	
	Bulletin No.	Page.
Electrolysis, effect on wire	239	18 - 22
ELLIOTT, C. G., bulletin on "Drainage of farm lands"	187	1-40
"Farm drainage"	40	1-24
Elm, American, use on home grounds European, insect injuries	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{16}{24}$
leaf-beetle, imported, distribution, food, life history, and re	<i>99</i> me-	24
dies	0.0	7-12
seed, planting for forest		18
Elymus virginicus. See Terrell grass and Rye grass, Virginia.		
Embden geese, white, history, description, weight	64	39
Emmer: a grain for semiarid regions	139	1 - 16
adaptation for cultivation, United States		8
analyses	139	12
characteristics, history, and distribution	139	$15 \\ 6-8$
cultivation		15
growing, reports of tests in United States	139	9-11
production in Russia.	139	7
use in wheat breeding		15
uses, stock feeding and human food		11-13
varieties, descriptions, and localities	139	13 - 15
Endive, packing for market	$ 62^{\cdot}$	28
Energy, conversion of one form into another	23	9
fish and other food, cost	85	18-20
food, measurements Engines, use in irrigation, power, cost	46	$\frac{11}{20}$
England, water meadows, antiquity, value	46	9, 11
English export tobaccos, description	60	21
Ensilage, pearl millet		15
Ensiling potatoes, experiments	79	21 - 23
Entedon epigonus, parasite of the Hessian fly, introduction		19
Entomology Bureau, boll weevil investigation, 1904 plan	189	14-20
Ephestia kuehniella, occurrence, description, life history	45	8-9
<i>Epitrix parvula</i> , description and remedies.	119	5-10
Ergograph, use in measuring muscular work, dietary studies Ergot, poisoning effect on stock	95 170	$\frac{15}{22}$
Erosion, soils, prevention and reclamation	20	1-22
Eschscholtzia, growing	195	23
Essex hog, characteristics. ESTES, JOHN M., bulletin on "Tobacco cultivation and curing".	100	8
ESTES, JOHN M., bulletin on "Tobacco cultivation and curing".	6	1-8
Ether, use in forcing rhubarb. Eucalyptus globulus, use in California wind-break	233	18 - 20
Eucalyptus globulus, use in California wind-break	228	17
Euchleria luxurians. See Teosinte.		-
Eudemis botrana. See Moth, grape-berry. vacciniana, description, injuries, remedies, etc	178	9-12
<i>Eulalia</i> spp., use on home grounds	185	19
Eupatorium perfoliatum, drug use, with price, description, and ran	ge. 188	30
Euphorbia spp., description, poisonous properties	86	17-19
Euplectrus comstockii, cotton worm parasite	47	7, 14
Europe, beet-sugar production, 1887–1890	3	23
experiment stations, work, usefulness	1	7-9
irrigation, character, and antiquity	46	8 7
in humid parts sugar consumption, total, and per capita. 1891–95, 1899–1		17 18
European clover seed, comparison with American	79	47,48 17–18
dietaries and dietary standards		18
Eurotia lanata, forage plant for alkali lands		16
Euschistus variolarius, remedies	120	18
Evaporating apples	73	20
sorghum sirup	90	26
Evaporation, black raspberry	213	20-28
red raspberry	213	$\frac{10}{26}$
sorghum, sirup manufacture Evaporator, fruit, cheap	202	29-32
Evening primrose, growing.	195	30

6838—No. 8—07—4

	Farmers'	
	Bulletin No.	Page.
Evergreens, broad-leaved, use	185	39
use on home grounds	185	18 - 19
Ewes, Canadian field peas, feed use	224	5
breeding, and lambs, management.	117	13 - 16
feed Excelsior, use as filter in making sorghum sirup	49	3-8
Excelsior, use as filter in making sorghum sirup	135	1 - 40
Experiment station, first	1	6
Experiment Station Work, I-XXXIII		56.
65, 69, 73, 78, 79, 84, 87, 92, 97, 103, 105, 107		
144, 149, 162, 169, 186, 190, 193, 202, 210, 222		
stations, European, work		
ĺlist.		31
with names and addresses of directors, 1	889. 1	15, 16
object, work, origin, and development	1	1-16
State, information on fruit growing	161	25 - 26
work		1 - 16
Export, game, discussion and table	180	20-26
laws, State		28-33
statement with table	180	20 - 30
tobacco, curing, yellowing, stripping, tying, and bulki		19 - 20
lands of Kentucky and Tennessee		17
types, description		20 - 21
trade, live stock		35
Exports clover seed, 1897, value	79	- 17
Extractives, uses as food.	142	7

-	L.'	٠

.

,

FALCONER, WM., bulletin on "Mushroom growing."	53	1-20
Fall army worm. See Army worm, fall.	55	. 10
Fall-fresh cows most profitable.	- 00 - 996	· 18 12
Farm animals, destruction by coyotes	$220 \\ 202$	20-22
feed, use of fruit	202	20-22 17-19
		17-19 1-40
feeding		13-16
sugar beet experiments	84 84	13-10 15
health effect of cotton-seed feeds	36	15
necessity of good water		10
		6-8
buildings, location	126	1-48
butter making	941	1-32
		23
care of milk	$1 \frac{12}{63}$	40
cement mortar and concrete, preparation and use	235	1-32
cold storage		9-12
cream management.	201	12 - 15
crops, fertilizer composts, experiments	21	28
designing and forestry.		7-8
drainage		1-24
horse, rations.	162	15, 19-22
implements, sugar-beet culture		10, 10 - 24
lands drainage	187	1-40
lands, drainage meat butchering, curing, and keeping	183	1-38
model, improvement of soil poultry raising produce, loss of trade through careless packing	242	7, 14, 15
poultry raising	141	1-16
produce, loss of trade through careless packing	62	8-13
marketing	62	1-32
products, fertilizing constituents	44	3
manurial constituents	97	6
value, table		4
packing, practical suggestions, particular directions	62	13-31
shrinkage	149	10-15
protection by forest growth	67	45-46
sanitary conditions, control		3–5

8

I	Farmers' Bulletin No.	Page.
Farm separator its care and management	∫201	• 7–9
sewage disposal, and protection of drinking water wells, water contamination, prevention Farmer, benefits of Weather Bureau interest in good seed	43 73 98	$26 \\ 1-20 \\ 3 \\ 46-48 \\ 1-24$
toad as a friend. Farmers' Almanac, German, description, usefulness	87	28-30 7-8
as experimenters field tests of soil inoculation	2 $ 214$	$16 \\ 31-47 \\ 1-48$
forestry good roads for information on soil inoculation	$ \begin{array}{c} 95 214 $	1-48 30
letters on inoculation for hog cholerareading courses, discussion	8	13-21 1-20
southern, suggestions Farming, model, example systems, influence on fertility of the soil	98 242 87	1-48 1-16 9-12
Farms and forests, relations	67	42–48 11
western, cream separator Farmstead, forest planting, special features	228	$1-24 \\ 18-20 \\ 23$
Farrington's alkaline test for cream. Farrowing, sow management. Fat, butter, and cream, method of testing and calculating payment	205	23 27–28 28–29
constituents of feeding stuffs	$ \begin{array}{ccc} & 22 \\ & 23 \end{array} $	4, 30–39
meats, quantity in various cuts production, use of sugar sources in food	93	7,9 . 18 5
Fats as fuel ingredients of foodsources, uses as food	$ \begin{array}{c} & 142 \\ & 142 \end{array} $	$\begin{array}{c} 10 \\ 7 \end{array}$
Fattening beef cattle for market	182	$23 \\ 15-16 \\ 31$
hogs, selection Fecundity, hogs, various breeds Federal laws, game shipment	87	23 53
Feed, cassava factory waste	$\begin{array}{ccc} . & 167 \\ . & 56 \end{array}$	$\begin{array}{c} 29\\11\end{array}$
corn <i>versus</i> wheat	89	$\begin{array}{r} 4\\12\\25-26\end{array}$
chicks, whole <i>versus</i> ground grain	84 es,	20 20 19
table cooked and raw, comparison	$ \ldots 73 $ $ \ldots 170 $	25 23
damaged wheat dry and soaked, comparison farm animals, use of fruit	170	$^{*}18-20$ 23 20-22
value of soy bean	58	$18\\45,47$
geese, various ages ground and unground, comparison guineas	170	$\begin{array}{r}14\\24\\13\text{-}14\end{array}$
hen, relation to laying of eggs	186	13-14 23-27 18-23
hogs cooking and soaking		$23-28 \\ 30$

cooking and soaking.100cowpeas.89horse, use of alfalfa.162milk influence.225millet malue etc.101 121618 26 - 28millet, value, etc..... 101 mills, effectiveness of different powers, with cost of grinding . 149 mixtures, chickens. 244 molasses for farm animals. 107 31 26, 27, 2817-19

	Farmers'	
	Bulletin No.	. Page.
Feed, preparation by cooking, steaming, soaking, and chopping	22	24-26
rape, value. requirements, effect of muscular work.	104	$11 \\ 37-42$
sheep	1170	14
consumption per 1,000 pounds live weight		28
silage for horses and hogs	103	20
silkworm	165	9-12
stock, use of cassava	162	23 - 30 10 - 15
sweet potatoes, value, etc.	129	34 - 37
troughs, chicken	141	13
use of moldy corn	122	26-27
pearl millet	168	13
value of corn plant at different stages of growth	97 98	$9-12 \\ 43$
Feeding, advantages of the South	215	31 - 36
breeding ewes	49	3-8
calves.	55	21 - 22
effect of tuberculous milk.	107	23
use of skim milk	$\ldots 233$ $\ldots 124$	$\begin{array}{c} 23-24\\ 24\end{array}$
chickens, directions.		14-19
cornstalks, waste		16
cotton-seed products to farm stock		◆ 13–16
cows, with care, results	22	
dairy . rations in South		$\begin{array}{r} 35 - 39 \\ 38 \end{array}$
dry, and self-feeders for poultry		25-29
ducks, experiments		20 20
various ages	64	30–33
farm animals		40
hogs	(117)	18-23 23-28
general suggestions		31-32, 39
relation to prevention of disease	24	14
horse, principles	170	1-44
summary of conclusions	170 222	42-44 19-24
tests Kafir corn, tests	37	19-24 13-15
lambs and yearlings, comparative results		29
for breeding purposes	49	8
market	49	11 - 16
legumes v. green manure		13
leguminous plants live stock, books for farmers' reading courses	$\ldots 16$ $\ldots 109$	$1-23 \\ 17$
during shipment.		33
methods, discussion	170	23-25
pigeon, in squab raising	177	19-23
pigs	$\begin{array}{ccc} 205\\ 22 \end{array}$	$\begin{array}{c} 31\\ 3,9 \end{array}$
principles		ə, 9 10
rape to sheep, lambs, and hogs.		10 - 12
rules, for dairy		37
sheep		1-24
in winter		$7-9 \\ 6-26$
investigations		0-20 44-46
silage to farm stock		24-30
standards and rations	170	30-36
different animals		11-14
stuffs, comparative value	170	11-23 9-11
discussion and table	$\frac{170}{22}$	4-6, 30-39
8		

	Farmers	
	Bulletin N	o. Page. 28
Feeding stuffs, condimental	$ \begin{cases} 22 \\ 73 \end{cases}$	25-26
-digestibility	170	27-30
digestible ingredients in 100 pounds, table	22	8-9
fertilizing value	$ \begin{array}{c} 1 \\ 21 \\ 22 \end{array} $	11-12 19
food constituents, table		14
injurious, discussion	170	21-23
inspection, necessity, results		28
nutritive value, table		41 19
weight per quart.	1 22	19
		17-18
with skim milk, for calves		21-23 28-34
turkeys	89	20-34
value, cowpeas sugar beets Feeds, condimental, and condition powders	84	15
Feeds, condimental, and condition powders	233	21
dairy, discussion	151 55	27-35 * 28
mixing, for dairy		28 36
prepared, containing alfalfa		35
succulent, value		26
<i>Feltia annexa</i> , damages, remedies Fence, hurdle, for sheep		24 10
manufacture.	239	10
post, concrete	235	20 - 25
tests	235	27-31
wire, contact with earth, increase of durability corrosion		$22 \\ 1-32$
investigation of causes		6-9, 15-22
effect of electrolysis	239	18-22
sample examination, analysis		15-21
Fencing against animals. Angora goats.		19, 21, 23 29-30
coyote-proof, investigations, experiments	226	19-23
hog pasture	205	18-19
jackal-proof, details, advantages Ferment, sponge and dough		18-19 22
Fermentation, acetic.	233	29
causes, etc	174	6
gassy, Swiss cheese	237	29-32
milk, causes	29	6 6
theory, remarks		15-16
tobacco	60	7, 11, 15, 20
Fermentations, milk, relations to dairying Ferments, artificial, butter and cheese making, desirability	9	1-24 19, 23
FERNOW, B. E., bulletin on "Forestry for farmers"	67	15, 25 1-48
Fertility, alfalfa requirement	215	14
dairy cow as restorer.		9-12
loss under different systems of farming, table restoration and maintenance	245	$12 \\ 1-16$
soil, influence of different systems of farming	87	9-12
Fertilization principles	52	13
sugar beets		6-9 25-28
constituents in farm products and feeding stuffs	97	20-28
peanut plant	25	6
of seaweed	105	7
required by 60-bushel crop of peanuts. cotton, amount per acre, giving best results		$10 \\ 11-12$
kind best suited	48	6-11
mode and time of application		12
0		

		Farmeı Bulletin	
Fertilizer	for sorghum		9
	formula, pineapple	140	28
	formulas, asparagus, and effects		19-20
	corn	10	$\begin{array}{c} 11\\ 5,\end{array}$
	CORON	10	6, 7, 9, 11, 16
	and cost	14	29
	six-year rotations		27-29
	sweet potatoes		12 01 05
	tomatoes ingredients in soy-bean forage, cowpeas, and clover		13, 21, 25 17
	sweet potatoes, roots and vines	26	14
•	inspection, laws and officials		5, 7
	lime, different kinds	124	12
	millet, remarks.	101	29
	mixing on farm, discussion of cost	65 44	$28 - 30 \\ 5 - 7$
	top-dressing grass land	227	5-8
	use of beggar weed	102	32
•	value of cotton seed and cotton-seed products	36	6, 11
	kitchen wastes	69	25
Tentilizon	See also Manure.	140	20
F ertmzers	s, amounts per acre for pineapple land to supply ingredients of 10,000 pounds sw	140 eet	29
	potatoes		15
	apple orchard		15-16
	asparagus	233	11-13
	availability, experiments		6-7
	available, standard articles		
	black raspberries books for farmers' reading courses		14 16
	cassava, kinds and effectiveness	167	10-11
	celerv	148	9
	chemical, care in use for vegetable garden	94	7
	citrus fruit commercial, annual expenditures, U.S	238	17-22 5
	composition and use	44	1-24
~	Florida	238	21
	cotton	∫ 14	1–31
			18-19
	young		5-7, 10 7-11
	and crop rotation		13-17
	cowpeas.	0.0	10 17
	cranberry	13	11
	effect on proportion of grain to straw or stover		11
	effects and value, phosphates, ground bone, and pota		12-17
	field experiments		. 15 6-7
	forcing head lettuce		15
	formulas, Maine station		7-9
	fraud		5-8
	garden crop	105	$\frac{12}{17}$
	grape grass lands	66	12
	homemade		29
	versus factory-mixed	: 84	5-6
	home-mixed, advantages.	' 44	
	home-mixing		5-9 8
	lawn manufactured, variations in composition		13
	market garden crop	124	12-16
	mixtures, incompatibles	225	7-8
	onion, experiments	233	18
8			

	Farmers' Bulletin N	
Fertilizers, onions.		7-9
peach		11-13
pineapple	140	22-30 5
potatoes		31-32
profitable use	44	16–18
purchase, freight, and other expenses		14-16
rape red raspberry	····· 11 ···· 213	14 9
requirements of crops	107	5-9
sorghum	246	21
strawberry, formulas, experiments		17-20
sweet potato culture, caution, experiments, etc		10-15 26-29
systematic use tobacco.		20-29
tomatoes, effect on crop		12 - 15
	07.4	20-22, 24
use in connection with soil inoculation		22-24 12
value, agricultural <i>versus</i> commercial		18-20
vegetable garden	94	6
Fertilizing constituents alfalfa hay	31	18
cotton		$\begin{array}{c} 24\\ 21 \end{array}$
in ton of tomatoes, fruit and vines effect on orchards		21
fruit plantation		10
materials, availability	73	5-7
rice.		14
Fescue, meadow, description, seed, quantity per acre red, description, seed, quantity per acre	66 66	$\begin{array}{c} 21\\ 24 \end{array}$
for winter pasture, seed, quantity per acre		20
tall, use for forage in South	102	25
Fescues, use in lawn making Festuca elatior. See Fescue, tall.	248	13
elatior pratensis, description, seed to acre		21
<i>rubra</i> , description, seed to acre	102	20
Fever milk, simple and successful treatment	206	16
Texas. <i>See</i> Texas fever. typhoid. <i>See</i> Typhoid fever.		
yellow, spread by mosquitoes	155	18-19
Fiber constituents of feeding stuffs		5,30-39
flax, harvesting	27	12
production, United States pineapple, value for textile industry	27	1-16 47
Fibrin in milk, discovery, action	2.	5
"Fibro ferro feeder," composition, value	146	14
Fidia, grapevine, life history, remedies, and preventives		* 9–11
<i>viticida. See</i> Fidia, grapevine. Field and garden irrigation	. 138	1-40
crops, nitrate of soda, experiments	210	6-10
root systems	233	5-11
selection of seed		
Filters, use in making sorghum sirup		4-25, 28-30
Finch, house, food habits, fruit destruction		33
Fire, forest, relation to grazing	173	36
lines, use	173	$\begin{array}{c} 47\\12\end{array}$
smudge, use for protection from frost Fires, forest		47
causes, losses, prevention	79	16
prairie, spread by Russian thistle	10	5
Fish and other foods, composition, tableas food		$10-12 \\ 1-32$
catch. United States waters. annually		3
catching by use of buckeye poison		22
S		

	Farmers'	
	Bulletin No.	Page.
Fish, digestibility market value, conditions affecting	85 85	20-22
nutritive value	85	$4-6 \\ 8-18$
possible dangers from eating.	85	30-32
preparing for the table		24
shipping, temperature management	125	$\overline{12}$
storage, temperature Flacherie, silkworm disease	125	21
Flacherie, silkworm disease	165	29
Flavor, meats, causes affecting		13
Flax culture	69	5-8
false, origin, distribution, remedies	28	22-23
fertilizers, directions, formulas	$ \begin{array}{ccc} & 27 \\ & 27 \\ & 27 \end{array} $	6-7 12
fiber, harvesting for seed and fiber, United States		$12 \\ 1-16$
growing and manufacture, cooperative work, suggestion		15
Belgium.		4, 5, 6
climatic considerations		10
crop rotation rotation recommended	27	7
rotation recommended	69	6
soil preparation	27	6
weed destruction		11
harvesting and retting.	69	8
mills, communal work, suggestion	$ \frac{27}{69} $	15
plant food per acre removed from soil		
seed, adulteration with Russian thistle	10	6
by-products, origin and use as feeding stuffs		22
grown with fiber		4
harvesting	27	13
selection, and quantity per acre	27	9
time and manner of sowing	27	8
varieties, recommendation		9
soil selection	27 (27	5
straw retting		13 8
Fleabane, Canada, drug use, with price, description, and range.		36
Flea-beetle, grapevine, description, life history, remedies	70	13-14
sweet potato, description, treatment	26	24
tobacco, description and remedies	119	5 - 10
Fleas, remedies	169	30-32
transmission of anthrax		25
Fleece, Angora, care and packing	137	43-44
goat, weight and length, influence of age and se	ex, 137	17, 21
market	96	42
Fleeces, sheep, in feeding experiments, weights and value		27
Flicker, food habits, nesting habits.	. 54	10
Flies, cows, protection	225	19 - 21
dairy cows, prevention	55	25
fruit, disease-carrying	155	16
house, breeding places, etc.	155	12
trap, directions for making and use	135	$\begin{array}{c} 2526\\ 25\end{array}$
transmission of anthrax. FLINT, DANIEL, bulletin on "Hop culture in California"	114	1-28
Flood warnings, value to Mississippi and Ohio regions	98	47
Flood-damaged lands, reclamation.	201	5-8
Flooding cranberry vines	13	•10
irrigation method	116	28
rice.		13, 15
Floor, chicken-house		11
Floors, suggestions for farmhouses	126	27 13–14
Florida, citrus fruit in horticultural sections	238	13-14 36-37
commercial fertilizers		21-22
Q		

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250

•	10	FARMERS	BULLETINS,	105.	T	10 2	90.
						Far	mers

	Farmers' Bulletin No	o. Page.
Florida, frost protection	104	19
northern, apple varieties	113	21
Peninsula cigar-tobacco soils	83	14
pineapple soil, analyses	140	12-13
red scale, characteristics	172	23
tobacco curing, details	60	13-16
soils, water content		21
wax scale, characteristics	83	31 13
Flour and bread, nutritive value and cost, comparison	23	13
beetles, description, life history		11-14
pea and bean	121	34
sweet potato, analysis	129	27
wheat, impurities and falsifications.	112	13
Flours and grains for bread, discussion	112	8-15
Flours and grains for bread, discussion Flowering plants. annual	195	1-48
cultivation	195	19 - 18
shrubs. pruning	181	39
Flowers, cultural suggestions	195	12-14
drug, collection and curing	188	10
school-garden	218	10-12 21
storage, temperature Fluted scale, characteristics, etc	179	32 - 36
Fly amanita. See Amanita, fly.	· · · · 1/-	02-00
Flyspeck, apple, disease, treatment	243	19
Fodder, chopping, advantages	22	26
corn, as feeding stuff, composition and digestibility	84	12-14
See also Corn fodder.		
crops. remarks		8
cut and uncut. feeding value, comparison	170	24
dairy, use of wheat, oats, and corn	151	32
dry, coarse, composition table	22	32-34
green and dry, composition	170	10
composition table	22	30-31
Kafir corn, use as feedsorghum, cutting and curing, etc		15 27, 33
Fodders coarse sheep feeding	240	4. 11. 18
Fodders, coarse, sheep feeding Fog fruit, lawn plant and soil binder, arid regions	169	4. 11. 10
Fogs, relation to fruit growing	161	7
Foie gras, feeding geese	182	15-16
Foliage, cranberry, insects injurious		9-21
Food, adapting to needs of the body	142	37
adulteration, Kentucky law revelations	122	23-24
agreement with individuals	142	25
and its functions	74	-1
animal. See Feed.	149	¢ 0 10
as building material, and source of heat and muscular pow beans, peas. and other legumes	er. 142 191	8-12 1-39
chemical composition, principal constituents	142	1-39
quantities of nutrients		3-6
constituents in different parts of peanut plant		5
digestibility	23	15
digestion, absorption, and assimilation	142	20-22
economy, principles, errors	∫ <u>2</u> 3	10
	142 1	
eggs and their uses.		1-31
energy value.		10-12
excretion expensive, needless use		$\begin{array}{c} 22\\ 44 \end{array}$
fish and other, cost of protein and energy	85	18-20
value and use	85	13-20 1-32
for man, potatoes.		11-12
soy bean	58	20-23
fowls, value of several kinds	234	21
fuel value		8-10
8		

	Farmers'	
	Bulletin No	U -
Food, grape juice, value	41	$13-14 \\ 15$
green, for chickens		-15, 26-28
proportion of digestible nutrients, with tables.	142	25-29
mushrooms, composition, digestibility		18 - 20
nutrition and nutritive value, principles	142	1-48 18-22
nuts pecuniary economy		10-22 19-23
with tables giving comparative co		20 20
nutrients	142	39-43
pineapple for table use		35-37
poultrypreparation of legumes		1-40 28-36
prices used in estimating daily dietaries		20 00 29
products, amounts of nutrients compared with milk	74	16
composition, with table		15-18
from soy beans, composition	125	$22 \\ 1-28$
requirements, animals		9–18
rice	110	23
seaweed	105	6
storage, use of weather reports	125 145	$23-25 \\ 6.23$
use of guinea fowl	234	124
uses in body		3, 7-10
value of beans		26-29
cotton seed and cotton-seed products	36	6, 10, 12, 13-15
emmer	139	11-13
hens' eggs	87	24-26
legumes in relation to cost	121	36-38
poultry, relation of feeding	182	$13 \\ 22-24$
several fruits soy-bean forage and fodder corn per acre	105	13
sugar		13 - 21
sugarvarieties, time required for digestion	142	25
waste	$\{ 23 \\ 149 \}$	$\begin{array}{r} 23-25\\ 45\end{array}$
Foods, animal and vegetable, comparison	34	3
books for farmers' reading courses	109	19
cattle and poultry, condimental and medicinal	144	22-24
cereal breakfast	237	14-18 26
bulletin by Charles D. Woods and		20
Harry Snyder	249	1 - 37
cost	249	27 - 30
discussion		$19-22 \\ 31-33$
place in diet	249	20-22
preparation		10-12
publications	237	18
summary of, discussion	249	$34 - 36 \\ 18$
cereals and other, digestibility		21
hogs	100	19 - 32
human, amounts of nutrients per pound		15 16 17
malted, value nutritive value and cost	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15, 16, 17 1-32
proportions of nutrients and nonnutrients		1-32 18-20
raw		26
Foot rot, goat, remedy	137	45
Forage conditions, southern	151	5 9
cowpeas		1-24
8		

	Bulletin No.	Page.
Forage crop, soy bean	58	1-24
crops, adaptation to various soils	18	5-11, 29
advantages of the South		44
annual, for hogs		20-27
cutting time	(F O	7-8
fattening pigs	$56 \\ 124$	25-27
feed value		16-19
sheep pasture		10 10
winter, for the South		1 - 36
cured, southern dairy		32-34
foxtail millet, injuriousness reputed	101	29-30
peanuts, cultivation, experiments	227	10-12
plant, Mand's wonder, prices and claims		8
plants, adaptation of soils		47
for South		1-31
leguminous, discussion	102	29-47
miscellaneous, discussion		44-47
native in Texas		21-31
southern		$1-48 \\ 7-9$
sorghum.		1-38
Forcing lettuce in pots		10-12
tomatoes, directions		10 12 19-26
Forest cover, establishment.		27
crop, life		25
enemies	173	35-47
fires, causes, losses, prevention		16
historic		42
life		23-35
planting and farm management		12 - 22
directions		22-28
mistakes		8-10
need	228	8
preparation	$ \frac{20}{20} $	$16 \\ 14-20$
recovery washed soil	<u>20</u> 67	45
protection for crops and cattle		40 16
pure and mixed.		21
trees, discussion		14-23
water supply for farm, relation.	67	44
useful products for farmer	67	46
Forestry and farm designing	228	7-8
books for farmers' reading courses	109	19
for farmers	67	48
importance in farm management	228	7,21
primer	173	1-48
Forests, and farms, relation	67	42-48
Forget-me-not, growing	190	30 11
Formalin treatment for smuts of wheat and oats) 250	8, 9, 16
Foul brood, bees, treatment and prevention	· · · · · · · · · · · · · · · · · · ·	41-43
Four-o'clock, growing		31
Fowls, care and feeding	41	1-24
destruction by coyotes	226	12
frizzled, description	51	48
silky, description	51	47
varieties, incubation period.	236	8
See Poultry, Chickens, Ducks, Geese, Turkeys.	100	22-24
Foxglove, drug use, with price, description, and range	105	22 - 24 31
growing	102	13-15
varieties, growth, and use		8-15
Fragaria spp. See Strawberries.		

. ,

. •

	Farmers'	
France method of keeping manure	Bulletin No 21	
France, method of keeping manure	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$14,21\\15$
sugar beet growing, cost per acre	3	15
Fraud in fertilizers. Freezing onions for winter keeping.	79 39	5-8 24
Freight rates, live stock for ocean transporation	184	$\frac{24}{40}$
remarks	184	29-30
French export tobacco, description	$\dots 60$	$21 \\ 16-23$
HIRAM T., bulletin on "Hog raising in the Northwest". Frijole, Mexican bean, food use	117	10-23
Frogs, use as food, annual value. Frost, conditions favorable.		8, 18
Frost, conditions favorable.	104	7-10
killing, spring and fall, various localities		$11 \\ 1-24$
protection		10-16
conclusions	104	22-23
observations and results		$17-19 \\ 10$
cranberries		17-18
Riverside, Cal., experiments	104	15
seasons.	104	6
for several crops warnings, remarks	104 104	$\begin{array}{c} 21 \\ 17 \end{array}$
Frostless belts, remarks	104	8
Fruit and vegetables, mulching	202	8-12
blossoms, pollen and honey for bees	$\ldots 59$ $\ldots 203$	$\begin{array}{c} 27\\ 1-32 \end{array}$
canning directions.	203	1-32 15-20
by cooking in oven and in water bath	203	20-21
cranberry, insects injurious	178	24-30
cultivation. culture, change in conditions.		6
destruction by birds.		21, 33, 34,
	0.40	38, 40, 45
diseases, fungicides, use in prevention		$1-32 \\ 1-12$
spraying districts, division of United States and British provinces.	208	3-5
drying, cheap evaporator	202	29-32
effect of carbon bisulphideevaporator		24 29–32
flies, disease carrying	155	16
flies, disease carrying fog, lawn plant and soil binder, arid regions	169	8
fungous diseases, spraying	7	11-20 16-18
farmer's.	1.1.104	10-18 14-15
home, advantages and pleasures	154	6-7
cultivation	154	12
preparationobject		$1-20 \\ 5$
grape, growing and use	169	18-19
growers, amateur, influence on communities	154	6
growing, cover crops	$\ldots 161 \\ \ldots 161$	11-12
irrigation	116	1-48
marketing the crop		13-14
spraying injuries by cotton-worm moth	$\frac{161}{47}$	15-24 5
insect, quarantine, Pacific northwest		15
insects, spraying	7	5-10
juices, canned or bottled mechanical cold storage		$30 \\ 12-15$
miner, apple, in Pacific northwest	153	12-10
mold, Pacific northwest	153	34-35
orchard, fertilizer requirements plant, growth under natural and under artificial condition		$\frac{19}{7}$
8	0 IUL	

· Farme	ers'
Bulletin	n No. Page.
Fruit plantation, hygiene. 161 planting, recommendations for various sections of United	1 14
States and British provinces	3 5-48
pollination, value of bees	
preserving, direction	3 21-24
selecting and planting the stock	1 9
selection and preparation for canning, etc	
small, fertilizer requirements	
use of mulches	
storage, temperature	
thinning experiments	3 15-20
trees, allotment of kinds and numbers to gardens of varying	9 10
sizes	
dwarfing	
fertilizers	
fumigator	
grafting	
moisture, insufficient	
pruning	
root pruning	
water application 116	3 11
requirement	
winterkilling	13-15 20-22
varieties for growing.	
recommended for planting	3 1-48
worm, cranberry, description, injuries, remedies	3 24-26
Fruits, change of locality, effect	
cold storage $\begin{cases} 119\\ 102 \end{cases}$	
composition, analyses	
cross-pollination, studies	
feed value, for horses	21
kinds infested by codling moth 170) 5
shipping, temperature management 125	13-14
tropical and subtropical, discussion	18-19 5 27
food in body.	8-10
value, feeding stuffs.	
food, measurement 142	2 12
of cereal breakfast foods, table	
cotton-seed hulls	
food	ul.
per pound of nutrients in food materials	
Fumigants in treatment of grain insects. 45 Fumigation, buildings, with carbon bisulphide, directions	5 22
Fumigation, buildings, with carbon bisulphide, directions 145	5 18-19
cotton boll weevil, summary of experiments	
experiments, boll weevil in cotton seed	23-30
nursery stock	
Fumigator for fruit trees 133	. 21
Fungi, edible. See Mushrooms.	00
forest	
injury to alfalfa	
chemical composition and effectiveness	
cranberry disease	9-13
for fruit spraying formulas, directions	11-16
plant diseases, formulas, directions	
potato diseases	
propulation	ý Tý

•

	Farmer: Bulletin 1	
		No. Page.
Fungicides, preparation, Pacific northwest	153	20-22
quack	153	22-23
use in the prevention of fruit diseases		1-32
Fungous disease, a remedy for chinch bug, experiments		12
Fungous disease, a remedy for chinch bug, experiments diseases, apple, in Pacific northwest	153	
asparagus		30-34
celery, control	148	16 - 18
	(13	14 - 16
cranberry	·····{221	16
		11 - 20
fruit, spraying	38	12
grape, with treatment		31-32
Pacific northwest	153	13, 14, 31–38
enemies, tomato, and preventives	76	27

G.

faillardia, growing		32
Faleoscoptes carolinensis, food habits	. 54	39
Falerucella luteola, distribution, life history, remedies	. 99	7-12
fall crown, or root, Pacific northwest	. 153	38
Falleria mellonella, injuries to hives	. 59	45
GALLOWAY, B. T., bulletin on "Fungous diseases of the grape"	. 4	1-12
	(1~	· 1-8
- "Some destructive potato diseases"	· j 91	1 - 16
"Spraying for fruit diseases"		1-12
alvanizing wire, process	239	22 - 24
Galvanizing wire, process	226	12
birchen, chickens, description	51	41
bird protection, summary	197	$\frac{11}{26}$
birds, cost		20
		50
eggs, introduction	-100	1-32
foreign, limitations on introduction	107	1 -32 2 1
		18-21
introduction and propagation, State experiments	. 197	
experiments abroad	. 197	17-18
kinds imported	. 197	10-15
number imported and countries from which imported .	. 197	6-9
protection		22-26
black Sumatra, chickens, description		43
black-breasted red, chickens, description		39
brown red, chickens, description	. 51	40
chickens, varieties		38-43
close seasons		13-26, 50-54
laws, 1902		10-26, 52-56
1903, discussion and table.		8-17
under county laws, table		54-58
United States and Canada		44-53
exhibition, chickens, description	- 51	39
golden and silver duckwing, chickens, description	. 51	40
hunting licenses.		43-47
and fees		35-41
Indian, Cornish, and White, chickens, description	. 51	41
law, Alaska, text		50 - 51
tariff act, 1897	. 160	49
laws		1-64
1902	. 160	1-56
1903		1-56
1904		1-64
1905		1 - 56
close seasons by State and Canadian provinces		14 - 26
Malay, chickens, description		42
marking packages, law		27
packing for market		17
parks and preserves, establishment		11-15

⁸

		mers' etin No.	Page.
Game, pit, chickens, description		51	1 age. 38
preservation, close seasons, laws for 1904			15-27
propagation, encouragement of restocking laws, helpful		180 160	$27 - 30 \\ 37$
red Pyle, chickens, description	• • • • •	51	41
sale, laws		160	39 - 43
restrictions	• • • •	180 230	30-35 8, 36-40
shipment		180	19-30
laws, 1904. and regulations.			28-47
			41-43
Federal			53
State, and Canada			27 - 34 28
marking packagesshipping, relation to hunting licenses		180	35-41
white and black, chickens, description		51	41
Gapes, chickens, description, prevention, remedy	{	41 84	21 28
Garbanzos, description and food use			16
Garden and field, irrigation		138	1-40
crops, fertilizers. farmer's vegetable, experiment, description, cost, return		105 149	$12 \\ 6-10$
fertilizers		124	12 - 16
fruit, farmer's		169	14-15
laying out			$16-19 \\ 6-7$
preparation and care		154	1-20
relation to fruit interests	••••	154	5
market, fertilizer, use of nitrate of soda peas. See Peas, garden.		162	6-9
school		218	1-40
educational value of work			6-7 1-24
vegetable location		$\frac{94}{94}$	1-24
window, boxes for schoolroom		218	31-33
Gardening, beautifying the home under glass in North Carolina		$185 \\ 144$	1-24 11-12
Gardens, frost protection.		104	$11-12 \\ 17, 22$
school, discussion		194	10-11
GARRIOTT, E. B., bulletin on "Notes on frost" Gas engine, cost of grinding feed		104 149	1-23 31
hydrocyanic, use against scale insects	·	$172 \\ 172$	9-15
treatment, for plant insects	{	19	16 - 20
Gastric juice, experiments to test time of digestion	{	$\frac{127}{142}$	23-29 23
Geese, cross breeding.		64	48
Geese, cross breeding. dressing and packing for market.		64 ·	47
fattening for foie gras	· · · · · (182 64	$15-16 \\ 45, 47$
feed at various ages			14
food value, important features.			$\begin{array}{c} 12 \\ 43 \end{array}$
gray, wild, history, description, weight		197	7, 9, 14
mating and setting			45
raising for profit			$14 \\ 12-14$
rape pasturing		78	12^{-14} 12
standard breeds and management		64	38-48
See also Game. Gelatinoids, uses in the body		142	7, 10
Gelechia cerealella. See Angoumois grain moth.			
solanella, description and remedies		120 177	$\begin{array}{c}19-22\\29\end{array}$
Gentian, tonic for pigeons		T 11 -	29

	Farmers'	
Coordia striata introduction noto	Bulletin No	0 -
George, Jacob, letter about sorghum sirup making	90	$\frac{18}{31}$
Georgeson, C. C., bulletin on "Kafir corn"	37	1-16
Georgia, apple varieties	113	21
cotton boll weevil quarantine	189	$\overline{27}$
manuring experiments, results	48	5, 8, 11, 12
German army, use of sugar in dietary studies	93	16
bees, description, habits	59	18
export tobaccos, description	60	20
feeding standards		12-13
millet, description, directions for sowing seed	18	21
growing, synonyms, etc	101	11
Germany, beet sugar manufacture, cost	3	21
sugar production, 1871–1889	3	22
Germination, essential conditions	218	$\frac{18}{9}$
corn, testing		19-22
Gestation period cows	103	13-22
Gestation period, cows. Gin machinery, experiments to destroy live weevils in seed cott	ton. 209	12-14
Gingko trees, freedom from insect pests	99	23
Ginneries and cotton seed, control of boll weevil	209	1-32
factors in spread of boll weevil		5-6
control of boll weevil	209	12-14
Ginning and handling seed cotton, present system	209	14 - 24
suggested improvements	209	24 - 31
Gins, cotton, three classes in use	209	22 - 23
Girdler, cranberry, description, injuries, remedies, etc		21 - 24
Girdling grapevines, remarks		17 - 19
usefulness		25
Glass, gardening, North Carolina		11-12
screens, use for protection from frost		11
Gleditschia triacanthos, food use		14
Glucose, by-products, origin and use of feeding stuffs	107	$\frac{16}{21}$
Glycine hispida. See Soy bean.	44	41
Glycogen, chemical composition	98	9
Glycyrrhiza lepidota, description, remedies	10	11
Goat, Angora. See Angora goat.	10	11
mountain. See Game.		
	137	40
Goats, age shown by teeth. Angora, diseases and other enemies.	137	44-46
Goatskins, tariff duty	137	-47
Godetia, growing	195	30
Golden Wonder millet, growing, synonyms, etc	101	13
Goldenrod, treatment as weed. GOODRICH, C. P., bulletin on "Butter making on the farm"	10	12
GoodRich, C. P., bulletin on "Butter making on the farm "	57	1-20
Goose, food value.		$\frac{21}{4c}$
eggs, number	64	$\frac{46}{46}$
hatching, time required	104	40
laying, number of eggs	64	46
See also Geese.	01	10
Gooseberries, packing for market	62	21
pruning		35-36
Gooseberry diseases, treatment	243	23
pruning		11
Gooseneck sorghum	246	17-18
Gophers, destruction of alfalfa, remedy	31	22
Goslings, fattening for market	64	47
care and feed	5 64	47
Correct II D. hulloting (Denticular set in factoria	60]	14
GOULD, H. P., bulletin on "Practical suggestions for fruit grower "Graphling" potatoes, offset on grou		$\begin{array}{c}1-28\\20\end{array}$
"Grabbling" potatoes, effect on crop Grackle, food habits and usefulness		20 29
	01	20
8		•

¢

	Farmers'	
В	ulletin No.	Page.
Grade, road, limit allowable		6
Grading, drainage for tile-drainage		19, 24 14-16
fruit		14-10
Grafting apple trees, experiments		12 - 15
chestnut		10
citrus fruit		33–34 12
cleft. apple		9-11
seedlings upon older roots		14
grapevine	118	9
pecan		18
propagation of plants studies for schools		$16-20 \\ 26-29$
wax formulas		13
propagation of plants		20
Graham bread, making	112	25
Grain beetles, description, life history.	. 45	15-18
cereal, feeding use early varieties, escape from rust	. 17U 210	11-14 16-19
farming, effects on fertility of the soil	. 213	10-19
feeding to hogs		21
milch cows, comparison	119	25-26
feeds, southern dairy		34-35
fields, weed destruction ground <i>versus</i> whole, for chicks	. 124	20 - 19
mixtures, daily rations with coarse fodders	. 84	19
sheep feèding.	49	22 - 24
moths, description, life history	. 45	6
proportion to straw or stover, effect of fertilizers	56	11
sale <i>versus</i> use in meat production, comparative results	96	5
small, seed selection	84 75	$10 \\ 1-20$
list of publications		1 20
stored, injurious insects	. 45	1 - 24
insects, enemies, parasitic and other	. 45	19
treatment	$\begin{cases} .19\\ .45 \end{cases}$	26-28 19-24
treatment	127	19-24 36-37
ration, suggestions		18–19
rust, effect of drainage and clean cultivation	. 219	24
epidemic of 1904, lessons reason for abundance in 1904	. 219	1-24
rusts, nature of different kinds and damage	219	7-8 6
seed, plat for growing, advantage and methods		23
weevils, description, life history		4-6
with other feeds, for hogs	. 100	* 28
Grains and flours for bread, discussion		8-15
composition table		$\frac{10}{35}$
small, root system	233	8
sheep feeding	. 49 5, 6	3, 8, 15, 19
tillering	. 105	10 - 12
See also Cereals.	191	16
Gram. description and food use Grama, black, grass, value for grazing	- 121	$\frac{10}{22}$
blue, grass, value for hay and forage	- 72	31
side-oats, value for pasture	. 72	28
Granary weevil, description, life history	. 45	4
Granite stone in road building	. 95 . 30	$\frac{32}{7}$
anthracnose, treatment.	. 156	22
black rot. description. treatment	. 1	4.8
California vine disease, ravages, description, remedies	. 30	7-10
6838—No. 8—07—5		

6838—No. 8—07—5

.

	Farmers'	Dom
Grape, cane-borer, description and remedy	Sulletin No.	Page. 27
life history, remedies	70 175	$11-13 \\ 6$
composition		9
grafting diseases, Pacific coast	30	$9-11 \\ 1-15$
remedies and their preparation	4	$5 \\ 15-16$
treatment		10-11
cost	$\begin{array}{c} 1243\\ \dots & 4 \end{array}$	$\begin{array}{c} 22\\ 10 \end{array}$
"dust," composition, value European, susceptibility to disease	146	13 7
fruit, growing and use	169	18-19
fungous diseases and their treatment	$ \begin{cases} 4 \\ 118 \end{cases} $	$1-12 \\ 31-32$
grafting, seedlings upon older roots	(156	$\begin{array}{c} 20-22\\ 14\end{array}$
growing, southern	118	1 - 32
insect enemies juice, flavor and quality		1-24 12-13
preservation	78	29
unfermented, preparation	$\{ \begin{array}{c} 122\\ 175 \end{array} \}$	27 - 30 1 - 16
use in preserving	203	30- 23
leaf-folder, description and remedies	118	28
mildews, description, treatment	4	$3.8 \\ 15-17$
protection from disease and insects	118	25 - 32
pruning	{154 ···)181	10 30–33
rot, brown and gray, description, treatment	4	3, 8
species, cultural properties		17 8
training and trellisesvarieties for shipping, for wine, and for table	118	$\begin{array}{c} 20 - 25 \\ 14 \end{array}$
to plant in North	156	18
See also Grapevine. Grape-berry moth. See Moth, grape-berry.		
Grapes, American, improvement		16-22
cold storage packing for market	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{13}{24}$
sacking bunches for protection	<i>{</i> 118 150	25
storage, eastern compared with California, note		19 21
varieties, selection self-sterile and self-fertile	118	$11-15 \\ 16$
Grapevine, distances between vines	156	9
fertilizers		$4-5 \\ 9$
propagation	156	5-9
pruning supports and training	$ \begin{array}{c} . & 156 \\ . & 156 \end{array} $	14-18 9-13
training use as cover for walks and for shade	156	$\frac{14}{15}$
See glas Change		
Grapevines, girdling, remarks	105 118	$17-19 \\ 6-11$
b	10	14
Grass, bårnyard or barn	$-101 \\ 102$	$\begin{array}{c} 15\\ 8-9\end{array}$
brome. <i>See</i> Brome grass. crab, description, value as hay	18	19
remarks	102	12
8		

•

	Farmers' Bulletin No.	Page.
Grass, destruction by animal pests	72	10, 13
on ranges and farms		10, 13
fertilizers	107	- 6 8
formulas		- 19
hay, average composition, feed and fertilizer constituents.	16	21-22
land, seeding without nurse crop		11
top dressing	227	5-8
lands, fertilizers	66	12
liming.	122	5-7
mixtures for pasture lands mulches, use in Ohio	202	28 11
orchard. See Orchard grass.		11
pink, growing	195	42
seed, quantity per acre	66	19, 21-24
sowing	66	16
water. See Water grass. worm, fall army worm, description, remedies	120	33
See also Army worm, fall.	104	00
Grasserie, silkworm disease	165	32
Grasses and clovers, varieties to plant	66	17
as soil binders	66	11
commercial value, consumption by live stock		10
dairy feed	151	$\begin{array}{c} 32\\21 \end{array}$
effect on washing of soils for pasture lands, selection	$ \begin{array}{ccc} & 20 \\ & 72 \end{array} $	15, 17-18
forage crops	147	10, 17-10 10-22
hay, varieties, description	66	18-22
injurious as weeds, description, remedies	10	14
injury to alfalfa	215	37
rice fields.		15
kinds for home lawn		9 22 - 24
perennial, tall-growing.	185	19
prevalence and value.	66	9-10
recommendation for lawns		9-13
root systems		9
rusted, infection		34
seed, quantity per acre	66	13-22 19-24
southern, for hay and pasture	102	8-27
Texas, native	72	21-31
true, description	18	13-22
Grasshopper, large lubber, injuries to cotton, remedies		12
locust, injuries to cotton and corn, remedies		10-12
Grasshoppers, destruction, method poison		16 * 18
injuries to cranberries		29-30
toad as destroyer		20 00
Gravel roads, construction, rolling, maintenance	95	28-30
use in making concrete.	235	7
GRAY, C. E., and ED. H. WEBSTER, bulletin on "The cream se	pa-	1-24
rator on western farms". Grazing cotton fields, remedy for boll weevil	130	20-21
forest, injury.	172	35
steers on corn and cowpeas		27
Greasewood, forage plant for alkali soils		17
GREATHOUSE, CHARLES H., bulletin on "The vegetable garden"	94	1-24
Green aphis. See Aphis, green. manure, crops	245	12-15
necessity in cotton growing		12-13
manuring, corn, with leguminous.	199	15
See also Manure.		
Greenhouse, cucumber diseases, control	231	24

.

. .

•

	Farmers' Bulletin No	Page
Greenhouse, growing corn and beans under glass		. Page. 13–17
plants, subwatering experiments:	78	21-24
soils, sterilizing	186	8-11
tomato forcing	220	19
growing, general directions, yield and prices	s 76	24 - 26
utilizing in summer	133	18-19
See also Hothouse.	(10)	
Greenhouses, heating, experiments.		12 - 16
Grindelia robusta, drug use with price and description	188	28
squarrosa, description, remedies.	188 10	$\begin{array}{c} 29\\ 12 \end{array}$
Grit and mineral matter for chickens.	225	26-27
for chickens.		16
necessity for ducks	64	33
Grosbeak, black-hearted, food habits, usefulness	54	35
rose-breasted, food habits, usefulness	54	34
Ground cherry, cultivation	94	20
plum, value for forage	72	26
Grouse, introduction experiments	197	17
See also Game.	225	_
Grout, definition and use.		5
Grubbing, necessity of sharp tools, and work at intervals		14
Grubs, white, use of carbon bisulphide Gruels, use as food		$15 \\ 25$
Guernsey dairy cattle, characteristics, etc		20-23
Guinea chicks, description, habits, feed		10, 12, 13
eggs, description, etc	234	20-23, 24
food value		20 20, 21
incubation period		$\overline{12}$
number in year	234	11
fowl, age marks	234	17
and its use as food		1 - 24
cooking	234	19
food value and composition of flesh		21-23
important features	182	$10 \\ 10-14$
habits and care		10-14
introduction		17
marketing		14-18
points		10
price		18
varieties, description	234	8-10
grass, description, directions for planting roots	18	19
remarks	102	15
Gulf States, citrus growing	238	1-48
Gum, blue, California, use in wind-break.	199	$\frac{17}{28}$
plant, drug use, with price and description Gumbo. See Okra.	100	20
Gummosis, cherry, in Pacific northwest	153	9
Gymnocladus canadensis. See Coffee tree.	100	U
Gypsum; use against black alkali		7
as fertilizer		16
in preserving manure	<i>{</i> 21	17
	(192)	22
value in renovating alkali soils	11	7, 16, 21

Н.

, Н.	
Hairy vetch. See Vetch, hairy.	
HALL, WM. L., bulletin on "Tree planting on rural school grounds". J	134 1-31
Haltica chalybea. See Flea-beetle, grapevine.	
Hamburg chickens, description	51 33
steak, making, directions	
Hams, effect of several feeds	124 26
8.	

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250. 69

.

	Da um qua!	
•	Farmers' Bulletin No.	Page.
Hams, sugar-cured, recipe	183	32
HANDY, R. B., bulletin on "Asparagus culture"	61	1-40
"Peanuts, culture and uses"		1-24
Hardpan, relation to drainage Hard-wood cuttings, forms and use	157	35 11–12
Harrowing and plowing, alfalfa	215	11-12
cotton.		5
potatoes	92	11
HARTLEY, CHARLES P., bulletin on "Broom corn"	174	1 - 32
"Corn growing"	199	1–31
"The production of good	seed	104
corn [*] Hartshorne, Joseph, discussion of wrought iron and steel	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$124 \\ 27-29$
Harvest, alfalfa		21-20
seed		30
and market, tomato		13-17
Canadian field peas		11
citrus fruit, picking.		23
fruit, for keeping in cold storage		$\frac{16}{25}$
hop		$\frac{20}{12}$
sorghum.		$\overline{25}$
Harvester, raspberry		17
Harvesting asparagus		23-26
time and manner		16
broom corn		$27 \\ 16-21$
corn	~ -	10-21 19-22
000000	(89	10-12
cowpeas	···· (102	36-37
cranberries	$\int 13$	11
flow	60	15 8
fiber and seed		0 12–13
Kafir corn		12 15
millet	101	24-26
mushrooms	∫ 53	12
		15
onions		$22 \\ 15-17$
potatoes.		10-17
rice		17.27
seed corn		21-22
sorghum		11–14
soy-bean crop		· 10
sweet potatoes		$18-20 \\ 20$
tobacco		19
Hatching silkworm eggs	165	13 - 16
turkey eggs	200	_24
Hauling milk and cream, relative cost for	201	5-6
Hawaii, pineapple soil. Hawk moth, sweet potato, treatment	26	$\frac{14}{25}$
Hawkweed, orange, destruction	124	$\frac{20}{19}$
Hay, alfalfa and timothy, composition as compared with oak lea	ves. 210	25
cutting, curing, etc	215	22-25
use as hog feed	117	20
and forage for range cattle grain, feed for calves	72 55	$\frac{17}{22}$
pasture for skim-milk calves		23
stover comparison, yield and value		14
composition	170	10
table		32-34
cowpea, harvesting, curing, value	89	10-12
8		

	Four ous'	
	Farmers' Bulletin No	. Page.
Hay, cowpeas, southern studies		13-17
crops, southern dairy	151	32 - 34
curing	242	14
grasses and legumes, composition	16	$\overline{21}$
relative yield, food and fertilizing m	late-	
rials		22
varieties, description		18 - 22
loss by spontaneous combustion	105	26
meadows for Texas ranges	72	17
nitrate of soda top-dressing experiments	210	6-7
peanut, value, comparison with other hay	25	18
pearl millet	168	15
plants of South	102	8-47
production in the South	147	8
salt marsh, composition, digestibility	84	16 - 18
sheep feeding		45
shrinkage, experiments	149	14
sorghum, cutting and curing, etc		26-32
soy bean, value		16
yield per acre		12
substitute	210	23-24
varieties, to be grown in the South		41
HAYWOOD, J. K., bulletin on "Insecticides and fungicides"	146	1 - 16
Head-cheese, recipe.	183	32
Health, human, insects injurious in rural districts	155	1 - 20
provisions, dairy herd	55	17
Heartwood, remarks	173	13–14
Heat, food, measurement		11
radiation, prevention devices		11
sources in food	22	5
Hedera helix. See Ivy.	000	10
Hedge, suggestion for planting	228	13
Hedges, pruning.	181	36-
Hedysarum coronarium, use as forage in the South		40
Heif er beef, value, comparison with steer $beef$	10 ton 96	27-28 32
Helenium autumnale, description, distribution, poisonous charac		$\frac{52}{46}$
Helianthus, growing tuberosus. See Artichoke.	150	40
Heliothis armiger. See Boll worm cotton.		
<i>rhexiae</i> and <i>H. armiger</i> , tobacco enemies	120	14-16
Hellehore false American description	86	7
Hellebore, false, American, description	19	5
Hemispherical scale, characteristics.	172	31
Hemlock, Oregon, water, description, cases of poisoning	86	24
poison, description, distribution, symptoms	86	$\frac{21}{25}$
drug use, with price, description and range	188	39 - 41
. water, description, properties, symptoms of poison		23
Hen, air requirement per day		23, 24
common, incubation period		8
eggs, food value	234	21
laying, care	236 ·	5
manure, composition, value	∫ 21	6, 7, 10
manure, composition, value	192	9, 10, 14
preservation and value	210	5-6
HENKEL, ALICE, bulletin on "Weeds used in Medicine"	188	1-45
Hens' eggs, food value	87	24 - 26
weights for several breeds	122	25
laying, number in one pen	114	18
rations	186	23-27
manure production.	192	9, 14
molting, producing early	186	27-28
Herbaceous cuttings, forms and uses.		12-15
Herbs, drug, collection and curing	100	9
Herd, dairy. See Dairy herd.		
0		

		Farmers' Bulletin No.	Paga
\mathbf{H}	essian fly, annual injury to wheat	132	Page. 13
	description, distribution, history, habits, etc		13-22
	economic importance effect on wheat		$\begin{array}{c} 13\\ 19\end{array}$
	injury to wheat, preventive and remedial measures	132	19 - 22
H	natural enemies ibernation, boll weevil, relation to damage to cotton	$ 132 \\ 189$	$19 \\ 20-22$
H	ICKMAN, RICHARD W., bulletin on "Scabies in cattle"	152	1-24
	ickory nut, food use <i>ilaria cenchroides</i> , value for pasture		18 26
	mutica. See Grama, black.		
H	ILL, GEORGE G., bulletin on "Marketing farm produce" "Practical suggestions for farm by	62 jild	32
	ings"		1-48
H	ill lands, corn planting, circling	81	$15 \\ 14-20$
H	illsides, reforestation, recovery of washed soils	65	14-20 21
H	INDS, W. E., bulletin on "Carbon bisulphide as an insecticide	e" 145	1-28
H H	irundo erythrogastra, food habits and nesting habits	54 215	$36 \\ 1-40$
TT	и алао слушодазла, food habits and nesting habits итснсоск, А. S., bulletin on "Alfalfa growing" "Rape as a forage crop"	164	1-16
H	ive, bee, desirable constructionoarhound, drug use, with price, description and range	39	$19 \\ 32 - 34$
H	og, air requirement per day breeding, relation to prevention of disease	190	23, 24
	breeding, relation to prevention of disease	24	14
	breeds and breeding	24	5-18 1-16
	and swine plague, similarity, losses in United Stat		3-4
	bacteria, methods of spreading disease diagnosis and prognosis	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8, 13 9
	general character, symptoms, post-mortem appeara	nce. 24	4-8
· .	inoculation, experimental test, 1891		27-34 1-40
	failure as a private enterprise	8	24-27
	farmers' letters method, effects		$13-21 \\ 6-9$
	sanitary measures to prevent introduction	24	13-14
	treatment, formula and directions		10-13 36-38
	diseases, prevention and treatmentessentials for perfect animal	100	30 - 38 6
	feed, value of Jerusalem artichokes	73	13
	feeding, relation to prevention of disease		$14 \\ 19-23$
	lot sanitation	205	35
	manure, character	$121 \\ 192$	$6-10 \\ 8-14$
	pasturing, benefit to worn-out soil	245	* 16
	raising, climate and soil, remarks in the Northwest	205	$ \frac{3}{16-23} $
	South	100	1-40
н	vermin, prevention and destruction	205	$38-40 \\ 15$
11	pasturage	∫ 31	10 17
			$\begin{array}{c} 26 \\ 17 \end{array}$
	breeds and breeding buildings and feed lots		5
	castrating and spaying	$\{100\\205\}$	$\frac{18}{32}$
	disease immunity in Northwest	117	32 23
	diseases	100	35-37
	fattening for market, when profitableselection		$32-35 \\ 31$
	fecundity, various breeds	87	23
	feed, use of cassava	167	27 - 28

	Farmers' Bulletin No.	Page.
Hogs, feeding cooking feed	117	22
Kafir corn, comparison with other foods	37	$14 \\ 19-32$
feeds and feeding		19-32 18-23
forage crops, for fattening	56	6
insects, remedies.	100	$37 - 38 \\ 17 - 20$
killing and dressing	105	7-20 7-14
market classification	. ∫184	26
millet seed as feed	(222	24-31 30-31
packing-house methods	184	30-31 19
pure bloods, crosses, and grades, comparative value	100	9
rape feeding and pasturing		11-12
silage as feed	$\dots \{ 103 \} $	$\frac{30}{20}$
slaughter, temperature, etc	125	22
sows and pigs, farrowing time		12_{15}
soy beans as feed	(100	$\begin{array}{c} 15\\18\end{array}$
spaying	$\dots \{ 205 \}$	$\overline{32}$
water supply and shade	100	4
See also Pigs. Hollyhock, growing	195	32
Holstein-Friesian cows, usefulness for Southern dairy	151	20
dairy cattle, characteristics, etc.	106	24-29
Home, farm, relation of live-stock farming fruit garden, preparation and care	98	$18 \\ 1-20$
grounds, beautifying		1-24
cultural suggestions	185	23
vineyard, northern Home-mixed fertilizers, advantages		$\begin{array}{c}1-24\\16\end{array}$
versus factory-mixed	84	5-6
Homer pigeon for squab raising	177	15
Honey, adulterated, laws regulating sale	59 59	$\begin{array}{c} 47\\12\end{array}$
chemical composition, uses	93	$\frac{12}{9}$
comb, arrangement of sections, grading and shipping	59	31-34
extracted, securing and marketing	59	30-31 14
locust pods, food usepacking for market	<u>62</u>	31
plants and trees useful to bees, list	59	27-29
producers, shade trees, list	$ 99 \\ 125$	$\begin{array}{c} 25\\21 \end{array}$
storage temperature	248	$\frac{21}{16}$
use on home grounds	185	21
Hoof, horse, care, growth, etc	179	$11-15 \\ 18-19$
Hoole, T. T., details of jackal proof fencing Hop, cultivation, methods	115	10–15 9
culture, California	115	1 - 28
kiln, construction, etc		14-18 13
picking training, systems		11
tying of vines	115	12
Hop-kiln, drier for black raspberries		28-33 20-21
Hops, baling curing		14
marketing, prices, etc	115	22
statistics	115	$\begin{array}{c} 24-26\\ 21\end{array}$
storage, temperature, etc	115	$\frac{21}{6}$
Hordeum jubatum, description, remedies	10	15
Hornworm, sweet potato, treatment	26	$\begin{array}{c} 25\\ 10-14 \end{array}$
Hornworms. description and remedies	120	10-14

	Farmers' Bulletin No.	Page.
Horse, air requirement per day		23, 24
auction, Ohio, rules, etc		7-8
driving, ration farm, ration		$\begin{array}{c} 15\\ 15\end{array}$
feeding, experiments		15 - 23
principles	170	1-44
feet, forms, etc foot, anatomy		15-17 7-11
hoof, care. growth. etc.		11-15
industry, Northwest	117	23-27
interfering, relation of shoeing		27-29
manure, amount per year	1 21	6 7-10
composition, value		8-14
market, Chicago, rules and methodsnettle. <i>See</i> Nettle, horse.	184	9–10
nettles, harbor for tobacco insects, note	120	21
use, effect of electric inventions, etc	117	24
Horsepower as proportioned to grade of road		6
mills for grinding sorghum cane relation to grade of road	90 95	17 12
Horseradish, packing for market	62	28
Horses, demand, present and prospective	117	25-27
farm, mixed rations.	162	19-22
fattening for market use of sugar		25 18
feed, barley, value		. 29
Canadian field peas	224	5
cotton-seed feeds, effect		$15 \\ 37-42$
requirements, relation to muscular work		37-42 14
crimson clover, danger	65	11
Kafir corn	37	15
silage	$ \begin{cases} 32 \\ 103 \end{cases}$	28 20
tests	222	19-24
injuries by Russian thistle	10	4
manure production market classification	192	7-14
in Pacific northwest		23 26
millet disease, experimental tests	69	20-21
necessity of good water supply	97	17
poisoning by field horsetailrations, digestible nutrients and energy	$\frac{162}{170}$	22 31–33
ship transportation.	184	31-33 37-40
watering	170	25-27
Horseshoe, discussion		17-26
Horseshoeing relation to interfering	179	1-30 27-29
Horseshoes, bar shoe	179	24
hot fitting		24
rubber pad	(162	24 22
Horsetail, poison for horses	{170	$\frac{22}{22}$
Horticulture, books for farmers' reading courses	109	17
fruit growing in Northwest	98	28-32 6
Hotbed, directions for making.	105 . 94	8-10
making and care	195	14-17
Hotbeds for raising tomatoes.	76	10
sweet potatoes Hothouse tomatoes, production comparison of kinds	$ 26 \\ 186 $	6-8 12-15
Hot-water treatment for smuts of wheat, oats, and barley		11–14
nater treatment for smuts of wheat, oats, and balley	250	9, 12, 16

	Farmers' Bulletin No	. Page.
Hot-water treatment for root-lice		. 1 age. 23
Houdan chickens, description	51	35
House, building, paying workmen, etc	126 126	$9 \\ 24-25$
designing, purposes	126	1-6
farm, building, framework, roof, floors, etc., suggestions.	126	22-31
materials, bills, cost, etc	126	14-20 23
cellar, suggestions	126	8-9
foundation	126	22-23
inexpensive, plansinterior, work and finish, suggestions	126 $ 126$	9-48 32-33
material, cash, purchases, advantages		9
painting, suggestions	126	31-32
plan, preliminary work plans, bills of materials, different priced plans		8-9 10-22
sanitary arrangements		47-48
water supply	126	33-34
flies, breeding places, etc	155	12
floors, suggestions	120 126	$27 \\ 25-27$
onion storing, directions for building		25 25
staking the ground, methods	126	23-24
walls, building, suggestions	$126 \\ 141$	29–30 9–13
inclosures, and fences in hog raising		5-19
portable, for hog raising		10-12
Hoven. See Bloat. HOWARD, GEORGE E., bulletin on "Ducks and Geese"	64	1-48
"Standard varieties of chicke	ns'' 51	1-40 1-48
HOWARD, L. O., bulletin on "How insects affect health in ru	ural	
districts"	155	1-20
"Insects affecting cotton plant" "Insect enemies of tobacco plant"	47	$1-32 \\ 1-32$
"Three insect enemies of shade tree	s". 99	1-30
Howe, Henry M., on wrought iron and steel for fence wire	239 -	17
Huckleberries, packing for market Hulls, cotton-seed, food, fuel and fertilizer value	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	21 11–13
Humid climates, irrigation		1-27
Humulus lupulus. See Hop.	20	~ ~
Humus, causes of loss in soil effect on physical and chemical properties of soil		$5-7 \\ 6-7$
functions in the soil	66	11
necessity for corn lands	81	.4
soil necessity, methods of increase		6,11 14
Hungarian brome grass, description, directions for sowing seed grass as forage		8
millet, growing, synonyms, etc.	101	13
HUNTER, W. D., bulletin on "Control of the boll weevil" "Control of the boll weevil in cot	216	1-32
seed and at ginneries"		1-32
"Information concerning the Mexi-	can	
cotton boll weevil"		. 1–29
"Methods of controlling the boll w vil"		1-15
"The use of Paris green in controll		
the cotton boll weevil"		1-23
Hunting licenses and shipping, for game 1904		43-47 47-53
State	230	6, 40, 48
regulations and fees	180	35-41
nonresidents, restrictions, table	117	$\begin{array}{c} 60-63\\11\end{array}$
Hurdles, construction and use in pasturing	78	12

	armers' letin No. Page.
HUSMANN, GEORGE C., bulletin on "Home manufacture and use of	
unfermented grape juice"	175 1-15
Hydrocyanic-acid gas, fumigation of nursery stock	244 11-12
seed for boll weevil, experi-	
ment	209 7
use in gestweetment of insects	<i>(</i> 19 16−20
use in gas treatment of insects	172 9–15

Hyphantria cunea.	. See Webworm,	fall.
-------------------	----------------	-------

-		

Icerya purchasi, characteristics, etc	172	32-36
Icterus spp. See Oriole.		
Idaho, apple varieties	113	23
Illinois, northern, apple varieties	113	21
southern, apple varieties	113	22
Impatiens balsamina, growing	195	21
Imports, rice, note	110	6
Incubation, ducks, directions	64	36-37
history	236	7
periods for various fowls. Incubator body, essential features	236	8
Incubator body, essential features	236	12-15
chicks, rearing by broody hens		23
defects, summary	236	19
description of machines and various parts		8–19
evaporation from eggs, control		28
importance in poultry raising		3
lamp, various parts	236	9-12
location	236	22
nursery, suggestions	236	13
operation	236	21-31
regulator, good and bad points	236	16 - 18
thermometer		15
use with turkeys		24, 25
Incubators and incubation	236	1-32
care and management		20
Infection, black rot of cabbage, cause and manner, sources	68	6, 9–10
Indian corn, composition, digestibility, table	50	19
meal moth, description, life history	45	9
Territory, apple varieties	113	22
Indiana, game preserves	207	13
southern, apple varieties	113	. 20
Inoculation, hog cholera, cost, losses	8	38
experimental test, 1891	8	27-34
experiments		1-40
failure as private enterprise	8	24-27
farmers' letters	8	1 3−21
method, effects	8	6-9
legumes	240	1-8
by soil transfer, danger	240	6
causes of failure, summary	240	5
time desirable, etc		5
soil, effect on composition of soy beans and cowpeas	244	9-10
for leguminous plants		7-10
See also Soil inoculation.		
Insect enemies, asparagus	61	34-39
broom corn		26-28
celery, control	148	18-20
fruit, inland valleys of Pacific northwest		12
grape	70	1-24
		1–38
mushrooms	53	18
orchards, Pacific northwest	153	13–14
shade trees, three	99	1-30
sweet potato, description, treatment	26	24 - 25

	Farmers' Bulletin No	. Page.
Insect killing, cooperative	19	28
pests, control, methods, importance, remarks immunity, varieties of shade trees	127	38-41 21-25
peach	33	15–18
relation of food habits to remedies		5-7
spraying tobacco, preventives	····· 7 ···· 82	5-10 22
tomato, remedies		26
Pacific northwest		$24 \\ 23-31$
powder from pyrethrum plant, use	127	15
treatment, determination of result	19	28
Insecticide, carbon bisulphide lime-salt-sulphur wash, experiments	140 227	1-28 19-22
Insecticides, arsenical, directions for application	127	9-12
chemical composition and effectiveness for external sucking insects	146	1-16 14-32
	(7	5-10
formulas, directions	$\dots \{ 19 \\ 197 \}$	31
preparation, Pacific northwest	(127)	1-41 16-20
quack	153	22-23
treatment of stored-grain insects	45	22 1-32
Insects affecting cotton plant	127	1-32 36-37
attacking stored corn	81	21
biting, external, food poisons injuries	126 19	5-14 3
insecticides, formulas, methods of application.	19	5-9
control, cultural methods	19	29
general considerations remedial measures, profit		$28-31 \\ 31$
destruction by birds, notes	54	5-48
toad food habits, relation to remedies		$12 \\ 3-4$
forest, injuries	173	38
grain and stored products, remedies	19	26-28
methods of control		$\frac{19-24}{27}$
household, use of carbon bisulphide	145	21
injurious, classification for remedial treatment	19 87	$\frac{4}{29}$
destruction by toads		1-32
to cotton plant	223	5-23
human health in rural districts		1-20 18
stored grain	45	1-24
See also under names of various animals and pla	ants.	22-23
number reduced by clean cultivation	172	22-23 9-18
on citrus trees	172	1:-43
shade-tree, cities and towns, general worksubterranean, remedies	$ 99 \\ 127$	25-29 32-36
sucking, external, insecticides	127	14-32
injuries.		4 10-20
insecticides, formulas, application	$15 \\ 127$	5-7, 14-32
nature of remedies	e 145	17
Texas, cottón, miscellaneous	$ 223 \\ 120$	$24 \\ 1-32$
kinds injurious to dried tobacco	120	30
transmission of anthrax	79	$\frac{25}{28}$
Inspection, feeding stuffs, necessity, results		20 7

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250. 77

	Farmers'	-
	Bulletin No.	Page.
Inspection, live stock, regulations	153	$\frac{36}{15}$
stock, discussion	184	15 - 18
Towa apple varieties	113	21
productions, 1890, and Mississippi, comparison <i>Ipomæa batatas.</i> See Sweet potatoes.	98	37
growing	195	33
Iridoprocne bicolor, food habits and nesting habits	54	36
Iron and steel manufacture.	239	9-14
wrought, manufacture and characteristics Irrigated land, after treatment		16-18 45
lands. drainage	187	33-38
Irrigation, advantages and disadvantages	46	6-7
alfalfa	215	20-22
application of water, methods	158	23–26 14
conditions of desirability		9
date palm	92	17
distribution to land		24-26
ditch, devices for turning water		24-26 1-28
ditches, small, building effect on beet culture	52	1-20
quality of crops, experiments	210	13-15
excessive, danger and remedy	103	5
field and garden	138	1-40
fruit growing humid climates		1-48 1-27
interruption by drains		38
investigations	97	27-29
methods, choice, conditions of land, crop, soil, labor.		38-39
of applying water	$\int_{116} 46$	23-26 27-44
	138	26-38
of obtaining water	46	16-21
minor results	116	5 16 20
onion	39	5-16, 20 21-22
cost per acre		17
preparing land	116	26
relations to cultivation		5
rice seasonal variations	$\dots 110 \dots 116$	9,26 12-14
storage of water		20
strawberries	169	10 - 14
study, progress, 1890 experiments		17-21
system for sewage disposal on farm	43	11–15 * 15
use for frost protection in protecting citrus trees against cold	238	30
vegetable garden	94	14
vineyard, as remedy for phylloxera	70	15 90
water, development and utilization	138	15-26 23-26
required		44
waters, fertilizing value	46	10-11
Isosoma spp., habits, enemies, remedies.	$ \ldots 132 $ $ \ldots 3 $	26-29
Isothermal, sugar beet, location. Italian bees, description, habits	59	$\frac{3}{17}$
export tobaccos, description	60	$\tilde{21}$
rye grass, use in lawn making	248	12
Italy, irrigation, extent and antiquity	$ \begin{array}{ccc} 46 \\ 10 \end{array} $	9 12
Iva xanthiifolia, description, remedies. Ivy, branch, description, distribution	86	$\frac{12}{29}$
poison, as food of birds.	54	44
description, symptoms of poison, remedies, prevention		19-21
use on home grounds	185	20

8

.

\$

т	•	
J.	Farmers'	
	Bulletin No.	Page.
Japan clover. See Clover, Japan.		0
dried sweet potatoes	: 26	25
Japanese millets, remarks	101	14
rye grass, description, and directions for sowing seed	18	13
Jarring as remedy for rose chafers	70	16
Java chickens, description	51	8
Jay, blue, food habits	54	18
Jays, Pacific coast, food habits, destructiveness		19 - 21
Jellies, canned fruit and preserves, household methods	203	1 - 32
covering, directions	203	29
methods of making	203	24 - 29
Jensen treatment for oat and wheat smut, directions	5	5-7
Jersey Blue chickens, description	51	10
cows, usefulness for southern dairy	151	19
dairy cattle, characteristics, etc.	106	29 - 35
Jerusalem artichokes for pigs	92	20
Jimson weed, description, ways and symptoms of poisoning	86	29
drug use, with price, description and range	188	37-38
importance in tobacco growing		32
Johnson, B. F., statement on frost protection		17
Johnson grass, description, propagation, objections	18	22
injury to alfalfa		37
remarks	102	16 - 17
JOHNSTON, C. T., bulletin on "How to build small irrigation ditch		1-28
Jointworm, wheat, habits, natural enemies, remedy		26-29
Juice, sorghum, clarifying	90	18 - 26
Jump scrape, irrigation implement		31
Junco hyemalis, food habits	54	31
Jungle fowl, introduction, notes		17
rice, remarks	101	18

К.

Kafir corn, characteristics, culture and uses	37	1-16
chemical composition		15
composition.		13
digestibility, table		19
feed for mules	• 37	15
pigs, value		27
food value, analysis	249	15
for dry regions, varieties, advantages, handling	73	13 - 15
forage use	102	17
meal as human food	37	15
pasture for hogs	100	23
seeding, cultivating and harvesting	37	10-12
soil and climate		9
varieties, description		7 - 9
yield per acre		12
Kainit absorbent and deodorizer in cow stable	55	27
as specific for rust or blight in cotton		13
effect on strawberry yield	149	18
use in preserving manure		18
value as fertilizer		25
insecticide		18
Kalmia angustifolia, description and distribution		27
spp. See Laurel.		
Kansas, apple varieties	113	22
coyote bounty law	226	17
cream separator investigation	201	18 - 20
shipment of cream	201	20
Katydid, cranberry, description, remedies, etc	178	26-29
KELLERMAN, KARL F., and T. R. ROBINSON, bulletin on "Inocula-		
tion of legumes"	240	1-8
0		

e

	Farmers' Bulletin No.	Page.
KELLY, HENRIETTA AIKEN, bulletin on "Silkworm culture"	165	1-32
"Kemp, "mohair, description	137	20
KENNEDY, P. BEVERIDGE, bulletin on "Salt bushes"	108	1 - 20
Kenny, Seth H., letter about sorghum sirup making	90	29
Kentucky, apple varieties	113	20
blue grass. See Blue grass.		
food law	122	23 - 24
tobacco soils	83	16, 17
-	(7	5
L'angren a amulaion, formula, 1130	19	12-13
Kerosene emulsion, formula, use	127	19, 34
	153	18
spraying in Pacific northwest	153	8.9
use against grapevine fidia	70	11
root insects	19	24
scale	172	18
twig borer	80	13
insecticide, value, application	127	16 - 21
pure, use as insecticide	19	11
Kidney bean, description and food use	121	9-10
Kids, Angora, care		33-37, 42
Kiln, hop, construction	115	14-18
KING, F. H., bulletin on "Irrigation in humid climates"	46	1 - 27
Kingbird, Arkansas, life and food habits	54	15
food habits, usefulness	54	14
KIRKLAND, A. S., bulletin on "Usefulness of the American toa	d'' 196	1-16
Kitchen and table wastes, value as fertilizer	69	25
Kleinwanzlebener beet, description. KNAPP, S. A., bulletin on "Rice culture in the United States"	52	10
KNAPP, S. A., bulletin on "Rice culture in the United States"	110	28
Korean lawn grass, use in lawn making	248	11
millets, remarks		15
Koumiss, preparation, use		14
Kumquat, classification		12
· · ·		

L.

La Fleche chickens, description	. 51	36
Lablab bean, food use	121	13
Labor, hop, wages, etc	115	22. 23
rice field	110	18
Laboratory exercises, school garden	218	12-31
Lacey, act, game		41-43
law, text		48
Lactometer. testing water in milk	42	17-19
Lactuca scariola, description, distribution, and remedies		11-13
Ladybird, enemy of fluted scale		
spotted, destruction of asparagus beetle		37
Læstadia Bidwellii. See Rot, black.		
Lamb, composition, fuel value as food, table	34	27
cuts, directions	. 34	22
range, feeding		3-
Lambs, fattening on rape	49	14
feeding for market	49	11-16
range and pure-bred, comparison of results	. 96	38-41
use of Canadian field peas		i
for breeding purposes, feeding	49	8
growth, effect of shearing	162	25-26
judging condition of flesh, directions	96	47
management with ewes		13-16
preparing for market	62	. 18
rape feeding and pasturing	98	9-10
slaughter test	96	29
weights and selling prices	96	26
See also Sheep.		
Lambs' quarters, description, remedies	10	13

.

· · · · · · · · · · · · · · · · · · ·	Farmers'	· · ·
	Bulletin No.	Page.
Lamp, incubator, reservoir, burner, chimney, wick	236	9-12
LAMSON-SCRIBNER, F., bulletin on "Southern forage plants"	102	1-48
Land clearing, cost	150	3, 5
practical illustration	150	6-14 19-20
new, clearing.	150	13-20 1-24
new, clearing crops adapted	150	22-44
cultivation, directions	150	21
plaster. See Gypsum. preparation for beet culture	0	0
title, necessity for perfecting		9 6
Lands, flood-damaged, reclamation.	202	5-8
washing, prevention by cultivation and underdrainage.	20	11–14
Langshan chickens, description	51	17
Langstroth beehive, desirable features.	59	19
LANGWORTHY, C. F., bulletin on "Eggs and their uses as food" "Fish as food"	85	$1-32 \\ 1-32$
"Principles of horse feeding".	170	1-44
"Soy beans as food for man".	58	20-23
"The guinea and its use as foo	od''. 234	1 - 24
LANTZ, DAVID E., bulletin on "The relation of coyotes to stock	rais-	1.04
ing in the West '' Laphygma frugiperda, injury to corn; note	101	1-24 9
See also Army worm, fall.	101	U
Lard, trying out, directions	183	33
Larkspur, dwarf, description, distribution	86	11
growing.	195	35
purple, description, varieties, poisonous character Wyoming, description and distribution	86 86	$\begin{array}{c} 12 \\ 12 \end{array}$
Lasioderma serricorne, description and remedies	120	26 - 30
Late blight, potato, description and treatment	91	11
Lath screens, use for protection from frost	· 104	11
Lathyrus hirsutus, use as forage in South	102	44
hay and pasture value	195	$\frac{33}{46}$
<i>odoratus</i> , growing. Laurel, broadleaf, description, distribution, ways and symptom	ns of	10
poisoning	86	26
poisoning great, description, distribution	86	28
narrow-leaf, description, distribution		27
Laverna herellera, note Law, food, Kentucky		8 23–24
Lawn, dandelion weed, removal		18 - 20
establishing, directions	248	14-17
grasses, recommendation	248	9-13
home, grasses and care	180	$\frac{8}{24}$
maintenance		17-18
plant, lippia, for arid regions	169	8
planting, season The, bulletin by L. C. Corbett	248	16
The, bulletin by L. C. Corbett	248	$1-20 \\ 19$
trees and shrubs, relation walks and drives	248	- 19
Lawns, general characteristics		5-6
school, treatment	218	37
Laws, cotton boll weevil quarantine	189	27 - 28
federal, game shipment		$41-43 \\ 53$
game, 1902		1-56
1903	180	1 - 56
1904		1-64
1905 changes 1902		$1-56 \\ 9-10$
changes, 1902 sheep scab, Federal	159 .	42-47
State, protection of game birds	197	24
water-right, problems and difficulties		28
8		

•

. .

-

		rmers' etin No.	Dago
Layering, propagation of plants			Page. 15–16
Leaching loss of manure.		192	10-10
Leaching, loss of manure. Lead arsenate, composition, value		146	10
use against coding moth		170	18
Leaf blight, cucurbits, description		231	7
pear, cherry, plum, quince, treatment		7	15
potato, description, treatment	• • • •	$\frac{91}{26}$	9 23
sweet potato, description treatment			19, 20,
		210	21, 22, 23
curl, treatment		243	21, 22, 20
cuttings, propagation of plants		157	13
feeders, cranberry, descriptions, remedies, etc		178	9-21
folder, grape, description and remedies		118	28
habits and remedies.			16 - 18
hopper, grape, life history, remedies	• • • •	70	$19-21 \\ 21$
hoppers, injury to cranberries. miner, tobacco, or split worm, description and remedies		120	19-22
rollers, injury to cranberries		178	10 22 21
spot, celery, causes, control		148	17-18
tomato, description, remedies		76	27
treatment			23
týer, celery, control			19
Leaven bread, making.		112	23
Leaves, drug, collection and curing studies for school garden			$9\\21$
Lecanium olex, characteristics, etc	····	172	27-30
destruction by birds.		54	29, 36, 44
See Scale, black.			,,
spp., characteristics		172	30, 31
Legislation, aplarian interests		59	46
fruit inspection, etc., Pacific northwest			15-16
game, 1902		$\frac{160}{180}$	9-10
$\begin{array}{c} 1903\\ 1904 \end{array}$			6-7 8-11
1905			1-56
peach yellows			18 - 20
State, game-bird protection			24
See also Laws.			
Leghorn chickens, description		51	19
Legume, green manuring, choice	• • • •	214	24-26
Legumes, composition, fertilizing ingredients			$13 \\ 22-29$
digestibility			18
feeding value.			20
fertilizer requirements		44	18
food preparation		121	28 - 36
use			. 1-39
for green manuring and for feeding	· · · ·	16	1-23
forage crops. geographical distribution	• • • •	14/ 191	. 22–34 7
hay, average composition, feed and fertilizer constitue	ents	$121 \\ 16$	21-22
inoculation.		240	1-8
nitrogen gatherers			6
nitrogenous constituents			·20
nutritive value.		121	18-20
parching, remarks.			34
roasting, remarks root systems			33 9
silage			32
soup tablets and pea sausage			34
use in dietaries		121	26-28
value as food in relation to cost			36-38
for feeding and fertilizer	• • • •	22	20
CO20 No. 0 07 C			

6838—No. 8—07—6

•

	Farmers' Bulletin No.	Page.
Leguminous crops, beneficial bacteria		1 age. 1–48
importance	214	- 10
soil inoculation, summary of conclusion	214	47-48
forage plants, discussion	102	29-47
hay crops, southern dairy	101	33 7
nitragin fertilizer	65	19-21
soil inoculation	124	7-10
seeds, feed value	170	14
Leicester sheep, feeding experiments, data		12
Lemon, silver mite, characteristics, etc		38-41
Lemons, classification		$\frac{12}{23}$
shipping, temperature management	125	14
storage temperature		$\frac{11}{20}$
Lens esculenta. See Lentils.		
Lentils, description and food use	121	16 - 17
digestibility, discussion, experiments, etc	121	21-25
preparation for food use Leontodon autumnale. See Dandelion.	121	30-33
Lespedeza striata. See Clover, Japan.		
Lettuce, cultural directions	94	20
forcing in pots.		10-12
soils and fertilizers		15
growing under glass		12
packing for market		28
prickly, distribution, description, remedies	28	11-13
Leucania unipuncta. See Army worm. Leucocytes, presence in milk, microscopical test by C. F. Doane	922	27
Leucothöe catesbæi, description and distribution	86	29
Level, grade, homemade		16
irrigation, homemade device	138	7
Lice, cattle, dipping treatment	152	13
chicken, prevention		21
cotton, damages, remedies		25 12
exterminators, composition, value	137	12 45
hog, prevention and destruction.	205	38
pigeon, remedies	177	30
plant, injuries to cotton	223	6
tobacco enemies	120	. 26
treatment with carbon bisulphide	145	$\frac{17}{64}$
Licenses, game, laws for 1904. hunting and shipping, laws for 1904.	207 207	47-53
for game	160	43-47
Licorice, wild, description, remedies	10	11
Light and shade, necessary to tree growth	67	6-9
Lima beans, description and food use	121	10
Limax campestris. See Lice, plant, and Slugs.		C O
Lime, action on soil and clover	77	
as a fertilizer, investigations.	65	21-24
beneficial effects on washed soil	20	10
bisulphide, use as insecticide	19	11
caustic, source, weight per bushel	77	15
dyehouse and gas-house, use as fertilizer	77	$\frac{19}{6}$
effect on different crops, on acid soils	155	8
fertilizer for beets, requirements forms used for agricultural purposes		15
fruit, classification		12
how often, when, and how to apply	77	12-15, 22
in soils, testing	77	6-7
injurious effects		9, 11, 21 21
kinds, fertilizing value	124	21
8		

	armers'	
	lletin N	
Lime, phosphate, use upon acid soils price per barrel	$77 \\ 65$	17 26
price per barrel. pulverized, method of applying to soil	77	14
use in clarifying sorghum juice, objections	. 90	19
making sorghum sirup	135_{-78} 2	2, 34, 36, 37
Lime-and-sulphur dips	159	19-21 21-27
Limestone, ground, use as fertilizer	77	19
in road building	95	32
	$\begin{bmatrix} 19\\ 197 \end{bmatrix}$	15
Lime-sulphur-salt wash, formulas, experiments, use	127 227	22-23 19-22
	243	$10^{-}22^{-}14-17$
Liming grass lands	122	5-7
sandy soils.	124	11
soils Lincoln, sheep, feeding experiments, data	77 . 96	1-24 11
Linden blossoms, value as bee pasturage		9
use on home grounds	185	16
Linnet, food habits, fruit destruction	54	33
Linseed meal and cake, sheep feeding.	49	13, 22
"Linters," cotton, value and use Lippia, lawn plant and soil binder, arid regions	$\frac{36}{169}$	4, 5, 7 8
Liriodendron tulipifera. See Tulip tree.	100	Ŭ
Liriodendron tulipifera. See Tulip tree. Litter, relation to quality and keeping of manure	192	16, 21
See also Bedding.	0.40	
Little peach, treatment Live stock, auction sales, Great Britain	$\frac{243}{184}$	$\frac{21}{7}$
cars for shipment.		31-33
condimental feeds and condition powders	233	21
consumption of forage		10
exchanges, purposes, etc		$\frac{11}{35}$
export trade farming, influence upon home making	104 98	55 19
feeding, means of increasing fertility of soil		4
food requirements	170	37-42
growing, Louisiana	98	40, 41-42
inspection regulations insurance for ocean transportation	184	$\begin{array}{c} 36 \\ 40 \end{array}$
losses in ocean transportation	184	40
market classification	184	21 - 28
marketing	184	1-40
production, books for farmers' reading courses	184	18 17
raising, relation of coyotes		1-24
selling, docking		18
in yards		13-15
shipment by railway	184	28-35 33-35
vessel transportation, stabling and care		37
Lobelia, drug use, with price, description, and range	188	26
growing. Loco weed, bounties for extermination, Colorado	195	36
Loco weed, bounties for extermination, Colorado	$\frac{86}{86}$	$\frac{15}{16}$
stemless, description and symptoms of poisoning woolly, description, distribution, symptoms of poisoning.		10
Locust, American, injuries to cotton, treatment		27
bean, description and food use	121	14
black, for forest planting, recommendation	$20 \\ 150$	18
clearing difficulties, method of extermination	223	$\frac{18}{6}$
grasshopper, injury to cotton	121	14
trees, insect injuries	99	24
Lolium italicum. See Rye grass, Italian.		

- spp. See Rye grass.
- 8

.

I	Farmers'	
	illetin No.	Page.
London purple, composition, value	. 146	9
description, cost	. 19	5
insecticide preparation, Pacific northwest	. 153	18
use against codling moth	. 170	17
as insecticide	. 7	7-9
Long scale, characteristics		21
Lonicera japonica, use on home grounds	. 185	21
steep banks	. 248	16
Lophortyx californicus. See Quail.		
Lotus corniculatus. See Trefoil yellow.		
Louisiana agriculture, soil areas, productiveness, advantages, and	d	
disadvantages	. 98	21 - 25
and Texas, territory affected by boll weevil	216	10-12
apple varieties	. 113	21
citrus-growing section, remarks	238	14 - 36
cotton boll weevil quarantine	. 189	28
manuring experiments, results	. 48	5, 8
experiment stations, origin, work	1	12
frost protection	104	19
grape varieties suitable	118	13
rice cultivation.	110	25 - 27
timber		22, 24
Louse, hog, remedies		37
plant, wheat, origin, habits, preventives	132	24-26
Lucern, Chilean, adulterant of alfalfa seed	194	0
See Alfalfa.		Ũ
Lumbering, conservative	173	34
Lunch, ordinary restaurant, cost and nutrients	74	14
Lupine, yellow, use as forage in South	102	41
value as forage and green manure, seed, quantity		
per acre		34
Lupines, as green manure.		12
Lupinus luteus. See Lupine, yellow.	. 10	12
Lapina interest. See Depine, yen we		

Lygus pratensis. See Bug, tarnished plant.

M.

•

Macadam roads, construction	95	33-41
evils of improper construction	95	38
Macaroni, digestibility	249	18
food value, analysis	249	15
wheats, experiments and qualities,	186	6-8
Macrodactylus subspinosus, habits, enemies, and injuries	70	14-16
Macrophoma curvispora, note	153	31
Macrosila cingulata, treatment		. 25
Macrosporium disease, potato, description, treatment		4-7
tomato, description and prevention		28
Maggot, mushroom, damages		18
onion, prevention		$\tilde{27}$
Magnesia, fertilizer for beet, source of supply, effects		7
Maine, apple varieties.		20
Maize. See Corn.	110	20
Malaga, California grape, crossing with raisin grapes	30	12 - 14
Malaria, protection methods		6-12
Malicorticis glæosporium, note		31-33
MALLY, FREDERICK W., bulletin on "The Mexican cotton boll wee-		
vil"	130	1 - 30
Mamestra legitima, tobacco enemy		24
Mammals, close season laws, 1902		52
Mammoth Pompeii onion, description		13
Mange, cattle, transmissibility	152	10
cause in cattle	152	7-8
See also Scab; Scabies.		
Mangel-wurzels, feed for sheep, dangers	49	5, 11
Mangold fertilizer formulas, with other beets		9

.

	Farmers' Bulletin No.	Page.
Manihot spp. See Cassava.		
Mann's acid test for cream		23
Manufacture of sorghum sirup	90	1-34 27
Manure, alfalfa as soiling plant	31	11
Angora goat, value as fertilizer	137	$\frac{1}{27}$
barnyard	∫ 21	1 - 32
bailly ald	(192	1-32
	$\left(\begin{array}{c} 21\\55\end{array}\right)$	$16-21 \\ 16, 27$
	56	24-27
care, preservation of nitrogen, methods, mater	$ials. \{192$	16 - 25
	237	22
	$ 242 \\ 245 $	13 - 15
	(91	11-12 25-28, 31
combining with other fertilizing materials		20 20, 01 29
cumulative effect		30
fermentation, causes, control	21	13 - 15
handling on model farm	242	$13-15 \\ 19$
influence and value of feeding stuffs	$\dots 192$	$19 \\ 14-16$
of age and kind of animal		13-14
litter	192	16
leaching, experiments		16
rotted, advantages solid and liquid, comparison		10-13
summary of discussion and directions	•	31-32
use, methods of application, and rates per act	∫ 21	22-25, 31
		27 - 29
in apple orchard	113	15
on asparagus beds	61	$\begin{array}{c}18\\6,7\end{array}$
beets, effects, precautions		13 - 14
citrus fruits, doubtful utility		$20 \\ 8$
cotton, effects		5, 13, 15
flax	27	7
grass land	227	5-8
muskmelon hills, experiments	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 8
onions, value potatoes, value		32
strawberries, value	149	17
value	162	5-6
	$\begin{bmatrix} 21\\ 26 \end{bmatrix}$	3, 29
as farm resource	$\dots \left\{ \begin{array}{c} 20\\ 133 \end{array} \right\}$	* 17 * 5
	161	5-6
waste, losses	∫ 21	5
		5
cabbage, spread of black rot		$\begin{array}{c} 10 \\ 6-11 \end{array}$
cow, composition and value	$ \begin{cases} 21 \\ 192 \end{cases}$	$6-10 \\ 8-14$
value	$\cdots \begin{cases} 2\\ 97 \end{cases}$	4 5
different animals, amount, value, composition		5 - 11
fresh and rotted, comparative value	21	8-14 22, 23, 31
formulas, asparagus experiments	61	18-22 9
mushrooms	204	11-12
green, choice of legume	214	$\begin{array}{c} 14\\ 24-26\end{array}$
8		

•

	Farmers' Bulletin No.	Page.
Manure, green, effect on different soils	16	15-17
for vegetable garden	94	· 7
leguminous plants use in tomato forcing	16 220	$\begin{array}{c}1-23\\24\end{array}$
value of Canadian field peas	224	24
rape		19
soy beanvelvet bean	58 78	18 13
versus feeding legumes.	16	13
hen, composition and value	$ \begin{cases} 21 \\ 192 \end{cases}$	6, 7, 10 9, 10, 14
preservation and value	210	5-6
hog, composition and value	$ \begin{cases} 21 \\ 192 \end{cases}$	$6-11 \\ 8-14$
horse, composition and value		6-11 8-14
liquid, use on asparagus.		11, 21
sawdust and shavings, value	237	22
sheds, description, directions for building	$ \{ \begin{array}{c} 21 \\ 192 \end{array} \}$	19-20 22-24
sheep, composition and value	$\begin{cases} 21 \\ 102 \end{cases}$	6-11
use of warmth for protection from frost	(192 104	$\begin{array}{c}8-14\\13\end{array}$
value, comparison of horses with cattle	170	28 - 30
Manures, calcareous, for cotton, experiments	14	20-22
commercial, for grass lands	$\ldots 66$ $\ldots 245$	$12 \\ 12 - 15$
potassic, phosphatic, and nitrogenous, for cotton, expe	eri-	
ments	14 76	14-20 12-15,
		20-22, 24
Manuring cotton, experiments		1 - 16
potato, recommendations. Maple seed, planting for forest.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 5
silver, growth and value, comparison with black walnut	228	9
sirup and sugar tree, as source of sugar, history, yield in 1894	124	21-24
Maples, use on home grounds	93 185	$11\\16$
Marigold, growing.	195	22, 36
Market and harvest, tomato	220	13-17
butter, making to suit customers		18 28
classes and grades, swine.		24-31
classification of live stock	184	21-28
fruit, fresh and preserved	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4 12
horse, Chicago, rules and methods	184	9-10
Pacific northwest	117	25-27
mushrooms, picking, preparation, prices	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	15-16 22
preparation of fish	85	7-8
silkworm cocoons		26 - 27
tomatoes, early, medium, and late, growing, yield, and valu value of bread	1e. 76 112	7-17 36
Market-garden crops, fertilizers		12 - 16
Marketing apples, remarks.		$31 \\ 26-28$
asparagus broom corn	61	20-28 25-30
butter		29
citrus fruits		$\frac{28}{33}$
comb honey cranberry		55 17
farm produce	62	1 - 32
guinea fowls	234	14-18

	Bulletin No.	Page.
Marketing hops	115	22
live stock		1-40
mushrooms		17
plums	149	25
squabs	177	27
tobacco	60	23
Markets, foreign, importance	184	35
live stock, metropolitan United States	184	10 - 15
Marl use as tertilizer	77	17
MARLATT, C. L., and W. A. ORTON, bulletin on "Control of the c	eod-	
ling moth and apple scab"	247	1 - 22
bulletin on "Important insecticides, preparat	tion∫ 19	1 - 31
and use"	(127	141
"Insect enemies of the grape"	70	1 - 24
"Peach twig borer"	80	1-16
"The principal insect enemies of gr	ow-	
ing wheat"	132	1-38
Marmalade, pineapple	140	46
Marmalades, methods of making	203	23
Marrubium vulgare, drug use, price, description, and range	188	32-34
Marsh elder, description, remedies	10	13
salt, hay, composition and digestibility.	84	16-18
soils, reclamation, drainage and fertilizers.	78	7-9
Martin, nesting habits, food habits	54	36
Martynia, cultural directions	94	20
Maryland, apple varieties	115	20
game, close seasons, county laws		51-52 13
preserves	32	15
Massachusetts, apple varieties	119	20
cost of road construction	95	46
Experiment Station, experiments, tobacco fertilize		17
game bird introduction		20
preserves.		13
Hatch Experiment Station, experiments, gre	en-	
house heating.	69	13, 15
house heating. Hatch Experiment Station, experiments, thinn	ing	,
truit	73	17
Hatch Experiment Station, experiments, winter p		
tection peach trees	78	17 - 18
Matthiola, growing McBRYDE, J. M., bulletin on "Fertilizers for cotton"	195	45
MCBRYDE, J. M., bulletin on "Fertilizers for cotton"	14	1-31
McGREW, T. F., bulletin on "Turkeys, standard varieties and m	an-	
agement"	200	1-40
Meadow, top-dressing.	227	5-8
Meadowlark, food habits, usefulness.	54	26
Meadows, formation and cultivation, Middle Eastern States	66 66	■ 130 13-16
preparation of soil	144	24
corn-and-cob, feeding to cattle, comparison	107	$\frac{24}{16}$
Kafir corn, as human food.	37	15
snout-moth, description, life history	45	10
worms, description, life history	45	14 - 15
use as feed for caged birds.	45	14
Mealy bug, characteristics, etc	172	33-36
tobacco enemy	120	25
bugs, pineapple, remedy	140	39
MEANS, THOMAS H., and MILTON WHITNEY, bulletin on "All	xali	
lands"	88	1-23
Meat, cooking	$\{162$	9-10
	193	29 - 31
curing, recipes	183	30 - 35
cuts, various kinds extracts, classes, use and value	34 34	$19-23 \\ 18$
extracto, classes, use and value	04	18

×

¥

	Farmers' Bulletin No.	Page.
Meat, farm, butchering, curing and keeping		1-38
food for chickens	41	17
fresh, keeping	183	27
meal, feed for pigs	$\dots 169$	29
preservation, temperature	125	22
production, relative cost of mutton and beef	96	28 22
Meats, composition and cooking	34	1-32
fuel value, table	34	24 - 31
cooking, different methods, effect on digestibility	34	14 - 19
curing		29-37
digestibility	34	13
flavor, causes affecting	34	$13 \\ 21-27$
keeping. use of yellow wash	183	37
nutritive value.	23	13
shipping, temperature management		11
smoked, keeping	183	36
smoking, directions	183	35-37
structure and composition	34	4-11
texture, toughness, methods of softeningvalue as food, pecuniary economy	34	11 42
See also Beef, Mutton, Pork, and Veal.	142	42
Medicago spp. See Clover, bur.		
sativa. See Alfalfa.		
Medicine, use of cotton root bark		4
weeds useful		1-45
Mediterranean flour moth, occurrence, description, life history		8-9
Megilla maculata, destruction of asparagus beetle Melanconium fuliginium. See Bitter rot.	61	37
Melanerpes erythrocephalus, food habits and destruction of insects	54	8-13
Melilot. See Clover, sweet.	01	0 10
Melilotus alba. See Sweet clover.		
Melospiza, food habits		31
Melon diseases, spraying.	231	1–24
See also Muskmelon and Watermelon.	0.4	00
Melons, cultural directions		20
Menus, daily, containing fish		24-30
milk	74	23-39
Merino, Mexican, sheep, characteristics		34
sheep, characteristics	96	35
feeding experiments	96	35-37
Meromyza americana, description, distribution and remedies	132	29 - 30
Merula migratoria, food habits and fruit destruction	$\dots 54$ $\dots 72$	44-46 26
Mesquite, curly, value for pasture Mexican bean, food use		10^{20}
clover, description	18	29
coarse-wool sheep, feeding experiments	96	35-37
cotton boll weevil. See Boll weevil.		
cottons, supposed immunity from boll weevil	216	22-23
Mexico, ravages of boll weevil and spread into Texas	47	$\frac{17}{29}$
Michigan, apple varietics.	113	$\frac{20}{20}$
farmers' reading courses.		-s
game preserves	207	13
peach yellows, spread	17	11
scutch mills	27	15
silos, early use	32	6 31
Micrococcus prodigiosus, injury to bread	184	17
Middlings, wheat, feed value	170	13
Midge, wheat, habits, preventives	132	22-24
Mignonette, growing	195	37

痄

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250. 89

	Farmers	
Milch cows, feeding grain, comparison	Bulletin No.	Page. 25–26
See also Cows, dairy.	113	20-20
Mildew, downy, cucurbits, description	231	5-7
grape, description and treatment		3,8 22
treatment	$\cdots \{ 243 \}$	22
peach. Pacific northwest		13
powdery, apple, treatment	{ 38	14 12
description, treatment	(4,8
	(30	19, 22, 23 10
grape, description, treatment	{156	22
	<u> </u>	3, 8
Mildews, grape, treatment.	30	$\begin{array}{c}16\\10\end{array}$
Mildews, grape, treatment.	38	10, 11
	156	22
Milk, aeration to remove odors	63 22	30 39
Angora goat, comparison with cow's milk	137	25
as food	74	1-40
bacteria, growth, effects, how to destroy sources, number, kinds	2 29	6-10
bitter, causes and prevention	∫ 29	14
blue courses	193	32
blue, causes	(10	$13 \\ 13-16$
care, cooling, pasteurization) 63	37
on the farm	42	23 11–13
causes		5
characteristics and properties	74	7
cheese making quality, test	84	$24-28 \\ 25$
city delivery	227	24-28
colors, production by bacteria	9	15
composition	$\begin{cases} 9\\29 \end{cases}$	55
	74	5-6
causes of variation	42	7-9
comparison with other foods	74 74	$18-19 \\ 5-6$
consumption, United States	42	5
cooling and coolers	63	31–33 20–23
cost per pound of nutrients, comparison with other foods. cow, ration of cotton-seed products	36	15
creaming	57	-1-8
in southern dairy		44 23–39
detection of impurity.	42	16-23
digestibility	74	9-12
effect of cassava as feed for cows facts	42	$24 \\ 1-28$
fermentation, alkaline		10-13
by rennet	9 29	6 11 11
causes, forms relation to dairying		6, 11-14 1-24
fever, air treatment	206	10-14
appearance of cow after death; prognosis and mortal prevention		8 14-15
symptoms		6-8
treatment	55	20
simple and successful	206	8-14 1-16
8		1.0

.

•	Farmers' Bulletin No). Page.
Milk fibrin, discovery, action		5. 1 age.
food value	244	25
from diseased cows		27
good, requisites	57	3
grading, improvements suggested	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	27 10–11
handling and care importance of cleanliness and low temperature	9	10-11 15-18
in southern dairy	151	41 - 42
hauling, cost compared with cost of hauling cream	201	5 - 6
house, southern dairy	151	12 - 16
impurity, causes	63	13-19
influence of feed nutritive value, comparison with other foods	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{18}{3, 9, 15, 16}$
odors, origin	55	23
on the farm, care of	63	40
pail, covered, compared with open	210	26 - 27
pastéurization, butter making.	92	23-25
directions	42	$14 \\ 42$
preservation by pressure	101	27
prices	42	$25, \overline{27}$
production, relation of type of dairy cow	124	28-30
purifying by centrifugal separation	162	27
quality, from cotton-seed products raw, pasteurized, cooked, digestibility	98 149	$\frac{16}{27}$
ropy, cause and remedy	107	$\frac{21}{26}$
selling, in southern dairy	151	43
separating	241	16-18
setting, shallow and deep	57	5-7
shipping, temperature management		11 21
skim, feed for calves	\cdots 84	21-23
chicks.		20
pigs and calves		21-23
use in bread makingvalue as hog feed		$\frac{16}{29}$
with other feeds, for calves	92	21 - 23
See also Skim milk.		
skimming, on the farm	63	35
slimy fermentation	29 29	$13 \\ 1-24$
souring and other changes	29	1-24
causes	29	10
effect of electricity	9	9
soy bean and cow's milk composition, comparison	58	21
specific gravity	$\begin{array}{ccc} & 74 \\ & 63 \end{array}$	13
spread of infectious disease		34
straining, forms of strainers		29
supply, town and citytainted, origin in diseased condition of cows	42	23-28
tainted, origin in diseased condition of cows		25
testing, matter of dairy cows' record		13 24
transportationtuberculosis germs, destruction		24 - 26
tuberculous, effect of feeding to calves	107	23
use with other foods	74	17.19
utensils, directions for cleaning) 241	$\frac{4}{9}$
variations, causes	7-1	7-9
yield per acre, soiling crops	16	19
Milking, good, requisites and value	55	$23 \\ 15-17$
methods	(190)	10-17 6-8
	(~ ~ ~

	Farmers' Bulletin No.	Page.
	f 63	28, 37
Milking, rules for milkers		12
	227	27, 28
Mill products, composition, table	<i>{</i> 22	36
	(170	11
Millet, African. See Kafir corn, varieties.	101	-
definition disease of horses, éxperimental tests	69	20-21
foxtail, injuriousness as forage, repute		29-30
German, description and directions for sowing		20 30
growing, synonyms, etc		11
injury to stock	170	22
pearl		1-16
description and synonymy		5-6
ensilage use		15
feeding value		13
hay Sanwa, remarks	100	$\begin{array}{c} 15\\19\end{array}$
seed and sowing.		19
Shama, remarks.		18
soiling crop		14
soils.		9-10
vield of forage	168	12
seed for hogs Texas and German, description, directions for sowing	207	14
Texas and German, description, directions for sowing	18	19, 21
remarks	102	12
use as substitute for bread, note		15
Millets as forage.	65	8 15–20
barnyard, cultivation, origin and extent remarks		15-20 15-20
feeding and other uses.		16-20 26-28
fertilizing value		20 20 29
foxtail, remarks	102	13 - 15
growing and use	101	1-32
soil preparation, seeding, harvesting	101	22 - 26
Milling, rice. wheat, methods and improvements	110	19
wheat, methods and improvements	112	13
Mills, sorghum, horsepower.	90	17
Mineola vaccinii, description, remedies		24-26
Mineral plant food	240	$5\\21$
Russian thistles and other troublesome weeds	10	1 - 16
Minorca chickens, description		25
Mirabilis jalapa, growing.		31
Miso, preparation	58	22
Mississippi, agriculture, soil areas, productiveness, advantages,	and	
disadvantages		* 21-25
apple varieties	113	21 14
citrus fruit growing section stocks, suitable	···· 200 238	36
cotton manuring experiments, results	48	5, 9
crops, corn and cotton seed, comparison of values.		17
northern, grape varieties suitable	118	13
productions, 1890, and Iowa, comparison	98	37
soils, capabilities	98	5-9
timber.	98	22, 24
Missouri, apple varieties.	152	<u>22</u> 21
Mite, blister, pear leaf, description and remedies chicken, combatting	103	$ 31 \\ 6-8 $
orange and lemon, destruction with sulphur spray		41
rust and lemon silver, injury to citrus trees	172	38-41
tomato, remedy		27
Mites, cattle, cause of scab, form and life history	152	9-10
citrus tree	172	1-43
0		

	Farmers' Bulletin No	o. Page.
Mites, plant, treatment	19	11
sheep scab, description, etc	159	7-14
Mohair, "kemp," description	137 137	20 22
markets and factories	137	$\frac{22}{21}$
production and consumption, United States, 1899	137	46
Cape of Good Hope and Turkey, 1877–1899		. 46-47
quality of fiber, influence of age and sex, weight and len of fleece.		17-20
tariff duty	137	47
MOHLER, JOHN R., bulletin on "Milk fever: Its successful tre	eat-	1 10
ment". Moisture, atmospheric, use for protection from frost	206	$1-16 \cdot 14-16$
necessity in tree growth	134	20, 29
requirements, sugar beet	3	4
requisite of bacteria growth	63	9
soil, advantages conserving and economizing	$ \begin{array}{cccc} & 46 \\ & 87 \\ \end{array} $	3-4 5-9
necessity	245	6
preservation, necessity	67	43
Molasses, feed value		20
food value		$ 19 \\ 6-7 $
sugar beet, use and value as animal feed	22	24
use as feed for farm animals	107	17 - 19
Mold, fruit, Pacific northwest		15
pineapple, cause and remedy	140	39
olive, tomato, description and prevention	76	28
Molds and molding, relation to canning preservation	203	7
Mole crickets, use of carbon bisulphide.	145	15
Molting, hen, producing early	26	27 23
Montana, apple varieties.		22
number of sheep	226	14
Yellowstone Valley, alkali conditions	88	
Moonflower, growing MOORE, GEORGE T., and T. R. ROBINSON, bulletin on "Benefic	190 rial	94
bacteria for leguminous crops"	214	1-48
Moose. See Game.	7.0 5	
Morning glory, growing wild, infected with fungous disease of sweet potat	195 o 26	33 23
Morocco, product, transmission of anthrax		23
Mortar, cement, mixing, etc	235	4-6
preparation on farm		1-32
lime and cement, making and advantages Mosquito, use of kerosene		6 12
Mosquitoes, anthrax transmission	79	25
malaria-bearing	155	7-10
Moss, cranberry bogs, remedy.	13	$\frac{16}{21}$
Moth, clothes, treatment with carbon bisulphide codling. See Codling moth.	140	<i>L</i> 1
cotton worm, habits, injuries to fruit	47	5
European leopard, injuries to shade trees	99	7
grape-berry, description and remedies life habits and remedies	\dots 118 \dots 70	29 21–23
hawk, description, injury to grapevines, remedy		18
silkworm.	165	8
silkworm tussock, white-marked, distribution, food, life history, rer	ne-	10.00
dies. Moths, bollworm, trapping with lights	$\dots 99$	12-20 15
grain, flour and meal, description		6-11
"Mottle" in butter, remedies	231	27
Muck, injurious effect on citrus trees	238	20
8		

•

	Farmers' Bulletin No.	Page.
Muck soils. See Swamp soils.		0 -
value as fertilizer Mucuna utilis. See Bean velvet.	149	5
Mulberry growing as silkworm food	165	9-11
Russian, as protection for cultivated fruits from birds		39,46
Mulch, soil, when necessary Mulching celery		$\begin{array}{c} 14 \\ 15 \end{array}$
pineapples		30
strawberry.	198	17
vegetables and fruit Mules, feeding on Kafir corn	202	8–12 15
market classification	184	23
Mullein, drug use, with price, description, and range		24-26
Mungo bean, food use Muscardine, silkworm disease	121	13 31
Muscat of Alexandria, grape, origin, description	30	11
Muscatel Gordo Blanco, grape, origin, description Muscovy, duck, colored and white, history, description, weight	30 64	$12 \\ 12-14$
Muscular work, animals, relation to food requirements		37-42
Museum insect pests, destruction with carbon bisulphide	145	21
Mushroom beds, preparation, casing, and watering		12-15 10-11
spawning, loaming cause of apple disease		10-11
culture, temperature, and moisture	204	9
diseases, prevention		17 1-20
growing causes of failure		1-20 9
commercial	204	8-9
for home use, cultural directions		13-15
temperature insect enemies, treatment	53 53	11 18
location of beds	53	6–8
season of growth		3, 19
spawn, kinds, price, and method of using	53 204	$4-6^{-}$ 6-8
spores and spawn. Mushrooms as food, composition, digestibility		18-20
cultivation	204	1-24
gathering, sorting, and packing harvesting and yield	53 233	12-16 15
manure	53	9
marketing.	53	17
packing for market planting spawn		$\begin{array}{c} 29 \\ 15 \end{array}$
preparation of soil	233	15
soil Mustralan northann culture		14
Muskmelon, northern culture		10-13 12
Rockyford, growing.	193	13-15
Muskmelons, greenhouse, grown in summer	$ 133 \\ 62$	$\frac{19}{24}$
packing for markettransplanting	119	$\frac{24}{20}$
and manuring	149	15
Mustard, drug use, with price, description, and range		42-45 11
wild, destruction	$\dots \{ 124 $	20
Mutton, Angora, canned	137	23
composition, fuel value as food, table cuts, directions		$\begin{array}{c} 27\\ 22 \end{array}$
increasing demand	96	4
method of cutting, weights and values of cuts	96	32
sheep, establishing flockraising for		23– 24 1– 48
Myosotis, growing	195	30
Myrica asplenifolia, tea, medicine for pigeons	177	29
Mytilaspis citricola, characteristics		$\begin{array}{c} 22\\ 21 \end{array}$
0		

- 0. · ·

8

ъ.

Q	
$\boldsymbol{\upsilon}$	T

n.		
	Farme	
	Bulletin	
Nasturtiums, growing	195	37
Natto, preparation		21
Natio, preparation	00	
Nebraska, apple varieties	113	
Schuyler, sugar-beet seed production	52	31
sugar-beet growing, cost per acre	3	15
Nataronhougann, volume, couple per action	199	
Nectarophora spp., ravages, natural enemies	132	24-26
Needle grass, description, injuries to live stock, remedies	10	14
Needle grass, description, injuries to live stock, remedies use as pasture NELSON, S. B., bulletin on "The horse industry of the Northwes	72	27
NELSON S. B. bulletin on "The borse industry of the Northwest	+ '' 117	23-27
The horse industry of the Northwes		20-21
Nematode galls, confusion with nodules	240	
Nemophila, growing	195	38
Nonstra catavia drug uso price description and renge	100	31–32
Wepeta cataria, drug use, price, description, and range	100	0 01-02
NESBIT, D. M., bulletin on "Sweet potatoes"	129	1 - 40
Nest box, egg record	114	19
Nesta shishen house	1/1	. 10
Nests, chicken house	141	
houses, arrangement	41	. 9
Nettle, horse, distribution, description, remedies		14-16
or bull, importance in tobacco growing	120	32
Neufchatel cheese, making on farm	166	13
Nevada, apple varieties	113	23
Now England apple remisting	110	20
New England, apple varieties	113	20
New Hampshire, apple varieties	113	20
farmers' reading courses	109	9
Now Lower apple remities	119	20
New Jersey, apple varieties	119	20
cost of road construction	95	46
crop rotations	69	27 - 29
Experiment Station establishment work		
Experiment Station, establishment, work		
river water, analyses	46	10
tomato growing, cost per acre	76	17
New Mexico, apple varieties	119	
sheep, characteristics	96	34
feeding experiments	96	35-37
New York, apple growing, practical	201	0-11
varieties	113	20
farmers' reading courses	109	11
come bird introduction	107	20
game bird introduction	197	20
preserves	207	14
Newfoundland, game shipment and sale laws	230	34-39
Night hawk, food habits, usefulness	54	
Night soil, farm, disposal	43	
Nightshade, black, description, poisonous properties, symptoms		30
importance in tobacco growing		
Importance in tobacco growing	140	
Nitragin, a germ fertilizer for leguminous plants	65	
invention and use	214	10
Nitrate, form of nitrogen fertilizers	44	
and fortilizer for annous	11	
soda, fertilizer for asparagus	233	12-13
field crops	210	6-9
market garden crops	162	6-9
mainer garden crops.	102	10
onions		18
tomatoes	76	12-15,
•		20-22.25
- value	1.10	
value		
top-dressing for strawberries, effects		
Nitrates, effect on soil bacteria		
formation.		
Nitrogen compounds, plant food	245	5
constituents of feeding stuffs	22	5, 30-39
fertilizer for beets, effect		
foutiling and the lite		· · · · · · · · · · · · · · · · · · ·
fertilizers, availability	73	
composition, table	44	23
cotton, amount required	14	
coolin, and required		18-20, 26, 27
e		
forms	44	23

N.

	Farmers' Illetin No	o. Page.
Nitrogen fixation, effects on succeeding crops		. rage.
from air, how derived by legumes.	. 16	6
gathering, distribution of bacteria	. 214	15 - 22
use of Canadian field peas	. 224	6
importance in plant production	. 214	5-7
in alfalfa, season of maximum quantity	. 31	19
increase in soil by use of cowpeas.	- 89 - 73	8, 15
loss from leaching and surface washing	- 13 - 227	5 6
soil, source		6
sources, for grass lands		13
Nitrogen-fixing bacteria, action	245	5-6
cultures, directions for using	. 240	3-4
Nitrogen-free constituents of feeding stuffs	- 22	5, 30-39
Nitrogen-gathering bacteria of the peanut	. 25	3
nodules, alfalfa		15 - 16
Nitrogenous constituents of meats, quantity in various cuts		10, 12
nutrients, bean content, remarks		20
Nobbe and Hiltner, preparation of nitragin	- 65 - 240	21
Nodules, confusion with nematode galls root, as affecting composition of soy beans and cowpeas	· 240 · 244	6 8–10
formation, nature, effect on growth and yield of plants		7-8, 11-15
Noodles, composition		20-21
North Carolina, apple varieties.		20
cotton boll weevil quarantine	. 189	27
Experiment Station, origin, work	. 1	11
extermination of cattle ticks, cost		31
game, close seasons, county laws	. 230	53-54
manuring experiments, results	. 48	5, 9, 12
North Dakota, apple varieties.	. 113	22
Northern cigar tobaccos	. 83 . 83	$9-13 \\ 20$
Norton, W. A., letter about sorghum sirup making		. 30
Novius cardinalis, enemy of fluted scale	172	33-36
Numida meleagris. See Guinea.		00 00
Nursery, citrus fruit, discussion	. 238	35-42
preparation and cultivation	. 238	40-41
incubator	. 236	13
stock fumigation	. 244	11-12
inspection, Pacific northwest	. 153	15
Nut. See Chestnut, Hickory, Peanut, Pecan, Walnut, and Nuts.	. 23	28
Nutrients, amounts different foods for 25 cents, table		28
cost per pound, in milk and other foods, comparison		21-23
digestible, proportions in food materials, with table		25 - 28
heat and energy in 1 pound of each class		8
per pound various food products	. 74	* 16
percentage digested	- 22	7
Nutriotone, experiments	. 73	26
Nutrition and nutritive value of food, principles	. 142	1-48
poultry and other meats, comparison in value	. 182 . 182	30–32 29–30
value principles		29-30 6-9
value, and cost of foods.	. 23	1-32
of bread and cost	. 112	32 - 37
cereal breakfast foods, table		14
legumes in relation to cost	. 121	· 36–28
See also Dietary.		
Nuts as food		18-22
composition	122	20 22
digestibility, aid of salt	- 144	22

.

0.

4 1	

	armer	
	letin 1 210	
Oak leaves as forage		$\begin{array}{c} 25-26\\ 25\end{array}$
poison, description, properties, remedies	86	$\frac{20}{21}$
Oaks, use on home grounds	185	15
Oat grass, tall, description	66	21
for perennial pasture, seed, quantity per acre use for forage in South	147 102	$\frac{20}{26}$
preparations, food value, analysis	249	14
products, digestibility. wild, origin, distribution, description, remedies	249	18
wild, origin, distribution, description, remedies	28	21-22
Oats and hairy vetch, pasture for hogs	$100 \\ 65$	21
bread use		14
chemical composition	112	15
early, resistance to rust	219	17
feed for chickens	41	$14,17\\20$
horses, value with distillers' grains		$\frac{20}{22}$
sheep, value	49	5, 8, 9–11,
		13, 15, 17, 19
skim-milk calves		11 10 12
valuefertilizer, compost, formulas	21	11-12, 13 28
fodder use in dairy.	151	32
food use	249	9
Kherson, Nebraska tests		11-12
	$ \begin{bmatrix} 5 \\ 75 \end{bmatrix} $	3, 5-7 8-10
loose smut, description, prevention, treatment	232	1-16
•	250	13-15
rolled, value as food	237	15-16
root system rust resistance		$\frac{8}{16}$
seed, treatment for smut		12–14
shrinkage, experiments.	149	14
smuts, treatment		1-8
Towas red companies with Whenen sets	175	8-10, 11-15 12-13
Texas red, comparison with Kherson oats	$\frac{222}{147}$	12-15 12
yield as affected by irrigation	210	14
Occanthus fasciatus, tobacco enemy	120	25
Ocean transportation, live stock	184	37-40
Odium, description and treatment	$\frac{30}{55}$	$\frac{10}{23}$
<i>Ecodoma fervens</i> , injuries to cotton, remedies		28
Ohio cigar-tobacco lands	83	12
game bird introduction	197	$\frac{19}{20}$
southern, apple varieties	113	20 20
tobacco lands	83	16
Oil cake, sunflower, use as feed and fertilizer	78	16
cakes, feed value	170	14-16
cotton, lard compoundsvarieties, uses		10 9
cotton-seed, industry, historical notes, statistics		8-10
meal, feeding constituents	. 98	10
mills, boll weevil, control		28-30
value peanut, manufacture and use	$-98 \\ -25$	18 18–19, 21, 23
remarks	121	35
sunflower seed, yield, uses	. 78	16
Oils, petroleum, as insecticides, value, use, etc	127	16-21
Oklahoma, apple varieties	. 113	22

•

	lletin No.	Page.
Okra, botany and geography		5-6
cultural directions.	. 94	- 21
culture and uses		1 - 16
gathering and marketing	. 231	= 7-8
insect enemies and their control		9
or gumbo, packing for market	- 02 - 231	$ \begin{array}{r} 29 \\ 6-7 \end{array} $
uses and methods of preparing	231	9-12
varieties, description	. 231	12 - 16
OLDS, H. W., and T. S. PALMER, bulletin on "Game laws for 1902"	. 160	1 - 56
OLDYS, HENRY, and T. S. PALMER, bulletin on "Importation of	lf	
game birds and eggs for propagation".	. 197	1 - 27
OLDYS, HENRY, T. S. PALMER, and R. W. WILLIAMS, Jr., bulletin o	. 180	1-56
"Game laws for 1903". OLDYS, HENRY, T. S. PALMER, and R. W. WILLIAMS, Jr., bulletin o	. 100 11	T-90
"Game laws for 1904"	. 207	164
"Game laws for 1904". OLDYS, HENRY, T. S. PALMER, and R. W. WILLIAMS, Jr., bulletin o	n	
"Game laws for 1905"	. 230	1 - 56
Oleander scale, characteristics	. 172	25
Oleomargarine, household tests for detection		1-10
method for distinguishing from renovated butter an genuine butter		9-10
Olive, diseases.		15
oil, adulteration with peanut oil	25	18
pruning	. 122	14-15
scale insect enemy	. 122	15
water requirement, note		9
Olives, culture and uses.	. 122	11-18
varieties, self-sterile and self-fertile		18
Onion, composition, fertilizing constituents cultivating and weeding		$\frac{8}{20}$
culture		1-32
	(20	7-9
fertilizers	·{233	18
growing, cost with and without irrigation and fertilizers	. 233	17-18
from seed		16
sets		15
labor, cost	- 39 (39	8 1-32
methods, cost, and profit	1	25-27
methods, cost, and pronterior interior	233	16-18
Southwest	. 233	16-18
harvesting	. 39	22
irrigation	$\int 39$	21-22
		18
maggot, treatment	- 39 - 39	27 • 10
potato or multiplier, description	. 39	10
Prize-taker, description.	. 39	14
seed production	. 39	25
quantity per acre	. 233	. 17
selecting, testing	: 39	10
smut, treatment	- 39	27
soil selection	1 00	5-7 16
transplanting, advantages, method, and cost	-1233	.17
varieties, American and foreign, description	$\begin{cases} 39 \\ 222 \end{cases}$	11–15 17
winter storing	39	23-25
Onions, cultural directions.	\$ 39	28-30
		21 29
packing for marketstorage, temperature management	125	29 19
Oospora scabies. See Potato scab.		10

6838—No. 8—07—7

	Farmer Bulletin	
Opatrum intermedium, tobacco enemy	120	31
Orange, chemical analysis cf fruit, leaf, and wood	238	18
Chionaspis, characteristics	172	26
frost protection injury by six-spotted mite pruning	104	11, 19, 22, 23
injury by six-spotted mite	172	41-42
pruning	154	11
rust mite, characteristics, etc.	172	39-41
sorghum, description	Z40 999	13 13
varietics for Florida section.	200	13
number of trees to acre.		12
picking and packing.		23
shipping, temperature management	125	14
storage temperature	125	20
storage temperature varieties, relation to place cf growing	238	11
Orchard, apple, cultivation	113	25
locating	113	13-15
losses by lack of care	113	25
protection from mice and rabbits	113	29
enemies, Pacific northwest	193	1-39
fruits, thinning, advantages.	73	18
grass, description, directions for sowing seed	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{15}{20}$
value, seed, quantity per acre	102	20 18
value for pasture crop seed quantity per acre	102	16
value for pasture crop, seed, quantity per acre irrigated, cover crop	116	46
peach, planting, selection of trees, cultivation	33	7-9
pecan, setting and care		17, 18
preparation of soil by sowing alfalfa	31	18
sod as protection from winter-killing	227	15
tillage, effect	237	9
work, spraying outfits	161	23
See also Fruit growing.	200	•
Orchards, advantage cf wind-breaks	152	20
cover crops		$6-11 \\ 12-16$
cultivation		12-10 12-16
v. cropping		$12 10 \\ 16-21$
deciduous, winter irrigation, experiments, Arizona	144	$10 \overline{12}$
distance between trees, effect on yield	237	10
fertilizing, effect	237	9
improvement and cultivation	169	16-18
infested, compulsory treatment in Pacific northwest	153	16
inland uplands conditions, Pacific northwest		13-14
valley conditions in Pacific northwest	153	11-13
old, codling moth, preventive measures	170	9
pasturing, cffect	10.1	• 11–16
renting, effect on yield	237	11-10
scale infested, etc., injury by winter killing	227	14
site, drainage, importance	237	10
spraying, effect	237	. 9
young, codling moth preventive measures	170	10-12
Oregon, apple varieties	113	23
methods of growing rape	164	10
sheep husbandry	117	9-13
Orgyia leucostigma, distribution, food, life history, and remedies.		12-20 28
Oriole, Baltimore, food habits.		28 29
Bullock, food habits. ORTON, W. A., and C. L. MARLATT, bulletin on "Control of		20
codling moth and apple scab"		1-22
bulletin on "Spraying for cucumber and melon of		
eases"		1-24
Oxen, clearing land and plowing new ground	150	12, 21

Page

	r	ar	me	rs	
R	17	110	tin	No	

	Dunetin No.	Lage.
Oxeye daisy, remarks	103	15
Oxford, sheep, feeding experiments, data	96	9
Oxymorpha livida, parasites of twig-borer		12
Oyster shells, ground, use as fertilizer	77	19
Oysters, flavor, preservation at low temperature		6, 7
floating, plumping, and greening		15 - 17
food value.		14 - 16
precautions in use	85	32
shipping, temperature management		12
storage, temperature		21

Р.

Pachynematus extensicornis, distribution, habits, preventives...... 132 32 - 38Pacific coast, grape diseases..... 30 15northwest, sheep, hog, and horse raising 117 1 - 28Package crates for fruits..... 22 - 2562 5 39,40 beehives for winter protection 59ducks for market..... 64 34 farm products, practical suggestions, particular directions... 6213 - 31fruit..... 161 1319 - 2020 26 - 27Pail, milk, covered, advantages..... 210 Palm, date, in United States, introduction, culture..... 16 - 1992 PALMER, T. S., and H. W. OLDS, bulletin on "Game laws for 1902"... 160 . 1-56 and HENRY OLDYS, bulletin on "Importation of and HENRY OLDYS, bulleting on "Importation" of game birds and eggs for propagation". HENRY ÔLDYS, and R., W. WILLIAMS, Jr., bulletin on "Game laws for 1903". HENRY OLDYS, and R. W. WILLIAMS, Jr., bulletin on "Game laws for 1904". HENRY OLDYS, and R. W. WILLIAMS, Jr., bulletin on "Game laws for 1905". 1971 - 27180 1 - 562071-642301 - 56Palorus ratzeburgi, description and life history..... 4511 - 14Panicum colonum, remarks..... 10118 crusgalli, description, remedies..... 14 10 frumentaceum, remarks... 19101 maximum. See Guinea grass. miliaceum. See Millet. molle, use in South 10218 sanguinale. See Crab grass. spp. breeding place of cranberry insect...... 178 28spp. - See Millets. 39 43 Para grass, use in South...... 102 18 Paraffin, use in cheese coating...... 190 17 - 209 Parasite, cigarette beetle, note...... 120 29sheep scab, vitality, life history, etc..... 159 12 - 14Parasites, cotton insects 47 7, 14food, conveyance..... 14231 pigeon, remedies 177 27 - 3136 twig-borer. Paris green, composition, adulterations, tests..... 80 12146 7 - 814 - 19culture..... 211 9 - 14description, cost..... - 19 -5 dry. results of treatment of cotton plants, tables 211 10, 12, 13, 14 insecticide preparation......153 18

, B	Farmer: ulletin 1	
Paris green, low-grade.	114	14
spraying, cotton boll weevil, effects	211	8, 9, 19, 21
use against codling moth	170	16
cotton boll weevil	(247) 211	$11 \\ 1-23$
worm		1-2.0 10
as insecticide	- 7	7-9
Parks and preserves, game, establishment	207	11-15
Parlatoria pergandei, characteristics.	172	25, 27-30
PARLOA, MARIA, bulletin on "Canned fruit, preserves and jellie	2S, 909	1 90
household methods" Parsley, cultural directions	203	1-32 21
Parsnips, cultural directions.	94	21
packing for market	62	29
Partridge, importation	197	7, 9
incubation period.	236	8
introduction experiments	197	17
Partridges, importation Parus atricapillus, food habits	54	13 43
Paspalum compressum. See Carpet grass.	04	40
dilatatum. See Water grass, large.		
platycaule. See Carpet grass.		
Pasteurization, milk, directions.	<i>∫</i> 42	14
		42
for butter making	$\frac{92}{60}$	23-25
Pasteurized cream, restoring consistency	103	23-25 21
Pasturage, Angora goats		12-17
dairy cows		24
sheep feeding	49	6, 8, 13, 14
young dairy stock	55	22
Pasture, alfalfa, value for cattle, hogs, horses, and poultry	215	25-26
grasses, varieties, description	00 98	22-24 8
plants, southern, discussion	102	8-47
rape, for sheep, lambs, hogs, and geese.		10-12
sheep, annual forage crops	117	10
use of Canadian field peas	224	6
Sorghum	246	31 28–29
Pastures, dairy, discussion	(18	11-13
formation and care		1-30
	102	6-8
	(100	19
hog	$ \{ 117 \\ \}$	18-21
Middle Factor States formation and cultivation	205	17 1-30
Middle Eastern States, formation and cultivation Texas, early use and present condition		5-10
winter, in South, choice of plants, soil cover	. 147	9
Pasturing alfalfa versus soiling		17
effect on orchards	237	9
for clearing new land		. 6
PATRICK, G. E., bulletin on "Household tests for the detection of algometry and nervous of butter"	or 131	1-10
oleomargarine and renovated butter". Pea, Canadian field, culture, areas in United States, reason of ne	тот о_	1-10
lect of crop	224	7-8
crop, various uses	224	4-7
field, description and food use	121	15
pasture crop, uses	147	28
flour, remarks garden, description and food use	121	34 15
geographical distribution		15
sausage, remarks		34
winter flat, value for hay and pasture, seed, quantity per acre		33

		Farmers' Bulletin No.	Page.
Pe	ach borers, remedy		1 age. 15
	climate and soil adapted	33	5-6
	culture, hindrances	33	22
	curl, description, remedy	33	14 14
	diseases, treatment	${}_{243}$	20-21
	fertilizers	33	11–13
	fungous diseases, remedies	33 33	14
	growing for market		1-24 15-18
	mildew, Pacific northwest	153	10 10
	moth or twig borer.	153	13
	orchard, planting, selection of trees, cultivation		7-9
	picking and marketing, description of crates	33	$19-21 \\ 10$
	pruning		10
		181	27
	with reference to growth	181	15
	root knot, description	33 17	$15 \\ 1-20$
	distribution, characteristics, spread, prevention.	17 17 17	1-20 13-17
	treatment		21
	rot, pruning for control	181	9
	remedies.	33	14
	trees, laying down for protection of buds protection from winter killing by banking	180 997	15–18 14
	winter protection	78	17-21
	twig-borer	80	1-16
	remedies, etc., Pacific northwest		27
	use of arsenical insecticides, directions, cautions varieties suitable for market orchards		7-9 8
			$1-20^{\circ}$
	yellows and peach rosette	17	5-13
	legislation	17	18-20
Por	treatmentaches, cold storage		$\begin{array}{c} 21 \\ 12 \end{array}$
T Ca	demand in the North	98	$\frac{12}{30}$
	food value		19
	packing for market		22
	peen-tovarieties, self-sterile and self-fertile	169	20 18
Pe	afowl, incubation period		10
Pea	afowls, food value, important features	182	10
Pea	anut butter, remarks cake, analysis, value as feed, comparison with bean me	121	35
	cake, analysis, value as feed, comparison with bean mea	al 25	20
	remarks. crop, annual, U. S. and the world	25	
	description and food use.	121	17-18
	growing, implements.	25	13, 14, 15
	oil, remarks	25	18-20
	use as forage in South	(21)	$\begin{array}{c} 35\\ 46\end{array}$
Pe	anuts, climate suitable for growing	25	8
	composition of different parts	25	5
	cultivation	227	11
	culture and uses. description, history, value as nitrogen gatherers		1-24 3-4, 22
	digestibility, discussion		25-26
	feed for pigs, effect on meat	84	18
	fertilizer mixtures, formulas		10
	food value. forage experiments.	2.27	20, 21 10-12
	for hogs, value.	100	24
	harvesting, yield, preparation for market		15-17
	, ,	(227	11

• •

•

Farmers' Bulletin No.	Page.
Peanuts, hay, precautions in use	18
value as feed for stock	6,18 24
hulls and meal, value as fertilizer 25	6
manuring	9
oil, manufacture and use	6, 21 9, 21, 23
planting	11
preparation of land, planting, and tillage	$\begin{array}{c}1115\\35\end{array}$
roasting, remarks.	33, 35
seed, selection, care, amount per acre	12
soil inoculation report	$\frac{46}{8}$
uses	17 - 23
varieties	6-8
yields	$\frac{12}{21}$
blight, Pacific northwest, protective measures 153 1	4,35-38
pruning for control	$9,26\\25$
(78	$\frac{25}{25}$
treatment 153 1	4,35-38
$\begin{bmatrix} 181\\243 \end{bmatrix}$	$9,26 \\ 19-20$
coast region Pacific northwest	9
	15
38 78	$\frac{12}{25}$
diseases, treatment	4,35-38
181 243	$9,26 \\ 19-20$
fungous diseases, treatment	15
leaf blister-mite, description and remedies	31 14
prickly, injury to grass failes	10
	4, 25, 26
with reference to growth	14 ·24
scab, Pacific northwest, remarks	34
Pears, dwarf, pruning	$\frac{27}{30}$
failure in the North	30 23
pollination, study	15
varieties, self-sterile and self-fertile65PEARSON, R. A., bulletin on "Care of milk on the farm"63	$15 \\ 1-40$
"Facts about milk"	1 - 28
Peas, baked, remarks	33
Canadian field	1-16 10
canned, prevention of swelling	32
canning, details	$\frac{29}{21}$
digestibility, discussion, experiments, etc	21 - 25
dried, food value, analysis	15
enemies, treatment	$\frac{22}{9}$
food use; also beans and other legumes 121	1-39
value	24
forage, with oats	40-42
hog feed, with oats	20
nutritive value of several varieties, table	$19 \\ 28-33$
sheep feeding	20-55

æ

.

	Farm Bulleti:	
Peas, sweet and Canadian field, soil inoculation reports See also Legumes.	21	
Peat, value as absorbent barnyard manure	2	1 17, 28
fertilizer. Pebrine, silkworm disease		
Pecan culture food use	12	4 16–19
Pectin, relation to jelly making	20	3 24
Pediculoides ventricosis, parasites of twig borer Pedigree registered cattle, value	5	
Pekin. white, duck, history, description, weight. Pencilaria, forage plant, extravagant prices and claims, identity	6	
Pennsylvania, apple varieties	11	3 20
cigar tobacco lands farmers` reading courses	8 10	
yellows law	1	7 17
Pens, pig. Peppers, fertilizers, nitrate of soda.	16	2 8
Perches. chicken houses. Perdicula argoondah. See Quail.	4	1 8
Perdix perdix. See Partridge.		
Peridromia saucia. See Cutworms, tobacco. Perique tobacco, curing, treatment	6	0 21-23
Perishable food products, transportation goods, temperature tables	12	5
products, storage, temperature management	12	5 15
Peronospora viticola, description. See also Mildew, downy, grape.		4 3
Persimmon, clearing difficulties, method of extermination Persimmons, value, characteristics, etc	\ldots 15 \ldots 10	
Pests, animal. Sce Alfalfa, Range lands. etc.	10	7 3-13
insect. See Insects. Petrochelidon lunifrons, food and nesting habits	5	4 36
Petroleum, crude, insecticide use	11	4 15
use for smudge for frost protection oils, as insecticides, value, application	12	7 16–21
Petunia, growing. Petuning tobacco, description of process.	19	$5 39 \\ 0 15$
Phalaris caroliniana. See Canary grass, southern.		
Phaseolus helvolus, value for forage	7	2 31
Phasianus spp. See Pheasants. Pheasant, incubation period	23	6 8
introduction experiments	19	7 · 17
See also Game. Pheasants, food value, important features	18	2 11
importation. list of varieties. <i>Philampelus achemon</i> . description. injuries and remedy	19	7 7, 9, 10–13
Philippines, pineapple soils	14	
Phleum pratense. See Timothy. Phlox. growing	19	5 40
Phœbe, food habits, usefulness <i>Phoma batatæ</i> , description and treatment	5	4 16–18
Phora spp. damages to mushrooms	5	3 18
Phorbia ceparum, onion maggot, treatment Phosphate, use in grass land, fertilizer	$\frac{3}{22}$	
Phosphates, mineral, sources.	2	
varieties, comparative fertilizing value	5	6 12–15
Phosphoric acid, fertilizer, beets, source of supply, effects cotton, amount required	···· : 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
forms	4	4 9–11
sources		

Farmers' Bulletin No.	Page.
Phyllosticta bataticola. See Leaf blight, sweet potato. Phylloxera, grapevine, distribution, life history, remedies and pre-	
ventives	4-9 7
treatment with carbon bisulphide $\begin{cases} 19\\145 \end{cases}$	25
vastatrix. See Phylloxera, grapevine.	10-14
Physiology of tree growth	9
Phytophthora infestans, description, prevention, treatment $\dots $ $\begin{cases} 15\\91\\172 \end{cases}$	3, 6-7 11
Phytoptus oleivorus, characteristics, etc. 172 Picking black raspberries. 213 Pickle onions, production. 39 PIERCE, NEWTON B., bulletin on "Grape diseases on the Pacific	$ 38-41 \\ 16-20 \\ 27 $
coast''.30 <i>Pieris mariana</i> , description and distribution.86PIETERS, A. J., bulletin on "Red clover seed, information for pur-	$\begin{array}{c} 15\\ 29\end{array}$
chasers"	1-12
"The farmer's interest in good seed" 111 Pigeon breeding for squab raising	$1-24 \\ 17-19$
Pigeon breeding for squab raising 177 feeds and feeding in squab raising 177	19 - 23
Pigeons, buildings 177 diseases, parasites and remedies 177	9-14 27-31
food value, important features	11
killing and dressing squabs	$\begin{array}{c} 25\\ 30 \end{array}$
marketing squabs	27
raising	1-32 29-30
roup, treatment	27
varieties for raising squabs	15-17 22-23
Pigs and sows, farrowing time, data	12 12
fattening on artichokes	21
use of sugar	$\begin{array}{c} \cdot & 18\\ & 29\end{array}$
feeding	31
profitable crops	27-29 33
forage crops for feeding $\begin{cases} 84\\ 124 \end{cases}$	18
management	25-27 1-40
manure, amount per year, composition, quality $\begin{cases} 21\\ 92 \end{cases}$	6-10
market, range of weight, prices, etc	$\begin{array}{r} 8-14\\ 29\end{array}$
raising, cost from birth to maturity 202	24-27
rations	$\frac{18}{24}$
skim milk feeding, results	21
slop, quantity of water required, experiments	$\begin{array}{c} 26\\ 20\\ 17 \end{array}$
young, treatment and feeding	15–18
Pigweeds, description, remedies	13
Pimpla conquisitor, enemy of cotton worm47Pin borer, peach, preventives33	$\frac{7}{17}$
PINCHOT, GIFFORD, bulletin on "A primer of forestry"	1-48
Pine land clearing. 150	7 15
leaves, fertilizers for sweet potatoes	46-47
canning for market, home use, and flavoring	35–36

.

	Farmer	·S'
	ulletin	
Pineapple, climate and soil		11-15
cultivation and irrigation		34-35
diseases, insects, and injuries	. 140	37-43
family characteristics	140	7 22–30
gathering, handling, grading, packing	140	15-18
growing.	. 140	1-48
cost and receipts per acre		20-22
improvement, suggestions		10
land, clearing. cost per acre	140	30-31
laying off and planting	140	31-33
markets and prices		19-20
mulching	140	30 36
preparation for table use production, Florida. 1895	140	5
shade of trees, effect	140	45
sheds, building, directions, cost. lumber, and labor	. 140	43-45
soil, spruce pine as index	. 140	14
terms used on plantations	140	6
varieties, list	140	8
Pineapples, shipping, in crates, in bulk, by freight or by express Pinks, growing	140	18
PIPER, C. V., bulletin on "Orchard enemies in the Pacific north	195 b	41
west".		1-39
Pisum arvense. See Pea, field.	100	1 00
spp. See Pea.		
Pit. cold frame, making	. 195	19
Pitanga, description and use	169	23
Plant bed for sweet potatoes, directions	.: 26	6-8
bugs, leaf-footed, injurious to cotton, peaches, tomatoes, etc	223	21
diseases, identification, means		30-32 14
food, sugar beets, constituents		7-8
requirements of bearing fruit trees foods, mineral	237 245	5
lice, cotton, description, and remedies	223	6-7
tobacco enemies	120	26
louse. wheat, origin, habits, natural enemies, ctc	132	24-25
Plantago aristata. See Plantain, bracted.	20	70.74
Plantain, bracted, distribution, description, remedies	28	13-14
Planting, apple. forest trees, recovery of washed soil	113	16-17,24 17-20
plans, farm, forest, preparation. description	$20 \\ 228$	17-20
forest, advantage in, in farm management		21
tobacco, various methods		13
Plants, alkali soils	97	6-8
bacterial diseases		24-28
cold versus warm water, tests		13-15
greenhouse, subwatering experiments.	18	21-24
growing, harmful substance thrown off in soil	240	27-29
liming, effects.	. 77	
propagation		1-24
reproduction means	157	7-9
thirty poisonous, of United States	86	1-32
vegetable garden. Plaster, land, absorbent and deodorizer, cow stable	94_{55}	8
Plaster, land, absorbent and deodorizer, cow stable Plastering, use of cement mortar	55 235	27 6
Plodia interpunctella. description and life history	235	9
Plover eggs, food value.	234	22
Plover. See also Game.		
Plow. disk, experiments.	162	31
Plowing and harrowing, alfalfa	215	17
corn	-100	$5 \\ 19-20$
	(199	19-20

•

8 -

	Farmers'	
Plowing cotton	Bulletin No. 217	Page. 4–5
deep <i>versus</i> shallow	245	8,10
fall, effect on preservation of soil moisture		8
rice too wet or too dry, effect	$110 \\ 245$	10 9
vegetable garden	94	5
Plum, coast region, Pacific northwest.		9-11
curculio, use of arsenical insecticides, directions	(38	8 12
diseases, treatment	149	25
mound malue for forego	243	21
ground, value for forage growing, pruning, thinning		$\begin{array}{c} 26\\ 20-25 \end{array}$
insect enemies, control	149	25
Japanese, thinning experiments	73	17
leaf blight, treatment	7	$\frac{15}{29}$
with reference to growth	181	15
rot, pruning for control	181	10
varieties. PLUMB, CHARLES S., bulletin on "Marketing live stock"	149	21 1-40
"Silos and silage"	32	1 - 32
Plums, blossoming, order, table	103	9-12
cold storage cross-pollination experiments	65	13 18, 19 -
food value	105	19
packing for market		23
pollination thinning, experiments	73	$6 \\ 17$
varieties, self-sterile and self-fertile	65	18
remarks		$\frac{30}{24}$
Plusia brassicæ, tobacco enemy Plymouth Rock chickens, description		24 4
Poa spp. See Bluegrass.		
Podisus spinosus, destruction of asparagus beetle	61	37
Pæcilocystus diffusus, tobacco, bugs, minor remedies Poison, arsenical, use against bollworm		18 28-32
bait for insects	19	8
bollworm, method of application	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 30\\14,25\end{array}$
feeding stuffs		14, 20 22
horsetail, effect on horses	162	22
ivy. See Ivy, poison. ptomaines in food	142	32
Rhus spp., remedies.		19-22
sometimes present in fish	85	31
use against coyotes tobacco worms	226	$\frac{15}{19}$
Poisoned sweets, use against bollworm		15-16
Poisoning, arsenical, potato leaves		15
by sorghum feed		$\frac{22}{16}$
Poisonous plants eaten by goats		46
fatal to man and animals, notes	(3, 6, 7,
fatar to man and animals, notes		-27, 30, 31
thirty, of United States		1-32
Poisons, insecticides, use use for destruction of prairie dogs	127	7-14 22-24
Pokeweed, description, uses, poisonous properties		9
drug use, with prices, description, and range	188	20-22
Poland-China hog, characteristics		$\frac{7}{23}$
Polish, white-crested black, chickens, description		30

· · · · · · · · · · · · · · · · · · ·	Farmers'	Dem
Polled Durham dairy cattle, characteristics, etc	Bulletin No.	. Page. 35–38
Pollen, plants and trees useful to bees	59	27-29
Pollination, cross, plums	103	6
fruit and seed crops, value of bees		12
greenhouse tomatoes	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 26\\ 14 \end{array}$
tomato, in forcing crop	220	$\frac{14}{23}$
Polygonum convolvulus, description, remedies	10	14
Polytrichum commune, remedy	13	16
Pomace, apple, feed for milch cows	186	21-22
Pomelo, classification	238 169	$12 \\ 18-19$
Pop_corn.	202	10^{-10} $17-20^{-20}$
Poplar, use on home grounds	185	16
yellow, clearing	150	8
Poppy, California, growing	195	23
growing. Porcupine grass, description, injuries to live stock, remedies	$ 195 \\ 10 $	43 14
Pork, composition, fuel value as food, table		28 - 30
curing, temperature, etc	125	23
cuts, directions	34	23
dry cured, recipe.	183	32
effect of feeding cassava to hogssalt, plain, recipe	$ \dots 167 \\ \dots 183 $	$\begin{array}{c} 27\\ 31 \end{array}$
soft, study.	163	26-27
storage, temperature	125	20 21
Porto Rico, citrus fruit growing	238	14
pineapple soil	140	14
Portulaca, growing.	195	43
<i>oleracea</i> , composition and use	235	$22 \\ 20-25$
Posts, fence, concrete Potash, fertilizer for beets, source of supply, effects	3	6,8
corn, forms used.	81	1.0
corn, forms used	14	10, 26, 27
potatoes	35	5
sweet potato, necessity	$\begin{array}{cccc} 26\\ 44 \end{array}$	$\frac{15}{23}$
fertilizers, compositon, table treatment of subterranean insects	111111111111111111111111111111111111	23 24
forms, use as fertilizer	44	$11 - \bar{12}$
muriate, harmful effects on soils	56	16
price per pound	65	26, 28
salts, source, use as fertilizers	44 140	$\frac{12}{25}$
use in grass-land fertilizer.	227	20 6
Potassium, iodide, treament of milk fever	206	9-10
sulphid, formula	243	17
sulphidé dip, sheep scab	159	27
treatment for oats smuts, directions	5	714
Potato and general farming, effect on fertility of the soil		14
blight, description, treatment	15	3, 6-7
late blight, or rot, description, treatment	91	´ 11
leaf or early, description. treatment	91	9
brown rot, description, treatment	$\begin{array}{ccc} & 91 \\ & 35 \end{array}$	12 18
		1-23
culture		14-16
improvement	92	9-11
summary	35	21
diseases and their treatment		1-16 1-8
description and preventioneyes, number per set		1-0 16
harvesting and storing	35	19
hills, number of cuttings and stalks	35	16, 17
0		

-

	Farmers' Bulletin No.	Page.
Potato, Irish, bacterial disease, prevention		28
planting, distance of hills	35	$\overline{17}$
general directions, time and depth		6-8
root system		$\frac{4}{9}$
rot, description, treatment	91	11, 12
scab, description, treatment	91	13
treatment		6,7 21–24
experimentsseed, change, necessity	35	21-24 8
cutting, time and method		8, 9
pieces, effect of size on total and salable yield		10-14
quantity per acresoil and rotation.	35 35	9 3–5
preparation		3-3 10
sweet, value as horse feed	222	$\frac{10}{22}$
varieties	35	6
yield, as influenced by size of seed pieces	···· 35 ···· 7	$10-14_{5}$
Potato-beetle, treatment, Paris green Potatoes, composition		$5 \\ 10$
cooking quality, factors affecting	244	13 - 21
cultural directions	94	22
early, methods of producing	114	6
ensiling experiments		$\begin{array}{c} 21-23\\ 22 \end{array}$
fertilizer formula		$\frac{22}{21}$
home-mixed	222	6-7
v. factory-mixed	210	31-32
food value, analysis	249 84	$15 \\ 11-12$
frost protection		$\frac{11}{22}$
improved culture, suggestions	149	6
losses in cooking, experiments northern and second-grown, comparison	73	22
packing for market		12 18
planting, experiments in study of starch content	65	10-11
ripeness, relation to cooking quality	244	19
second crop, for seed		11-13
seed selection.		$\begin{array}{c} 13\\11\end{array}$
small, use as seed.		11 15
starch content	65	10-11
storage, temperature management	125	17
sweet. See Sweet potatoes. use of seaweed as fertilizer	105	8
value as feed for stock.		22
yield as affected by irrigation	210	14–15
Poultry, alfalfa pastures.		26
brooder house		$27-31 \\ 23$
changes in flesh after killing		17
cold storage	182	18
comparisons as to nutritive value composition and food value		30-32 23-27
fuel value as food, table	34	30-31
cost comparison of nutritive value of constituents	182	33–35
definition.		25 27
dietary place digestibility	182	35 - 37 28
drawn compared with undrawn	182	18
	62	16 - 17
dressing, packing, and marketing	$ \begin{array}{c} 144 \\ 182 \end{array} $	25-27 16-18 \cdot
dry feeding and self-feeders	(16-18 25-29
8		

•

	Farmers' Bulletin No	o. Page.
Poultry, eggs, weight and flavor		24-26
fattening, effect on food value	182	14-16
feed, sorghum seeduse of cassava	50	$\frac{18}{29}$
feeding, relation to food value		13
food, condimental and medicinal	144	22-24
use		1-40
value, etc., summary foods, composition, table		37–39 39
houses, construction and ventilation, experiments	227	28-32
in combination with specialties in farming	141	14-16
killing and dressing		20-21
manure, character composition, quality		$\begin{array}{c}14\\7,10\end{array}$
marketing		16-18
necessity of animal food		16
nutritive value	182	29-30
ornamental, description		46-48 17
picking for market		23
raising on the farm		1–16
suggestions	237	22-25
selection on market.		19
shipping, temperature managementstuffing and sauces	120 182	$11 \\ 23$
varieties		8
See also Chickens, Ducks, Geese, Guineas, Turkeys.		·
Poults. See Turkey.	(=	7.4
Powdery mildew, apple, treatment	58	$\begin{array}{c} 14\\ 12 \end{array}$
		4, 8
description and treatment	$\{243\}$	19, 22, 23
grape, treatment	$\{ 30 \\ 156 \}$	$\frac{10}{22}$
Prairie chickens. See Game.	156	22
dogs, destroying		22-24
destruction by coyotes		11
farm, model, tree-planting plan	72	13 14 - 15
soils, fertilizers for cotton		6
forage plants		47
wolves. See Coyotes.	50	
Precipitation, conditions in beet culture	52	
Preservation, milk. Preservatives, meat		27
milk	42	12
Preserves, canned fruit, and jellies, household methods	203	*1-32
Preserving and canning, utensils	203	9-11 20-21
fruit, directions Primrose, evening, growing		30
Process butter. See Butter, renovated.	100	00
Products, farm, shrinkage		10-15
stored, treatment with carbon bisulphide	145	$\frac{17}{36}$
Progne subis, food and nesting habits Propagation, black raspberry	213	12
cranberry.	176	10-12
grapevine	156	5-9
red raspberry	213	7
Protein as building material and fuel	107	$1-24 \\ 9-10$
comparative amounts in rations, effect	56	4
constituents of feeding stuffs	22	5, 6, 30–39
feed for cows, comparison of home-grown with purchase		22-25 18-20
fish and other food, cost	85	10-20
8		

	Farmers' Bulletin No.	Page.
Protein in food		4-5, 6
meats, quantity in various cuts.		10, 12
necessity in food	22	4, 5, 6
supplied by soy bean	58	23
uses, sources.	142	6
Protoparce carolina and P. celeus, description and remedies	120	10-14
Prune, coast region, Pacific northwest	103 152	9-11
diseases, obscure in Pacific northwest Prunes, food value		10 19
Pruning, apple.		26-29
berries.		11
black raspberries		15
citrus fruit, remarks	238	17
disbudding.		19
forest, natural		29
fruit		10
tree and berry	154	1-40 10-11
tree and beirg	(118	10-11 17-20
grapevine		10
	1156	14-18
hollow trunks, treatment	181	21
home grounds plants	185	23
hop		9
implements.		22-23
olive, remarks		14–15 11
orange	(33	10
peach		10
pear, use against blight	153	$\overline{37}$
pecan	124	18
pinching	181	19
plum trees	149	22
principles applied to specific plants	181	24-39
quince	154	10
reasons for practice		7, 10 9
red raspberry relation to fires for protection from frost	104	13
removal of large branches		16-19
summer.		20
time		18
tobacco	6	6
use against scale insects	172	6
wounds, protection	181	21
young shade trees.	134	$\begin{array}{c} 20\\ 13 \end{array}$
Prunus serotina, description and poison Psaltriparus minimus, food habits and usefulness	54	42
Pseudomonas campestris, study and prevention		1-22
<i>Psoroptes</i> , cattle mite, discussion		9-10
<i>communis</i> , sheep scab mite, description, etc	159	7-14
Publications, grain smuts, list	õ	8
selections for farmers' reading courses		16-19
Puccinia asparagi, description and preventive measures	61	30-34
Puddling caused by accumulation of salts.	88	$\frac{15}{28}$
Pulvinaria, western, description, remedies, etc Pump, barrel, for spraying	243	20
bucket, for spraying.		24
knapsack, for spraying	243	24
spraying, for fruit growing	161	19 - 22
Pumping for irrigation, field and garden	138	20
irrigation	116	17-20
Pumpkins, feeding to hogs.	117	$=$ $\frac{22}{22}$
Purple scale, characteristics.	172	$\frac{22}{22}$
Purslane, composition and use		ber be

⁸

	mers' tin No. Page.
Pusley. See Purslane.	
Pustular, spot, treatment	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Pyrausta rantalis, damages to corn and cotton	47 27
Pyrethrum insecticide, use 1	
Durus ann See Annto	19 10
Q.	•
	10 15
Quack grass, description, remedies	
food habits, usefulness	54 5
importation	$\begin{array}{cccc} .97 & 7, 9, 14 \\ .97 & 17, 18 \end{array}$
See also Game.	,
Quails, food value, important features	
QUAINTANCE, A. L., bulletin on "The cotton bollworm" $\left\{ \begin{array}{l} 1\\ 2 \end{array} \right\}$	
Quarantine bin, for storing corn	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
laws suggested and existing for cotton region. 2	216 26-32
infested fruit, Pacific northwest 1 Quercus spp. See Oaks.	.53 15
	10 15
Quinby, beehive frames	59 20 20
Quince diseases, treatment $\left\{_2\right\}$	$ \begin{array}{ccccccccccccccccccccccccccccccccccc$
leaf blight, treatment	7 15
pruning	
packing for market	62 24
<i>Quiscalus quiscula</i> , food habits and usefulness	203 32 54 29
R.	
	26 11
Rabbits, destruction by coyotes	72 13
protection of apple trees	.13 29
	94 22 62 29
Raffia, use in tying vegetables RAGAN, W. H., bulletin on "The home vineyard"	
KAGAN, W. H., bulletin on "The home vineyard" 1 "Varieties of fruits recommended for	.56 1–24
planting" 2	
Ragweed, description, remedies	$ \begin{array}{ccccccccccccccccccccccccccccccccccc$
comparison with irrigation 1	16 14
Europe and eastern United States, comparison	46 8 88 8
relation to corn growing 1	
quantity of water for irrigation 1	.16 44
Raisin grapes, description, crossing with Malaga	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Rambouillet, sheep, feeding experiments, data	96 16
	$\begin{array}{ccc} 49 & 10 \\ 72 & 11-14 \end{array}$
lamb feeding	96 34-37
	$\begin{array}{cccc} 72 & & 13 \\ 72 & & 19 \end{array}$
sheep, characteristics, feeding experiments	96 34-37
industry	$\begin{array}{cccc} 17 & 6-9 \\ 72 & 7-10 \end{array}$
cattle, of the Southwest	72 32

Ranges, causes of decreased expacity. 72 7 0 Texns, past and present expacity. 72 15 16 Rape, as cover cop for orchard. 64 12 catter terp. 64 12 catter terp. 64 12 catter terp. 64 12 catter terp. 64 14 catter terp. 64 14 catter terp. 64 14 catter terp. 64 14 catter. 14 5-7 feed for sheep. 164 12 stock. 164 12 feeding value. 164 14 forage crop. use. 164 1-10 growing experience in the various States. 164 14 harvesting and utilizing. 11 5-7 12 10 in asveral States, notes. 164 14 14 14 harvesting and utilizing. 11 5-7 14 14 states. 164 14 14 14 states. <td< th=""><th></th><th></th><th>armers' letin No.</th><th>Page.</th></td<>			armers' letin No.	Page.
Texas, past and present capacity.726, 9Rape, as cover crop to orchard.8716cover crop use.16412cover crop use.16412description and bistory.114description and history.114description and history.114description and history.16412feed for sheep, lambs, and hogs.7810-12feed in value.16412feed in value.16414feed in value.16414feed strong value.16414harvesting and utilizing.10210introduction into Canada, and results of experiments.11find use, note.115-7past and present settle.1111salad use, note.14714sheep feeding.497, 14, 15soil, preparation, fertilizers, sowing, and cultivation.1113-16value for solling and pasture, precautions, seed, quantity per acre.1314varieties, description.117weed destroyer16413red, marketing, propagation, soil, cultivation, etc.131-8packing for market.21320-23packing ior market.21320-23packing ior market.21320-23packing ior market.21323red, marketing, propagation, soil, cultivation, etc.13tarteries, for each United States fruit district.21323 <td>Ranges, causes of decreased capacity</td> <td></td> <td>72</td> <td></td>	Ranges, causes of decreased capacity		72	
Rape, as cover crop for orchard 87 16 catch crop. 164 14 culture and uses, varieties. 78 9-12 description and history. 11 4 varieties, uses, soil, etc. 164 14 culture and uses, varieties. 164 5-7 feed for sheep, lambs, and logs. 78 10-12 stock, danger of bloat. 164 11 fording value. 164 14 norsey errop, use. 164 14 growing. 164 8-10 weiger crop, use. 164 14 harvesting and utilking. 102 10 intoduction into Canada, and results of experiments. 11 5-7 pasture, method of feeding sheep and cultivation. 11 17 plant, history, culture, uses. 11 17 varieties, description. 11 17 varieties, description. 11 17 weed destroyer 164 13 Raspberries. 11 7 macres. 11 17 weed destro	methods of renewing.		72	
catch crop. 164 12 cover crop use. 164 14 culture and uses, varieties. 78 9-12 description and history. 11 44 varieties, uses, soil, etc. 164 12 stock, danger of bloat 164 12 ieeding value. 164 14 feeding value. 164 14 growing. 164 14 in several States, notes. 164 14 harvesting and utilizing. 162 10 introduction into Canada, and results of experiments. 11 5-7 pastaue, netheo of ideoling sheep and cattle. 11 17 plant, history, culture, uses. 11 20 said use, note. 144 3-16 varieties, description. 11 17 varieties, des	Rape, as cover crop for orchard		72 87	
$ \begin{array}{c} culture and uses, varieties,,,,,,,, .$	catch crop		164	
$\begin{array}{c} \mbox{description and instory} 11 & 4 & 5 & -7 & 10 & -12 \\ \mbox{variaties, uses, soil, etc.} 164 & 5 & -7 & 10 & -12 \\ \mbox{stock, danger of bloal.} & 164 & 12 \\ \mbox{feed or sheep, lambs, and hogs.} & 164 & 12 \\ \mbox{feed or sheep, lambs, and hogs.} & 164 & 12 \\ \mbox{feed or sheep, lambs, and hogs.} & 164 & 14 \\ \mbox{feed or sheep, lambs, soles.} & 164 & 14 \\ \mbox{harvesting and utilizing.} & 164 & 14 \\ \mbox{harvesting and utilizing.} & 164 & 14 \\ \mbox{harvesting and utilizing.} & 162 & 100 \\ \mbox{introduction into Canada, and results of experiments.} & 11 & 5 & -7 \\ \mbox{pasture, method of feeding sheep and cattle.} & 11 & 10 \\ \mbox{pasture, nethod of feeding sheep and cattle.} & 11 & 10 \\ \mbox{salad use, note.} & 164 & 14 \\ \mbox{sheep feeding.} & 19 & 7 & .14 & 15 \\ \mbox{solil, preparation, fertilizers, sowing, and cultivation.} & 11 & 13 & -16 \\ \mbox{varieties, description.} & 11 & 7 \\ \mbox{warieties, description.} & 11 & 7 \\ \mbox{warieties, description.} & 11 & 7 \\ \mbox{warieties, for each United States fruit district.} & 213 & 1-38 \\ \mbox{black, characteristic propagation, soil, cultivation, etc.} & 213 & 1-38 \\ \mbox{black, characteristic propagation, soil, cultivation, etc.} & 11 & 120 \\ \mbox{warieties, for each United States fruit district.} & 213 & 6 \\ \mbox{wirging no warieties.} & 213 & 5-7 \\ \mbox{Rations, animal, calculation, 11 mooth, effect.} & 123 & 6 \\ \mbox{wirgin gon basis of muscular work, internal and external.} & 70 & 22 \\ \mbox{Rather protecting sheep.} & 170 & 22 \\ \mbox{Rather and poorer in protein, effect.} & 56 & 13 \\ \mbox{Retarks at various ages} & 78 & 17 \\ \mbox{pige, enside potatoes.} & 78 & 17 \\ pige, enside p$	cover crop use		$164 \\ -78$	
varieties, uses, soil, etc. 164 5-7 feed for sheep, lambs, and hogs. 78 10-12 stock, danger of bloat. 164 11 ling value. 164 11 forage crop, use. 164 1-16 growing. 164 1-10 experience in the various States. 11 9-13 in several States, notes. 164 14 harvesting and utilizing. 162 10 introduction into Canada, and results of experiments. 11 5-7 pasture, method of feeding sheep and cattle. 11 17 plant, history, culture, uses. 164 14 varieties, description. 11 77 weed destroyer. 164 13 varieties, description. 11 77 weed destroyer. 144 13 varieties, for each United States fruit district. 213 1-38 black, characteristic propagation, cultivation, picking, and drying. 118 33-35 red, marketing, propagation, cultivation, picking, and drying. 118 33-35 red, marketing, propagation, cultivation, picking,	description and history		18	
	varieties, uses, soil, etc		164	
feeding value	feed for sheep, lambs, and hogs		78	
	feeding value	• • • •	$\frac{164}{164}$	
experience in the various States.119-13in several States, notes.16414harvesting and utilizing.16210introduction into Canada, and results of experiments.115-7pasture, method of feeding sheep and cattle.1117plant, history, culture, uses.1120salad use, note.16414sheep feeding.497, 14, 15soil, preparation, fertilizers, sowing, and cultivation.1113-16varieties, description.117weed destroyer.16413Raspberries.2131-38black, characteristic propagation, soil, cultivation, etc.21311-20curing.21320-23packing for market6220pruning.15411string.15411yarieties, for each United States fruit district.213origin and varieties.2135-37Ratons, animal, calculation.2214-18beef cattle, rate of gain.7121-23catculation.2214-18beef cattle, rate of gain.7036catculation.7036catculation.7036catculation.7036catculation.7036diseases, treatment.7036diseases, treatment.7036catculation.7036catculation.7036catculation.7032<				
in several States, notes.16414harvesting and utilizing.16210introduction into Canada, and results of experiments.115-7pasture, method of feeding sheep and cattle.1117plant, history, culture, uses.1120salad use, note.16414sheep feeding.497, 14, 15soil, preparation, fertilizers, sowing, and cultivation.1113-16value for soiling and pasture, precautions, seed, quantity per4734varieties, description.1177weed destroyer.16413Baspberries.2131-38black, characteristic propagation, soil, cultivation, etc.21312-02packing for market.6220pruning.18133-35red, marketing, propagation, cultivation, picking, and11181drying.2136-10varieties, for each United States fruit district.21335-37Raspberry, black, commercial importance and its basis.2136-10varieties.2232314diseases, treatment.2432323origin and varieties.21314diseases, treatment.24323divider protection.21314diseases, treatment.24323origin and varieties.21314diseases, treatment.24323calculation, method.17036cattle, richer and poorer in protein,	growing.			
harvesting and utilizing				
pasture, method of feeding sheep and cattle	harvesting and utilizing		162	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
sheep feeding				
value for soiling and pasture, precautions, seed, quantity per acre	sheep feeding		49	· · ·
acre.14734varieties, description.117weed destroyer16413Raspberries.2131-38black, characteristic propagation, soil, cultivation, etc.21311-20curing.1320-23packing for market.6220pruning.15411pruning.118133-35red, marketing, propagation, cultivation, picking, and drying.2136-10varieties, for each United States fruit district.2136-10varieties, for each United States fruit district.21335-37Raspberry, black, commercial importance and its basis.2136winter protection.21314diseases, treatment.24323origin and varieties.2135-7Rations, animal, calculation.2214-18beef cattle, rate of gain.7121-23calculation, method.17036cattle, richer and poorer in protein, effect.564ducks at various ages6430-33fattening sheep.9620-21,23-25. 4617030-36Rattlebox, description, symptoms of poisoning.8616poisonous properties.17022skim milk calves.23323-24Ray grass.5213Reading courses, farmers', discussion.10920Records keeping, dairy herd.5513Red clover, description, symptoms of poisoning seed.<	soil, preparation, fertilizers, sowing, and cultivation	 7 por	11	13-16
varieties, description117weed destroyer16413Raspberries2131-38black, characteristic propagation, soil, cultivation, etc.21311-2021320-23packing for market6220pruning $\begin{cases} 154\\ 11\\ 181\\ 181\\ 33-35 \end{cases}$ red, marketing, propagation, cultivation, picking, and114drying2136-10varieties, for each United States fruit district213abcs, commercial importance and its basis213origin and varieties213origin and varieties213actulation2214-18beef cattle, rate of gain7121-2323-25.46fixing on basis of muscular work, internal and external1704240hog, mixed11721232223-25.46fixing on basis of muscular work, internal and external17023-25.4623-25.46fixing on basis of muscular work, internal and external17023-25.4623-2323-25.4623-2324stock and feeding standards170253513Reading courses, farmers', discussion109202020212132223-2435363636373136363736383639373036313				34
Raspberries2131-38black, characteristic propagation, soil, cultivation, etc.21311-20curing.21320-23packing for market6220pruning. $\begin{cases} 154 \\ 181 \end{cases}$ 11starspace8220pruning. $\begin{cases} 154 \\ 181 \end{cases}$ 11aspectives, for each United States fruit district.2136-10varieties, for each United States fruit district.21313-35Raspberry, black, commercial importance and its basis2136winter protection21314diseases, treatment.24323origin and varieties2135-7Rations, animal, calculation2214-18beef cattle, rate of gain7121-23calculation, method7036cattle, richer and poorer in protein, effect564ducks at various ages6430-33fattening sheep9620-21milch cows7817pigs, ensiled potatoes7922skim milk calves23323-24stock and feeding standards17022Ray grass.8c Rye grass.170Records keeping, dairy herd5513Red clover, description, directions for sowing seed18green manure169seed1231-12quantity per acre1231-12quantity per acre123table12425	varieties, description			
$ \begin{array}{c} \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$				
curing.213 $20-23$ packing for market6220pruning. $\{154$ 11red, marketing, propagation, cultivation, picking, and $drying.$ drying.2136-10varieties, for each United States fruit district.213Baspberry, black, commercial importance and its basis.213winter protection.21314discases, treatment.21321discases, treatment.2132135-7Rations, animal, calculation.2214-18beef cattle, rate of gain.7121-23calculation, method.17036cattle, richer and poorer in protein, effect.564ducks at various ages.6430-33fattening sheep.9620-21,23-25.46fixing on basis of muscular work, internal and external.17042hog, mixed.17121milch cows.78172pigs, ensiled potatoes79223skum milk calves.23323-24stock and feeding standards17020Reading courses, farmers', discussion.17020Records keeping, dairy herd.213170222324stock and feeding standards2538Red clover, description, directions for sowing	black. characteristic propagation. soil, cultivation,	etc.		
pruning $\begin{bmatrix} 154 \\ 181 \\ 33-35 \end{bmatrix}$ 11red, marketing, propagation, cultivation, picking, and drying.213 6-10varieties, for each United States fruit district.213 35-37Raspberry, black, commercial importance and its basis.213 14discases, treatment.243 23origin and varieties.213 5-7Rations, animal, calculation.22 14-18beef cattle, rate of gain.71 21-23calculation, method.170 36cattle, richer and poorer in protein, effect.56 4ducks at various ages64 30-33fattening sheep.96 20-21,23-25.4679 22fxing on basis of muscular work, internal and external.170 42hog, mixed.177 21milch cows.78 17pigs, ensiled potatoes.79 22skim milk calves.233 23-24stock and feeding standards170 30-36Rattlebox, description, symptoms of poisoning.86 16poisonous properties.170 22Ray grass.See Rye grass.Reading courses, farmers', discussion.109 20Records keeping, dairy herd.55 13Red clover, description, directions for sowing seed.18 27green manure.16 9seed.123 1-12quantity per acre.16 25quantity per acre.16 25	curing		213	20-23
red, marketing, propagation, cultivation, picking, and drying				
red, marketing, propagation, cultivation, picking, and drying	pruning		134	
varieties, for each United States fruit district.213 $35-37$ Raspberry, black, commercial importance and its basis.2136winter protection.21314diseases, treatment.24323origin and varieties.2135-7Rations, animal, calculation.2214-18beef cattle, rate of gain.7121-23calculation, method.17036cattle, richer and poorer in protein, effect.564ducks at various ages6430-33fattening sheep.9620-21,23-25.4623-25.46fixing on basis of muscular work, internal and external.17042hog, mixed.11721milch cows.7817pigs, ensiled potatoes.7922stock and feeding standards.17030-3636166poisonous properties.17022233323-24stock and feeding standards.1702223Ray grass.See Rye grass.Reading courses, farmers', discussion.10920Records keeping, dairy herd.5533Red clover, description, directions for sowing seed.1827green manure.169seed.1231411717	red, marketing, propagation, cultivation, picking,	and		0 10
Raspberry, black, commercial importance and its basis.2136winter protection21314diseases, treatment.24323origin and varieties.2135-7Rations, animal, calculation.2214-18beef cattle, rate of gain.7121-23calculation, method.17036cattle, richer and poorer in protein, effect.564ducks at various ages6430-33fattening sheep.9620-21.23-25.4623-25.46fixing on basis of muscular work, internal and external.17042hog, mixed.11721milch cows.7817pigs, ensiled potatoes.7922skim milk calves23323-24stock and feeding standards17030-36Rattlebox, description, symptoms of poisoning.8616poisonous properties.17020Ray grass.See Rye grass.18Reading courses, farmers', discussion10920Records keeping, dairy herd.5513Red clover, description, directions for sowing seed.1827green manure.169seed.1231-12quantity per acre.169seed.1231-12(14727				
diseases, treatment.24323origin and varieties.2135-7Rations, animal, calculation.2214-18beef cattle, rate of gain.7121-23calculation, method.17036cattle, richer and poorer in protein, effect.564ducks at various ages6430-33fattening sheep.9620-21,23-25. 4623-25. 46fixing on basis of muscular work, internal and external.17042hog, mixed.11721milch cows.7817pigs, ensiled potatoes.7922skim milk calves.23323-24stock and feeding standards17030-36Rattlebox, description, symptoms of poisoning.8616poisonous properties.17022Ray grass.See Rye grass.18Reading courses, farmers', discussion.10920Records keeping, dairy herd.5513Red clover, description, directions for sowing seed.1827green manure.169seed.1231-12quantity per acre.4625quantity per acre.14727				
origin and varieties.2135-7Rations, animal, calculation.2214-18beef cattle, rate of gain.7121-23calculation, method.17036cattle, richer and poorer in protein, effect.564ducks at various ages6430-33fattening sheep.9620-21,23-25.4623-25.46fixing on basis of muscular work, internal and external.17042hog, mixed.11721milch cows.7817pigs, ensiled potatoes7922skim milk calves.23323-24stock and feeding standards17030-36Rattlebox, description, symptoms of poisoning.8616poisonous properties.17022Ray grass.See Rye grass.27green manure.169seed.1231-12quantity per acre. $\begin{pmatrix} 6625[147]27$				
beef cattle, rate of gain	origin and varieties		243 213	
beef cattle, rate of gain	Rations, animal, calculation		22	
$\begin{array}{c} \mbox{cattle, richer and poorer in protein, effect.} 56 & 4 \\ \mbox{ducks at various ages} & 64 & 30-33 \\ \mbox{fattening sheep} & 96 & 20-21, \\ 23-25, 46 \\ \mbox{fixing on basis of muscular work, internal and external} & 170 & 42 \\ \mbox{hog, mixed} & 117 & 21 \\ \mbox{milch cows} & 78 & 17 \\ \mbox{pigs, ensiled potatoes} & 79 & 22 \\ \mbox{skim milk calves} & 233 & 23-24 \\ \mbox{stock and feeding standards} & 170 & 30-36 \\ \mbox{Rattlebox, description, symptoms of poisoning} & 86 & 16 \\ \mbox{poisonous properties} & 170 & 22 \\ \mbox{Ray grass} & See Rye grass. \\ \mbox{Reading courses, farmers', discussion} & 109 & 20 \\ \mbox{Records keeping, dairy herd} & 55 & 13 \\ \mbox{Red clover, description, directions for sowing seed} & 18 & 27 \\ \mbox{green manure} & 16 & 9 \\ \mbox{seed} & 123 & 1-12 \\ \mbox{quantity per acre} & {66 & 25 \\ 147 & 27 & 27 \\ \end{tabular}$	beef cattle, rate of gain		71	
ducks at various ages6430-33fattening sheep9620-21, $23-25.46$ fixing on basis of muscular work, internal and external170hog, mixed11721milch cows7817pigs, ensiled potatoes7922skim milk calves23323-24stock and feeding standards17030-36Rattlebox, description, symptoms of poisoning8616poisonous properties17022Ray grass.See Rye grass.Reading courses, farmers', discussion10920Records keeping, dairy herd5513Red clover, description, directions for sowing seed1827green manure169seed1231-12quantity per acre. $\begin{cases} 6625[141]10$	calculation, method		170 56	
fattening sheep.96 $20-21,$ $23-25.46fixing on basis of muscular work, internal and external.17042hog, mixed.11721milch cows.7817pigs, ensiled potatoes.7922skim milk calves.23323-24stock and feeding standards17030-36Rattlebox, description, symptoms of poisoning.8616poisonous properties.17022Ray grass.See Rye grass.109Reading courses, farmers', discussion.10920Records keeping, dairy herd.5513Red clover, description, directions for sowing seed.1827green manure.169seed.1231-12quantity per acre.\begin{cases} 66 \\ 25 \\ 147 \\ 27 \end{cases}$				
fixing on basis of muscular work, internal and external17042hog, mixed				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	fixing on basis of muscular work internal and external	1	170	
milch cows7817pigs, ensiled potatoes7922skim milk calves23323-24stock and feeding standards17030-36Rattlebox, description, symptoms of poisoning8616poisonous properties17022Ray grass.See Rye grass.Reading courses, farmers', discussion10920Records keeping, dairy herd5513Red clover, description, directions for sowing seed1827green manure169seed1231-12quantity per acre $\begin{cases} 66 \\ 25 \\ 147 \\ 27 \end{cases}$				
skim milk calves23323-24stock and feeding standards17030-36Rattlebox, description, symptoms of poisoning8616poisonous properties17022Ray grass.See Rye grass.109Records keeping, dairy herd5513Red clover, description, directions for sowing seed1827green manure169seed1231-12quantity per acre $\begin{cases} 66 \\ 25 \\ 147 \\ 27 \end{cases}$	milch cows		78	
stock and feeding standards170 $30-36$ Rattlebox, description, symptoms of poisoning8616poisonous properties17022Ray grass.See Rye grass.109Reading courses, farmers', discussion10920Records keeping, dairy herd5513Red clover, description, directions for sowing seed1827green manure169seed1231-12quantity per acre $\begin{cases} 662514727$	pigs, ensiled potatoes		79	
Rattlebox, description, symptoms of poisoning8616poisonous properties17022Ray grass.See Rye grass.10920Reading courses, farmers', discussion10920Records keeping, dairy herd5513Red clover, description, directions for sowing seed1827green manure169seed1231-12quantity per acre $\begin{cases} 662514727$	stock and feeding standards		$\frac{233}{170}$.	
Ray grass.See Rye grass.Reading courses, farmers', discussion.109Records keeping, dairy herd.55Red clover, description, directions for sowing seed.18green manure.16seed.123quantity per acre. $\begin{cases} 66 \\ 147 \\ 27 \end{cases}$	Rattlebox, description, symptoms of poisoning		86	16
Reading courses, farmers', discussion10920Records keeping, dairy herd5513Red clover, description, directions for sowing seed1827green manure169seed1231-12quantity per acre $\begin{cases} 66 & 25 \\ 147 & 27 \end{cases}$			170	22
Records keeping, dairy herd.5513Red clover, description, directions for sowing seed.1827green manure.169seed.1231-12quantity per acre. $\begin{cases} 66 \\ 147 \\ 27 \end{cases}$			109	20
green manure169seed1231-12quantity per acre $\begin{cases} 66 & 25 \\ 147 & 27 \end{cases}$ (111)10	Records keeping, dairy herd		55	13
seed				
quantity per acre. $\begin{cases} 66 & 25\\ 147 & 27\\ (111) & 10 \end{cases}$				
(111 10	quantity per acre		<i>€</i> 66	25
testing $\begin{cases} 111\\ 123 \end{cases}$			(111	
	testing		$\{123$	

•

۰

.

•

	E a um a us'	
· · · · · · · · · · · · · · · · · · ·	Farmers' Bulletin No.	Page.
Red clover, soil inoculation reports	214	37-39
use in South	102	$38-40 \\ 25$
value as crop	${147}$	20 27
Red Poll dairy cattle, characteristics, etc		38-41
Red rice, remediesscale, California, characteristics	$ 110 \\ 179$	$\frac{16}{24}$
Florida, characteristics		24
Redcap chickens, description	51	34
REDDING, R. J., bulletin on "Essential steps in securing an early coord cotton".	rop 217	1-16
		14
Redtop grass, description, value, directions for sowing seed	····[66	19
soil, note	122	7 11
use as pasture crop and for soil binding	147	18
Reed, use on home grounds	185	19
Refrigerator boxes, butter transportation		29 8
Refuse, meats, definition and table of percentages	34	5-6
of food	142	8
Registered cattle, buying, value of pedigree Relishes and extracts, fish	55 85	$\begin{array}{c} 11 \\ 7,8 \end{array}$
Rennet, cheese ripening bacteria	29	21
fermentation of milk	$\left\{\begin{array}{c}9\\20\end{array}\right\}$	7
		$\frac{14}{6}$
use in cheese making	····{237	31
Renovated butter. See Butter Renovation, soil, and cowpeas	89	8–9
Renting orchards, effect on yield	237	10
Reproduction, tree, by seed or bud	134	28
Rescue grass, description, directions for sowing seed use for perennial pasture crops		14 18
in South	102	19
Reseda, growing	$ \ldots 195 46 $	$37 \\ 21-23$
Reservoirs, irrigation, construction, directions, capacity Residence. See House.		21-25
Resin wash, formulas, value, use	7	6-7
Resin wash, formulas, value, use	$ \begin{cases} 19 \\ 127 \end{cases}$	$\begin{array}{c} 13\\ 21 - 22 \end{array}$
use against root insects	19	21-22 24
scale insects	192	18
Retting flax straw	$\begin{cases} 27 \\ 69 \end{cases}$	13 8
Rhizobius ventralis, ladybird enemy of black scale		29
Rhizopus nigricans. See Soft rot, sweet potato.		*
Rhode Island, apple varieties. Rhododendrum maximum, description and distribution	113	$\begin{array}{c} 20\\ 28 \end{array}$
Rhopobota vacciniana, description. damages	13	13
Rhubarb, cultural directions	94	22
forcing use of ether	107 233	$13-15 \\ 18-20$
packing for market		. 30
Rhus radicans. See Ivy, poison. spp., description, properties, remedies for poison	86	19-22
use on home grounds	185	19-22
Rice, American and foreign, comparison	244	23
and cotton-seed meal, protein content, comparison bran, use in dairy feeding	$ 98 \\ 151$	$\begin{array}{c} 43\\ 35\end{array}$
viui, ace in dan y recuring	(98	43
by products as feed	{ 100	$\begin{array}{c} 23\\ 24 \end{array}$
composition and use as substitute for bread, note	112	$\frac{24}{15}$
6838—No. 8—07—8		

	Farmers' Bulletin No.	Daga
Rice cultivation, new methods in Louisiana and Texas		Page. 25–27
culture, United States	110	1-28
custom, or fashion, effects	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	21 24
drainage	110	24 11
flooding	110	13, 15
food use	$\{110,, 240\}$	23 10
value	249	23
analysis	249	15
grades and prices	110	22 7
harvesting.		17, 27
hulls, value	110	24
industry, extension in United States, prospects	110	27
jungle, remarks	101	9,26 18
lands	110	9
meal, feeding to pigs		$\begin{array}{c} 24 \\ 19 \end{array}$
milling	110	10-13
production and importation	110	6
products, digestibility		18
red, remedies in rice growing		$\begin{array}{c} 16\\ 14 \end{array}$
soils	110	8
straw, feeding value		$\frac{24}{7}$
tariff, note		17, 27
varieties	110	5-6
weevil, description, life-history		5 30
tobacco enemy William E., bulletin on "Squab raising"	120	1-32
yield	110	19
Ricebird. See Bobolink. Richard onia scabra. See Clover, Mexican.		
Ricinus, growing.	195	25
Ricinus, growing. Ridger, irrigation implement.	116	30
Ringing grapevines Rings on trees, formation	105 67	$17-19 \\ 15$
Ripening cream.	57	9-12
Ripley spike, pincapple, remedy	140	. 42
River and flood warnings, value to Mississippi regions and Ohio	98	47 47
bottom soils, forage plants	46	10-11
Roach destroyers, composition	146	12
Road machines, necessity and value		$\frac{21}{23}$
Roads, clay, treatment		18
cost in various localities		45
different kinds.		$18-44 \\ 7-16$
drainage, surface and subdrainage, directions	95	1-48
grades, disadvantages of heavy grades	136	6
importance hard, classes		$\frac{11}{26}$
location and treatment, principles		8-18
rolling, importance	136	19
sand, treatment		$19 \\ 22-24$
Roasting legumes, remarks	121	33
meats, directions, effect on nutritive value	34	18
Robertson silage mixture. Robin, food habits, fruit destruction	56 54	44-46
'See also Game.		

*

	armers	
	lletin N	to. Page.
ROBINSON, T. R., and GEORGE T. MOORE, bulletin on "Beneficia bacteria for leguminous crops"	. 214	1-48
and KARL F. KELLERMAN. bulletin on "Inocula – tion of legumes"	- 2.10	1-8
Rocca onions, description	. 39	13
Rodents, destruction by coyotes. Roe, James P. on manufacture and characteristics of wrought iron.	. 226	12
Roe, James P. on manufacture and characteristics of wrought iron.	. 239]	
Rolfs, P. H., bulletin on "Citrus fruit growing in the Gulf States" "Pineapple growing"	-238	1-48 1-48
ROMMEL, GEORGE M., bulletin on "Pig management"	205	1-40
Roof, suggestions for farmhouses	. 126	27-29
Roosts, chicken house		11 18
beetle, sweet potato, description, treatment	26	25
crops for forage in the South	. 147	8
cuttings. propagation of plants	. 157	14-15
development of grafted trees	$. 79 \\ 153$	$\frac{14}{38}$
tomato, prevention	. 76	27
grafting, apple	. 113	10
insects. treatment	$\begin{cases} 19 \\ 197 \end{cases}$	23 - 26
knot, peach, description		$32 - 36 \\ 15$
lice, hot-water treatment	. 19	23
nodules as affecting composition of soy beans and cowpeas		8-10
formation, nature, effect on growth and yield		7-8, 11-15 13-15
rot, alfalfa, description, remedy		21
grape, remedial measures	. 118	31
stocks, propagation of plants		8
system, potato, penetration	. 30 	4 5–11
variations, relation to methods of clearing land	150	14-18
worm, corn, tobacco enemy	. 120	26
Roots and tubers, composition, table		34 8–9
feed value		19
obstruction of drains	. 187	32
pruning.	. 181	11-12
studies for school		$19-20 \\ 12$
Rose chafer, habits, remedies, injury to grapes	$\frac{10}{70}$	14-16
wild, treatment as weed	. 10	12
Roselle, description and use. Rosette, peach and plum, treatment.		$\frac{22}{21}$
discussion. with peach yellows	17	1-20
Rosinweed, description, remedies	. 10	12
Rot, black, apple, treatment.	243	19 1-22
cabbage, study, methods of prevention	00	1-44
See also Cabbage. celery, causes	148	18
	$\begin{bmatrix} 7\\ 20 \end{bmatrix}$	15
grape, treatment	38 118	$10 \\ 31-32$
	156	22
quince, treatment	243	20
sweet potato, description. prevention	$\frac{26}{156}$	$\begin{array}{c} 21 \\ 22 \end{array}$
brown, description, remedies, Pacific northwest	$150 \\ 153$	$9. \overline{34}^{22}$
potato, description, treatment	91	12-
treatment	$243 \\ 78$	20, 21, 22 27
cotton-boll, description, prevention	(221	7-8
cranberry, treatment	(243)	23
peach, remedies	33	14
8		

	Farmers'	
	Bulletin No.	0
Rot, plum and peach, pruning for control	181	10 11
soil, sweet potato, description and prevention	26	$\frac{11}{22}$
stem, sweet potato, description	26	23
tomato, description, prevention	76	28
See also Bitter rot; Dry rot; Soft rot. Rotation, Canadian field peas, place	224	9
crop, beet culture		17
benefits, effect on humus content and fertility	144	8-11
prevention of wheat insects		12, 21, 24
school garden		8 38, 39
systematic method of fertilizing	44	20-22
vegetable garden	94	13
crops, alfalfa	215	28-29
corn culture	81 78	5-7 6-7
a ·	(27	0-7
flax growing		6
forage for hogs, directions	100	26, 32
New Jersey practice	69 39	27-29
peanut growing		7 11
Rothamsted, experiments on lasting effect of barnyard manure.	21	29
Rotting, cranberries, remedy proposed	114	9
Rouen duck, colored, history, description, weight	64	
Roup, chicken, treatment		22 27
Rudbeckia, growing		28
Rumex spp. See Dock.		
Runt, pigeon, for squab raising.		16
Rural districts, insects injurious to human health economy and political economy, books for farmers' readi		1-20
courses	109	19
trench system, potato planting	35	8
Russia, beet-sugar production	52	39
emmer production, use as food	139	7,13 46
thistle and other troublesome weeds	10	10
description, origin, distribution, area covered, da	m-	
ages, remedies . Rust mite, orange, injury to citrus fruits	10	3-6, 8-10
treatment.	172 2.13	38-41 19-20
treatment. Rusts, grain, epidemic of 1904, lesson	219	15-20 1-24
reason for unusual abundance in 1904	219	7-8
grains, different kinds, damages	219	6
resistance of varieties of cereals		$9-20\\16$
Rye as cover crop for orchards		10 8
chemical composition	112	15
fertilizer, compost, formulas		28
fertilizers food value, analysis	107 240 ·	7 14
grass, Italian, description, seed, quantity per acre		22
winter forage, seed, quantity per acre	147	14
perennial, for pasture crop, seed, quantity per acre	147	17
description, seed, quantity per acre		$\frac{18}{23}$
Virginia, value for winter forage	· ·	$\frac{23}{21}$
grasses, use in South	102	20
nitrate of soda top-dressing experiments	210	8 7
pasture, sheep feeding.	49 940	18
products, digestibility		10

	Farmers'	Daws
Rye smut, description, remedy	Bulletin No. 75	Page. 10
use as green manure		14
winter pasture crop		13
S.		
Saccharometer, description	135	27
Saddle grafting, propagation of plants	157	19
Sage, scarlet, growing	195 108	44 16
Salicylic acid, use in preserving fruits and vegetables	12	7
SALMON, D. E., and CH. WARDELL STILES, bulletin on "Sheep sca	b". 157	1-47
bulletin on "Poultry raising on the farm" "Hog cholera and swine plague"	141	$1-16 \\ 1-16$
"Inoculation for prevention hog c	hol-	
era"	8 94	$\begin{array}{c} 1-40\\ 22 \end{array}$
Salsify, cultural directions Salsola Kali, var. Tragus, description, locality, remedies	10	3-10
Salt aid in digestion of nuts content, soil, Yellowstone Valley, Montana dairy, study.	122	22
content, soil, Yellowstone Valley, Montana	88	10-16 28-30
determinations, method in Yellowstone Valley investigation	ns 88	20-50
in butter, amount per pound	57	1718
influence on soil moisture necessity in hog feeding		5 30
pork, plain recipe	183	31
use as fertilizer for asparagus		11-13
in weed destruction Saltbushes, American, discussion		$\begin{array}{c} 19\\ 12 \end{array}$
composition and food value	108	14-16
growing and uses	108 108	1-20
Saltiness, butter, testing	241	27
Salting and drying fish	85	7-8
Saltmarsh hay, composition, digestibility Salts, alkali, Yellowstone Valley, Montana, composition	84 88	16–18 8
Saltwort and other troublesome weeds	10	1-16
Salvia, growing	153	44 14, 23–25
distribution, injuries	33	23
inland valleys, Pacific northwest	153	$\frac{12}{7}$
resin-wash treatment and others	{ 19	14
Sand bur, description, remedies		14
roads, drainage injurioususe in filtering sorghum sirup		$\begin{array}{c} 25\\ 21,30\end{array}$
making concrete	235	6
vetch, use as forage in South SANDERSON, E. DWIGHT, bulletin on "Miscellaneous cotton ins	102	43
in Texas"	223	1-24
"Sanding," pineapple, remedy	140	41
Sandy soils, treatment. Sanitary conditions of the farm, control.	124	$10-12 \\ 3-5$
Sanitation, farm house, suggestions	126	47-48
hog lot Sanwa millet, remarks	$ 205 \\ 101$	$\begin{array}{c} 35\\ 19\end{array}$
Sap, circulation in trees.	67	10
poisons, remarks	153	23 8–13
suckers, food habits and destruction of insects		8-15 11
Sapwood, remarks	173	13-14
Sar solution, formula	$\begin{cases} 75\\243 \end{cases}$	$\frac{15}{17}$
	250	5
treatment, oats smut	75	15

	Farmers'	
1	Bulletin No.	Page.
Sar treatment, wheat stinking smut, directions	250	5-8, 16
Sarcobatus vermiculatus, forage plant for alkali soils	108	17
Sassafras, clearing difficulties, method of extermination	150	17
Sauerkraut, temperature conditions. SAUNDERS, WILLIAM, bulletin on "Cranberry culture"	120 19	$21 \\ 1-16$
Sausage, bologna, making, directions	183	34
casings, making, directions.	183	35
making, directions	183	33
Sawdust bedding for cows	237	21
manure, value	237	22
roads, construction		25
use as stall litter for manure.		21
Sawflies, leaf-feeding, injury to wheat, descriptions, precautions stem-boring, description, injury to wheat, etc	132	36–38 35–36
sweet potato, treatment	26	25
wheat, descriptions	132	34-38
Sawfly, grass, distribution, habits, preventives	132	37-38
larva, injury to cranberries.	178	21
western wheat, description	132	36
Sayornis spp., food habits and usefulness	54	16-18
Scab, apple, description and remedies, Pacific northwest	153	33
Pacific northwest	/ -	7-8, 14
	150	14
treatment	1103	33
	$243 \\ 247$	18 12–21
cattle, treatment		12-21 11-13
peach, treatment	243	21
pear, Pacific northwest, remarks	153	$\tilde{34}$
potato, description, treatment		13
sheep		1-47
cause	159	7
laws and regulations, Federal	159	42-47
simulating conditions		14-16
treatment	159	$16-33 \\ 1-24$
Scabies, cattle, cause, life history, treatment	192	1-24
Scald, potato, description, treatment Scale, black, characteristics, etc	172	27 - 30
injury to olive	122	15
treatment with resin wash	19	13
insects, apple, Pacific northwest	153	8
citrus, classification and characteristics	172	18-36
enemies, natural	172	8
tree	172	1-43
	10	6 13
control	{140	15 40
	172	9-18
destruction by birds	<u> </u>	29, 36, 44
nature of injury		7
periodicity	172	6
use of kerosene emulsion	7	6
long, characteristics.	172	21
pineapple, remedy	140	40
red, treatment with resin wash	19	13
whitewash, peach, description	33	18
Scarlet runner bean, food use	121	10
sage, growing		44
Scheele's green, description, cost	19	5
use against codling moth	170	17
Schistocerca americana, injuries to cotton, treatment	47	27
School gorden		25
School garden	218	1–40
0		

	Farmers	,
	Bulletin N	0
School garden studies in soil, plants, cuttings, etc	218	12-31 8-12
vegetables and flowers	···· 210 918	31-33
work, educational value		6-7
gardens, discussion	195	10-11
grounds, annuals, trees, and shrubs, suitable	218	37-10
decoration, plans and drawings	218	33-37
planting, educational value		5-7 1-31
rural, tree planting	218	15-19
plant studies. Sehwarz, C. M., letter about sorghum sirup making	90	29
Science applied to farming	98	25-28
Scion grafting, propagation of plants	157	20
Score card, cattle, directions for use	71	° 6–7
Scotch pink, growing Scours, calves, cause and treatment	190 	42 23-25
Scrapple recipe	183	33
Screens. use for protection from frost	104	11
Screw worm, goat, remedy	137	45
SCRIBNER, F. LAMSON, bulletin on "Southern forage plants"	102	1-47
Scudderia texensis. description, remedies	178	26-29
Scutch mills, Michigan	27	15
Scutellista cyanea, enemy cf black scale	172	30 15–27
Seasons, close, for game, laws for 1904 Seaware. See Seaweed.	207	10-27
Seaweed, food constituents	105	6
uses		5-10
Second-crop potatoes, planting seed	35	20
Seed, alfalfa, description, use, etc	194	1-13
harvesting		15
imported		9-10
production and handling	()	29-30 14
quantity, per acre	${147}^{2}$	22
testing		12
vitality tests	 26	10
asparagus, saving, cleaning	61	8–11
bed, cabbage, transmission of black rot		14-19
citrus fruit, preparation, sowing and cultivation		38-39
tobacco, insects		31 3
preparation	{ 82	6-9
tomato, preparation and care	76	9,19
beet, growers, list, Europe and United States	52	12
See also Seed, sugar-beet.		
broom corn, need for good crop		11-13
bur clover, quantity per acre	147	23
cabbage, introduction of black rot cassava, use of cuttings		9 12
celery, sowing methods.		10-12
change of locality, effect	73	9
citrus fruit, selecting and keeping	238	37-38
clover, American and foreign, comparison	79	17-18
exports, value 1897.	79	17
testing	125	$\begin{array}{c} 6\\ 25, 26, 27\end{array}$
corn, adaptation to new locality		20, 20, 27
buying and judging.	222	9-10
care	229	17-18, 22
causes of imperfect germination	244	5-7
drying and storing	244	5-7
ear, selection	(229	10, 15, 22 8
germination testing		19-22
	(

-

-

·	'armers'	
	lletin No.	Page.
Seed corn, good, production	. 229	1-24
grading length and size	- 229 - 944	$11-23 \\ 5-7$
		22-23
harvesting.		21, 22
improvement		6
quantity per acre		
	$ \begin{bmatrix} 81\\ 193 \end{bmatrix} $	22-23 20-26
selection and care	-133	20-20
	229	21 - 24
cotton, boll weevil infested, fumigation		19
quarantine restrictions	. 189	26-28
early-maturing varieties, recommendations		18-19 14-24
live weevil, efforts to destroy by machinery	209	14-24 12-14
northern-grown, recommendation	. 130	12 11
unloading hand and basket systems	. 209	17
pneumatic system	. 209	17 - 22
suction system	. 209	15 - 16
See also Cotton seed.	20	19
cowpea, harvesting storing, fumigating	. 09 225	$13 \\ 11-12$
dead, detection by color	. 194	11 12 10
development from single high-grade beet		$\overline{32}$
emmer, source	. 139	7
field selection.	. 84	8–11
flax, best imported varieties	. 69	7
harvesting production, United States	$ 27 \\ 27 $	$13 \\ 1-16$
selection, quantity per acre	$\frac{27}{27}$	9
time and manner of sowing.		8
See also Flaxseed.		
germination, effect of fertilizers		9
relation of soil temperature	. 195	13
good, farmer's interest points in procuring		1-24 18
grain, plat for growing, advantage and method	219	$\frac{10}{23}$
treatment of small field	. 250	$\overline{15}$
grass for lawn making	. 248	13 - 14
	$\begin{bmatrix} 18 \\ 00 & 10 \end{bmatrix}$	13-22
quantity per acre	$\begin{array}{c} 66 & 19, 2 \\ 147 \end{array}$	
	141	10, 16, 17, 20
shrinkage, experiments		15
sowing	. 66	16
increased yield after sinut treatment	. 75	16
Kafir corn, handling for feed.	. 73	14
quantity per acre, and directions for planting oats, treatment for smut	. 37	$10 \\ 12-14$
okra, cultivation	232	12-14
onion, production	39	25
quantity per 500 square feet	149	26
selecting, testing.	39	10
sowing, quantity per acre	39 16, 1	.9, 26, 27 12
peanut, selection, care, amount per acre	20	16-19
planting and testing, school work	$\int \frac{210}{35}$	8,9
potato, cutting, time and method		10
quantity per acre	35	9
second-crop	. 92	11-13
size of pieces, effect on yield	30	$\begin{array}{c} 10-14\\ 16 \end{array}$
rape, quantity per acre	1147	35
	(00

1)	1
1	-	in	1

Farmer Bulletin	
Seed, red clover	1–12
Russian vetch, quantity per acre	14
sample. care in drawing.	22
selection, effects of maturity, age. and size	7-10 20-22
	11
sorgnum, cleaning, saving. etc	28, 34
quantity per acre	10
selection, experiments by Department and Kansas	12
Experiment Station	11
soy bean, amount sown per acre	9
58 stations, European, reports on clover seed	$12 \\ 17-18$
sugar-beet. domestic and foreign, comparative value	32
3 and the string of the state o	18
- (02	29-33
quantity per acre $\begin{cases} 3\\ 52 \end{cases}$	10 19-33
sunflower, harvesting, uses for food, oil, cake	15-16
sweet corn, growing in South	9-11
potatoes, amount per acre	9
testing and poor seed. 111 tobacco, heavy v. light. 225	7–18 10
(82	20
saving $\begin{cases} 82\\237 \end{cases}$	12
selection, quantity to sow, germinating test $\begin{cases} 82\\237 \end{cases}$	5-6
sowing	12 9
treated for smut, drying	16
tree. planting. recovery of washed soil	17
true clovers, quantity per acre	26.27
vegetable garden, quantity and quality	8 15–24
vetches, quantity per acre	13, 29, 30, 33
wheat and oats, value of treatment for smut	16
handling and drying after treatment	12
high protein contents. selection	11
treatment to prevent smut, importance	3-4
yellow lupine, quantity per acre 147	34
Seeding grass land, without nurse crop	11 16
millet	23
Seedling grove, citrus fruit	41
trees, wild, home-grown, and nursery, comparison 134	13-16
Seedlings, citrus fruit, remarks	13 11
forest, protection necessary	9,11
Seeds, composition. table	35
dealers, remissness 111	18
drug, collection and curing	10 7
propagation of plants	9
school garden studies	15-16
storage, temperature, etc. 125	$\begin{array}{c} 21\\ 21 \end{array}$
testing, method and importance	$21 \\ 20$
weed, mixture with alfalfa seed 194	11
Seedsmen, duty in regard to smutted seed	17
Semiarid regions, growing emmer. 139	1-16 9
90 sections, sorghum	35
cleaning	18

	armers'	
	illetin No.	Page.
Separator, cream, on western farms	$201 \\ 941$	$\begin{array}{c} 1-24\\ 11-16\end{array}$
dairy use		41
farm, care and management	. 201	· 7–9
construction and operation	. 201	8-9
value in dairy work, capacity, cost		7-8
sanitary precaution	201	11
Seppa cotton and weevil damage, relation	. 216	20
Serradella, value for feeding and green manuring	. 16	14
Setaria italica. See German millet.		TI
Sets, onion, growing, quantity per acre	. 39	15
production	. 39	26
Settling tanks, sorghum sirup	. 90	25
Sewage disposal, various methods	. 43	5 - 16
farm, disposal.	. 43	1-20
kitchen and chamber, disposal		14
liquid, disposal by cesspools and irrigation		$11-14 \\ 13$
Shade, effect on strawberries and vegetables	. 210	19
growing tobacco. Connecticut.	. 60	8
growing tobacco, Connecticut	. 173	18
tree insects, cities and towns, general work	. 99	25 - 29
trees, injuries by electric wires, etc	. 210	20-22
spraying for insects	. 99 11, 1	19, 26–29
three insect enemies.		1-30
varieties, relative immunity from insect pests Shaddock, classification		$\begin{array}{c} 21-25\\12\end{array}$
Shallots, description		12 12
Shama millet, remarks		18
Sharpshooters, distinction from cotton-boll weevil	. 130	10
Shavings for bedding cows	. 237	21
manure, value.	. 237	22
SHAW, THOMAS, bulletin on "Canadian field peas"	. 224	1-16
"Rape, history, culture, and uses"	$\begin{array}{c} 11\\ 991 \end{array}$	$1-20 \\ 1-16$
SHEAR, C. L., bulletin on "Fungous diseases of the cranberry"	-241 137	42-44
Shearing Angora goats. effect on growth of lambs.	. 162	25
wether lambs before fattening	. 49	15
Sheds, construction for manure preservation		22-24
use in protecting citrus fruit against cold	. 238	30 - 32
Sheep, air requirement per day	. 190	23, 24
bloat, causes, treatment	. 49	$\frac{15}{12}$
bloating, danger from rapebreeding stock, selection		12 41
breeds, remarks.		5
destruction by coyotes and dogs	$\frac{1}{226}$	13-15
fattening with sugar-beet pulp	. 22	23
	[32	29
feeding	49	1-24
Tootaning	1 10	9-10
Canadian field nose	224	55
Canadian field peas		43-48
investigations at the experiment stations		6-26
rape	. 78	9-10
silage	. 32	29
feeds, cost and gain in mutton production	. 96	19-26
hurdle, remarks.	117	10 1-16
husbandry, Pacific northwest	159	33-35
injury by dipping killing and dressing	183	14 - 17
	∫ 21	6-11
manure, composition, value	192	8-14

1		ົ	2
_	-	4	U.

· ·	Farmer Bulletin	
Sheep manure, production per year		6
		7
market classification	184	27
mutton, establishing flock	119	23-24
New Mexico, characteristics, feeding experiments	96	34-37
number, United States, 1891–1899	96	4
pasture, Canadian field peas		6 10 17 20
rape	78	6, 10, 17, 20 9-10
Russian thistle	10	9
production, importance in American agriculture		4
raising, advantages for mutton		14 1-48
in Pacific northwest.		1-40 1-16
range, characteristics, feeding experiments		34-37
scab		1-47
cause laws and regulations, Federal	150	7 42-47
treatment	159	42-47
shelters and bedding.		45
slaughter packing-house methods		20
transportation, ship		37-40
Shell roads, construction, beauty	95 96	$\begin{array}{c} 31 \\ 46 \end{array}$
Shield grafting, propagation of plants	157	20
Ship transporation, live stock	184	37-40
Shipment, cream, condition and frequency	201	15-18
Kansas experiments	201	$20 \\ 47-53$
game, and nunting ficenses, 1904	(180	41-43
Federal laws		53
	230	27-34
laws and regulations Federal, State, and Canada	160	27-39, 43-51 27-34
for 1904		27-34 28-47
marking packages	207	28
live stock by rail		28-35
Shipping and packing canned fruit	203	5 40–48
perishable products, temperature management		40-48
Shorthorn cows, usefulness for Southern dairy		$\frac{20}{21}$
dairy cattle, characteristics, etc	106	41-46
Shorts, feed for hogs		1-15
value Shoyu, preparation		* 12 22
Shrinkage, farm products, experiments	149	10-17
Shropshire sheep, feeding experiments, data	96	8, 17
Shropshire-Merino crossbred sheep, feeding experiments, data Shrubs and trees, relation to lawn	···· 96	18
school ground, cultural direction. etc	218	$\begin{array}{c} 19\\ 38\text{-}40\end{array}$
flowering, pruning	181	39
selection and use for home grounds	185	9-15
Sialia spp. See Bluebird. Side grafting, propagation of plants	157	20
Side-oats grama. See Grama, side oats.	107	20
Sidewalks, concrete, construction	235	15–18
	(56	10
Silage, alfalfa, value	$\dots \{ \begin{array}{c} 124 \\ 215 \end{array} \}$	$\begin{array}{c} 25\\ 27\end{array}$
composition	1	10^{27}
and feeding value different crops	32	23-24
table	22	32
corn, capacity of round silos	32	10
8		

	Farmers'	
Silone com reluc or house food	Bulletin No.	Page.
Silage, corn, value as horse feed		$\frac{20}{23}$
cowpeas		$\frac{20}{12}$
crops, growing in the South	147	8
selection, culture	32	19-21
dairy use		30-32
digestible nutrients in 100 pounds and per acre	32	31–32 24
experiments.	2	9-13
feeding to farm stock	32	24-30
termentation, causes	2	12
losses in preparation, causes		31
mixtures, experiments		
potatoes, experiments		21-23
sheep feeding.		6, 11, 18
sorghum, preparation, etc	246	28-33
soy bean, use and value	58	15
sunflower heads, and other materials	78	$\frac{16}{20}$
use for horses and hogs Silkworm chrysalides, killing in cocoon	165	$\frac{20}{27}$
cocoons, preparing for market	165	26
diseases, descriptions and remedies	165	28-32
eggs, wintering and hatching		13-16
food		$9-12 \\ 1-32$
growing and use		1-52 12
life		5-9
spinning, preparations	165	25
Silkworms, rearing.	165	16 - 25
Silo, filling, directions.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	21-23
location, construction		9 21–23
southern use.	151	30
stack, method of preserving sorghum	50	22
stave, description and value	103	23-28
Siloing sugar beets, directions	52	29
Silos and silage	$\begin{array}{ccc} 32\\ 32\\ \end{array}$	1-32 16
construction, general directions and suggestions	32	6-17
cost, estimates of materials	32	18-19
estimated capacity for well-matured corn silage	32	10
rectangular, directions, objections to use		17
round, directions for making United States, first in use		11-16 5
use, historical notes.		5
Silvanus surinamensis, description and life history	45	15 - 18
Simmins nonswarming system of beehives		25
SIMPSON, C. B., bulletin on "The control of the codling moth"	171	1-24
Sinapis rigra. See Mustard. Sirup, affected by soil and climate	135	8
canning and preserving, method of making	203	14
making on shares, measuring	135	31
manufacture, suggestions	135	- 34-36
maple, and sugar		21-24 14
cane, and sorghum, comparison purity and flavor. processes.		8
sorghum and sugar-cane, comparison		7
clarification, four processes	135	14-21
skimming, settling, and filtering		19-22
with clay		22-25 26-27
evaporating and superheating		20-27 29-31
0		20 02

	Farmers' illetin No.	Pago
		Page. 1–34
Sirup, sorghum, manufacture.		1-40
settling tanks Sirups, fruit, direction for making		$\begin{array}{c} 25\\ 31 \end{array}$
Sitodrepa panicea, tobacco enemy.	. 120	30
Sitodrepa panicea, tobacco enemy	- 45	6
Six-spotted mite, characteristics, etc	- 172 74	$\begin{array}{c} 41 \\ 13 \end{array}$
feed for calves	\$ 55	21
improvement by use of separator	-\ 84 201	21-23
value as food	. 74	12-14
hog feed	. 100	29
pig feed		28
Skins, Angora goats, uses, value	. 137	25-26
transmission of antinax	- 19	r 24
Slag, Thomas, origin, use, and value as fertilizer	-1144	$18 \\ 6-8$
Slimy fermentation of milk, causes, effects	. 9	14
Slipperwort, growing "Slug shot," composition, value	. 195	$\begin{array}{c} 23\\11\end{array}$
Slugs, mushroom, treatment	. 53	11 18
tobacco enemies	. 120	26
Small fruits. See Fruit. SMITH, ERWIN F., bulletin on "Black rot of cabbage"	. 68	1-22
"Peach growing for market"	. 33	1-23
"Peach yellows and peach rosette".	. 17	1-20
SMITH, JARED G., bulletin on "Alfalfa or Lucern". "Cowpeas".	. 31 . 89	$1-24 \\ 1-16$
"Meadows and pastures"	. 66	1-30
SMITH, JOHN B., bulletin on "Insects injurious in cranberry cu		1-32
ture"	. 43	1-32 1-20
Smoker, bee, description and price	. 59	15
Smoking meats, directions. Smudge fires, portable, remarks.	. 183	$\begin{array}{c} 35\\ 13\end{array}$
use for protection from frost	. 104	13 12
Smut, loose, oats, description, damages, treatment	{ 75	8,9
wheat, description		13–15 7
onion, treatment	. 39	27
seed oat, treatment		12–14 6
stinking, wheat, description, effect on grain	- 250	0
summary of discussion		× 15
treatment, increased yield of seed Smuts, barley, rye, and corn		$\begin{array}{c} 16 \\ 10 \end{array}$
		1-8
grain, cause and prevention, treatment	$-\begin{cases} 75\\ 250 \end{cases}$	1-20
estimated damage	(1-16 4
Snails, use by toad as food	. 196	8
Snap dragon, growing	. 195	$\begin{array}{c} 45\\ 32 \end{array}$
		02
Snipe. See Game. Snow, forest injury	- 173	40 18–20
traps, advantage on farm use in packing meats	. 183	18-20
Snowbird, food, habits	. 54	31
SNYDER, HARRY, and CHARLES D. WOODS, "Bulletin on cereal breakfast foods"	1 - 249	1-37
Soap, cotton-oil	- 36	10
use with Bordeaux mixture	- 221	10-11
8		

	Farmers' Bulletin No.	Page.
Soaps as insecticides	19	10
application, etc Soda, baking, use in boiling legumes in hard water	127	14-15
nitrate, as fertilizer for sugar beets	$\frac{121}{52}$	32
use for market garden crops	162	6-9
value as fertilizer for tomatoes	76	12, 15,
use in bread	119	20-22, 24
use in bread Soft rot, sweet potato, description, prevention	26	19, 25, 32 23
scale, characteristics, etc		30
Soil acidity, effect on leguminous plants		13-14
indications		6
aeration, necessity.use of drainage.		16
alfalfa requirements	210	13-15
binder, lippia, for arid region		8
binders, grasses.		11 13
black raspberry		10
chemical relations to surface washing	20	9-11
citrus fruit growing		8-10
composition, effect of trees	134	24 13–14
cranberry		15-14
date palm		17
drained, nature	187	6
effect of growing crops	245	4
wet plowing erosion, prevention by winter pastures	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9
fertility, influence of different systems of farming	87	9-12
loss in drainage water		4
maintenance.		5
Florida pineapple, description, analyses	154	11-14
harmful products for growing plants		7
humus, importance, causes of loss	78	5-7
improvement	$\int \frac{151}{242}$	6
Improvement	242	7.14.15 11-15
influence on character of tobacco		8
inoculation, amount per acre	240	7
conditions indicating necessity and desirability direction for use of bacteria culture	$\frac{214}{214}$	27-30 20-21
field tests by practical farmers		31-47
indications of probable failures	214	29
leguminous plants	<i>{</i> 124	7-10
summary of conclusions	(214) 214	$9-11 \\ 47-48$
time in growth of plant and method		17-22
treatment of seed	214	21
Kafir corn, requirements		9
lawn, character and preparation mixtures forcing head lettuce		$6-8 \\ 15$
moisture, advantages	46	3-4
conserving and economizing	87	5-9
influence of salt	114	5
necessity Montana, Yellowstone Valley, salt content	240 88	6 10-16
organisms, microscopic, effect of lime	77	9
peanut growing	25	8
plum		21
potatoes preparation for corn crop		3-5
flax		6
grapevines		3-5
8		

	Farmers' Bulletin No.	Page.
Soil, preparation for meadows, methods	66	13–16
sugar beets home grounds	19	9 23
to secure early cotton crop	217	4-5
tomato growing vegetable garden		11, 17, 24
rape, remarks	164	7
relation to fruit growingrenovation, alfalfa		$\begin{array}{c} 6\\ 19 \end{array}$
cowpeas		8-9
soy bean crop	58	35 16–18
useful types of farming	245	15-16
requirements. vegetal le garden rot, sweet potato. description, prevention		6 22
selection, flax growing		5 18
sorghum. studies for school garden	218	12-14
sugar beet	\cdots $\begin{cases} 3\\52 \end{cases}$	5 13
sweet potatoes	26	11
temperature, relation to germination	195 77	$13 \\ 6-7$
tests, experiments	2	15
texture, relation to farm drainage tobacco transplanting, preparation	6	3-5 4
tomato forcing	220	19, 28-30
washing, relation to chemical condition remedies		9–11 10
Soiling, advantages		19 17
animals, meaning of term		27
crop, pearl millet use of rape		14 18
crops, clovers and beans	66	11
Connecticut		20 29–30
COWS.	∫ 55	25
remarks	(100	8–14 8
dairy cows		27
explanation of term	242	25–26 7
rape, methods of sowing and feeding		10-12 13, 14, 16
use of sorghum	${246}$	30-31
soy bean crop, value Soils, acid, effects of lime on different crops	58	10, 14
adaptation of forage crops		5-11, 29
alkali, sugar beets		47 5
apple orchard	113	$14 \\ 12-13$
asparagus, selection and preparation books for farmers' reading courses	109	16
fertilizer requirements kind, relation to irrigation	44	$5\\44$
liming		1-24
mechanical make-up		6 6-8
Montana, Billings, analyses	88	9 10
peanut, notes	124	16 - 17
rice. sandy, treatment.		8 10–12
sterilizing for greenhouse		8-11
8		

E	Farmer Bulletin [
Soils, strawberries, effect on yield.		16
sweet potato growing		$10-11 \\ 6, 22$
tobacco		1-24
vineyard	118	5
washed, prevention and reclamation worn-out, renovation		$1-22 \\ 1-16$
Solanaceous weeds, importance in tobacco growing		32
Solanum carolinense. See Nettle, horse.		
<i>dulcamara</i> , description, distribution, and poison <i>nigrum. See</i> Nightshade.	86	31
rostratum, description, distribution, and remedies	28	16 - 17
Soldier bug, spined, destruction of asparagus beetle	61	37
Soldiers, dietary use of sugar	··· 93 ·· 10	16 12
Sorghum and corn fodders, comparison for digestibility	50	20
as a forage crop	50	1-24
cane, crushed, use as fuel	135	27 13
grinding, yield of juice per ton	246	35-36
composition, digestibility, table	50	19
conditions of growth	246	18-19
crops, various stations and varieties, comparison digestibility		8 36
effect on land	246	19
fodder, digestibility, comparison with corn fodder		20
food value at different stages of growth		$12 \\ 21-23$
growing and use for forage in South		21-25 21-25
growth, conditions, effect on land, methods of culture	50	7-14
harvesting, curing, and soiling	$50 \\ - 246$	11-14 25-29
improvement by selection		20-25
introduction into U.S., extent of cultivation, and varieti	es 50	5-7
juice, comparison with maple and sugar cane		14 13
orange, description	100	23
planting, cultivating, and harvesting	135	12
poisoning of stock	170	22
production, statistics		15-16 9
seed, as grain ration		17
composition and feeding value		17
feed for poultrysilage, growing in the South	$ \begin{array}{ccc} & 50 \\ & 98 \end{array} $	18 40
silo use	151	31
sirup makers, statements	135	36-39
manufacture	$190 \\ 135$	$1-34 \\ 1-40$
Sce also Sirup, sorghum.	(105	* ***
summary of directions for growing cane and manufactu		07 00
ing sirupuses and value		27-29 30-35
value for soiling, pasture, forage, and silage	50	14-17
varieties	90	5, 10, 12–13
suited to different localities vulgare, poisoning of stock	130	9 22
yield	246	29 - 30
Sorghums, alkali resistance	246	19
classification		7-8 18
growing, methods		20-29
introduction into United States, and extent	246	8-9
saccharine, use for forage		1-38 11-18
varieties	240	11-13

	Farmers' Bulletin No.	Page.
Sorghums, soil	246	18
Sorrel, Jamaica, description and use	169	22
Soule, ANDREW M., bulletin on "Conformation of beef and cattle"	1417	1-44
Soup, meat, composition, nutritive value	34	17
tablets, legume	121	$\frac{34}{21}$
cotton manuring experiments, results	48	9, 12
South Dakota, apple varieties.	113	22
farmers' reading courses South, corn culture		$\begin{array}{c} 13 \\ 1-24 \end{array}$
crop rotation, suggestion		11
dairying.		1-48
forage plants resources		$1-31 \\ 7-9$
grape growing	118	1-32
varieties suitable		12-15
hog raising winter forage crops	100	$1-40 \\ 1-36$
Southdown sheep, feeding experiments, data	96	7
Southern cigar tobacco	83 98	$\begin{array}{c} 13\\ 1-48\end{array}$
		1-40 15-17, 39
Sow, breeding, and pigs, care, management		24-30
selection and management	$100 \\ 205$	13-15, 39 19-22
Sowbugs, mushroom, treatment	53	18
use by toad as food	196	9
Sowing, ricesorghum	110 246	$\frac{12}{22}$
Sows and pigs, farrowing time, data	97	12
dry, management	205	$\frac{32}{18}$
spaying, suggestions	${}^{100}_{205}$	$\frac{10}{32}$
Soy bean, analyses, different varieties.	58	20
composition at different stages of growth crop, value as a soil renewer	58 58	$\begin{array}{c} 10\\ 16-18 \end{array}$
culture, methods	58	8-10
description and food use	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$11-13 \\ 3-8$
varieties, conditions of growth feed for cows and pigs	97	14-15
food for man	58	20-23
forage, digestibility table chemical composition	58 58	$\frac{14}{12}$
crop		1-24
vield		11
harvesting for forage, soiling, or hay hay, yield per acre	58 58	$\begin{array}{c} 10\\12\end{array}$
use for forage in South	102	40
beans, composition, effect of root nodules	244 97	9-10 13-15
feeding stuff	107	13-15
food products, composition	58	22
soil inoculation reports use for human food, North Carolina	$ 214 \\ 58$	43 23
value as pig feed.	133	28
sauce, preparation	58	22
Spanworm, cranberry, description, injuries, remedies, etc Sparrow, various species, food habits		$\begin{array}{c} 19-21\\ 31 \end{array}$
Spawn, mushroom, kinds, price, and methods of using	53	4 - 6
storage Spawning mushroom beds	204 52	24 10–11
Spawning mushroom beds	204	10-11 18-24
Spaying and castrating hogs	∫100	18
		' 32

6838—No. 8—07—9

F	armer	
Bu Spelt, characteristics, comparison with emmer	lletin N . 139	No. Page. 6
See also Emmer.		
SPENCER, G. L., bulletin on "Sugar beet," revision	. 52	1-48
Sphærotheca pannosa, Pacific northwest	. 153	13
Sphinx caterpillar, tomato, treatment	. 76	27
Sphyrapicus varius, habits and food	. 54 . 140	$\frac{12}{39}$
Spiders, use by toad as food	. 196	9
Spike, longleaf, pineapple, causes, remedy	$. 140 \\ -242$	$40 \\ 1-16$
"The renovation of worn-out soils"	242	$1-10 \\ 1-16$
Spinach, cultural directions.	. 94	23
packing for market Spinning, silkworm, preparations	$ \begin{array}{c} 62 \\ 165 \end{array} $	$\begin{array}{c} 30\\ 25-26\end{array}$
Spizella spp., food habits	. 54	31
Splice grafting, apple propagation of plants	. 113 . 157	$\begin{array}{c} 10\\19\end{array}$
Split worm, tobacco, or leaf miner, description and remedies		19-22
Spontaneous combustion, cause of loss of hay	. 105	26
Spores and spawn, mushroom		$\begin{array}{c} 6-8\\ 23\end{array}$
propagation of plants	. 157	10
Spot disease, alfalfa, remedy	. 31	22
Spray hose and nozzles. objection for application of poison against boll weevil	. 243 . 212	$\begin{array}{r} 28 - 30 \\ 30 \end{array}$
outfits, types	. 243	24-30
Sprayer, field		13 $16-19$
Sprayers, description, cost		8-10
garden	. 231	13
geared, description	$\int 231$	14-19 27
steam and gasoline	. 243	27
	$\begin{bmatrix} 19\\ 127 \end{bmatrix}$	20-23 30-32
Spraying apparatus, cost, suggestions, etc		13-16
	231	19
for large trees, suggestions, cost	$(247 \\ . 99$	16-19 26-28
boll-weevil control, time	. 130	28 - 29
		$21 \\ 18, 19$
celery, diseases and insect pests	. 171	12-21
codling moth and apple scab.	. 247	11, 12, 16–21
control of cotton boll weevil		24-29 7
cucumber and melon diseases	. 231	1-24
cucurbits, cost and benefits	$231 \\ 231$	22, 23 11-12
experiment	- 7	13
fruit	{ 38	1-12
grapes	118	15-24 29, 31
insect pests and fungous diseases	- 7	20
machines, cotton-boll control development	. 130	26-27 5
suggestions for grape diseases	. 4	9
method and cost	. 247	$\begin{array}{c} 19\\ 16-22 \end{array}$
mixtures, preparation	$\{ \begin{array}{c} 153 \\ 156 \end{array} \}$	16-22 20-21
	171	16-18
See also Insecticides. orchards, effect	237	9
Pacific northwest		8
8		

•

	Farmer	
Spraying peach, precautions	Bulletin 33	No. Page. 19
potatoes, cost	91	15
shade trees for insects	99	
solutions, ingredients; boll-weevil control		27-28 30
time. for biting insects	127	12-13
alle ing incosta	1.0-	23
use in protecting citrus fruit against cold	104	14 30
Sprays, citrus tree		15-18
Springs, development	138	16-18
Sprinkling, use for frost protection	104	14
Sprouts, forest trees. Spurge caper, description, distribution, poisonous properties	67 86	21 17
"snow on the mountain," description, poisonous propertie	s 86	18
Squab raising	177	1-32
Squabs, food value, important features	182	11
Squash, cultural directions	94 62	23 30
Squirrel, ground, striped, destruction of alfalfa	31	22
tail, grass, description, remedies	10	15
See also Game.		
St. Augustine grass, use for forage in South	102	25
lawn St. John's bread, locust bean, food use		9 14
Stable floors, concrete	235	18
manure. See Manure, stable.		
Stables, ventilation	190	23-31
Stabling, dairy cows, requirements sea transport, for live stock	55	15, 26 37
season, dairy cows.	55	26
Stacking, alfalfa	215	24
Staggerbush, description, distribution		29
Stall, dairy cows, size, care		16 8-10, 12
Standards, feeding, different animals	22	11-14
STANNARD, J. D., bulletin on "How to build small irrigation ditche	s". 158	1-28
Starch by-products, origin, and use as feeding stuffs.		21
cassava, profits and markets for manufacture in United Stat content potatoes, relation to cooking quality	244	30-31 13-16
in calf feed, experiments	92	22
production, corn, wheat, and sweet potato comparison	87	27
sweet potatoes	87	26-28
Starter, cream. preparation and use	57 79	10-11
Statistics, sugar	3	22-24
Statistics, sugar. Stave silo, description and value	103	23-28
directions for making	32	14-16
Stavesacre. See Larkspur. Steak, Hamburg, making, directions	183	34
Steam, use in forcing asparagus		7
Steel and iron manufacture	239	9-14
wrought iron for fence wire, comparison	239	16-18
Steer and heifer beef, comparative value	143	27-28 41
Steers, fattening with corn stover, experiments	84	13
grazing on corn and cowpeas	124	27
rations, calculated	22	17
shipment, preparatory feeding Stegomyia fasciata, spread of yellow fever	184	34 18–19
Stem rot, sweet potato, description		23
Stenotaphrum dimidiatum. See St. Augustine grass.		
Sterilization, relation to canning and preserving	203	8
Sterilized air, use in shipping perishable products Sterilizing greenhouse soils	120	10 8–11
	100	0-11

Farmo Bulletir	
Stewing meats, directions, effects on taste and digestibility 34	4 17
Stigmæus floridanus, remedy	0 39
Stings, bee, how to avoid	
Stinking smut. See Smut, stinking.	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Stipa spartea, description, remedies.	
Stock farming, influence on fertility of soil	
rusted straw	
feeding, emmer, value	
rape, value	
grading up by crossbreeding	
inspection, discussion	4 15–18
judging, directions	3 10-17
raising in the West, relation to coyotes	
yards, rules	
United States, organization and location	4 10–11
See also Live stock.	5 45
Stocks, growing	7 36
Stolley vetch, value for forage	2, 29
Stone, crushed, use in making concrete	
fruits, twig borer, life history and treatment	
roads, construction, materials, methods	
93 Stones, useful in road building	
Storage apples, keeping qualities, varieties, etc	
celery, directions	8 24-27
cold. See Cold storage.	e 17
cranberry	
perishable products	5 15–21
sweet potatoes, methods, etc $\begin{cases} 129\\169 \end{cases}$	$ \begin{array}{ccc} 9 & 23-26 \\ 9 & 25 \end{array} $
Stored grain and grain products, insects affecting, remedies	
Storehouse, celery, directions for building and packing 148	8 26–27
Storing and packing milk	
Stover, corn, as feeding stuff, composition and digestibility	
proportion to grain, effect of fertilizers	
See also Fodder.	- 10
Straw, flax, retting	
proportion to grain, effect of fertilizers	
rice, feeding value 110	$0 \qquad 24$
rusted, use as stock feed	
in recovery of washed soil	
wet, use for protection from frost 104	4 13
wheat, use as stall litter	2 21 7 21
Strawberries, adaptation to new land	
cold storage 119	9 14
cultivation 198 effect of shading 210	$ \begin{array}{c} 8 & 16 \\ 0 & 16-17 \end{array} $
fertilizer requirements	-
fertilizers	3 10
fertilizing	$\begin{array}{ccc} 8 & 22 \\ 9 & 19 \end{array}$
forcing for winter fruit	8 21-22
growing 198	3 1-24

	Farmers Bulletin N	
Strawberries, growing field		9–20
harvesting and shipping		18
importance as a small fruit	98	31
irrigation		10-14
mulching		17
packing for market picking	62	19 20
planting systems		15-16
pollination		11, 21
propagation		7-9
pruning		11
resistance to frost		19-21
setting plants		12-14
soil selection varieties		9 22-24
frost-resistant		22-24
yield different soils.		16
Strawberry crown miner. distinct from twig borer		11
disease, treatment		23
injuries by peach twig-borer	80	5.11
Strawworms, wheat, habits, enemies, remedies	132	26-29
Streams, diversion of water		11
Stripper butter, flavor	84	· 24 · 45
Strongylus contortus, remedy	157 996	· 45 15
Stubble fields, pigs pasturing.	79	20
Stump-pulling machinery for clearing land.	150	10
Sturnella magna, food habits and usefulness	54	26
Subdrainage, road building	95	17
Subirrigation, methods	116	41-44
Submersion, treatment of subterranean insects	19	25
Subsoiling, as means of preserving soil moisture	87	õ
effect on corn lands	~ . ~	5 8-9
soil Subwatering greenhouses, methods		21-24
Suckfly, tobacco bug, tobacco enemy		16-18
Sucking bugs, tobacco enemies, minor remedies	120	18
Sucrose. See Sugar.		
Suffolk, sheep, feeding experiments, data	96	10
Sugar, annual consumption in United States	79	8
as food	93	1-27
beet, cooperative factories factories, United States, location, capacity	$ \begin{array}{ccc} 52 \\ 52 \end{array} $	41 43-44
factory, cost		40
manufacture, details and cost		19-21
production, Europe, 1896–1900		45
United States, 1830–1901	52	43
statistics	3	22, 24
See Beet, sugar.		
beets. <i>See</i> Beets, sugar. cane and beet, world's manufacture. 1883–1890	3	22
characteristics		
frost protection		22
history, as source of sugar	93	10
nutritive value	93	20
consumption. United States, 1898–1900.		46
and Europe 1891–1895		47
European countries, capita, 1899–1900		48
other countries		24
content, beets, determination	52	27
relation to size	79	9
crop, world, 1885–1890	3	23
1897-1901		44
dietary studies	93	15-18
8		

	Farmers' Bulletin No.	Page.
Sugar, dietary use for boat crews	93	18
digestion		14
food value	93	13-21
grape, characteristics	93 52	$\frac{8}{38,41}$
in dietaries of adults and children	93	21-25
injurious effects of excessive use		21-25
manufacture		33-42
sorghum varieties	90	12-13
maple, and sirup milk, properties	124	21-24
quality from different sources	93	12
sorghum cane, contents of different varieties	92	7-9
sources of	93	10-13
statistics Sugar-cured ham and bacon, recipe		22-24
Sulla clover, value for forage crop and bee pasturage		$\frac{32}{28}$
use as forage in South	102	$\frac{20}{40}$
Sulphur dips, sheep scab	159	20-27
fungicides, formulas		14-18
pure, as fungicide		17
use against cotton bollworm	(191	· 16
as insecticide, value	${127}^{10}$	15-16
Sulphur-salt-lime wash, preparation, Pacifie northwest	153	17
Sultan, chickens, description		47
Sumac, poison, description, properties, remedies.		21 15-16
sorghum, descriptionuse on home grounds	185	19-16
Sumatra tobacco, Connecticut, cultivation, curing, fermentation.	and	10
baling	60	8-13
Florida, planting, topping, and priming		13
Sunflower, culture, uses		14-17
plant composition, comparison with other plants		46 16
Superphosphates, effect on soils	77	18
Superphosphates, effect on soils	44	11
Surveys and grades for file dramage	40	11-13
Swallow, food habits, nesting habits	54	$\frac{36}{70}$
Swamp soils, reclamation, drainage, and fertilizing	78	7-9
Swans, food value, important features	182	12
Swarming, bee, natural and artificial	59	21-23
prevention	59	23-25
Sweet clover, bee pasturage, value	59 18	$\frac{9}{25}$
description, directions for sowing recommendation for forage plant	···· 18	$\frac{20}{6,9}$
use as forage in the South		40
corn, cultural directions	94	23
growing under glass.	105	13-17
seed growing in South	222	9–11
peas, growing	195	46
soil inoculation reports	214	45
potato as starch producer		26-28
climate suitable		9-10
cultural directions		23 37-39
fertilization	129	10-15
fertilizer formulas	26	17
growing, preparation of land	129	17-18
hawk moth, treatment	$ \begin{array}{ccc} & 26 \\ & 26 \end{array} $	$25 \\ 18, 19$
scurf, description, prevention	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{10,19}{23}$
sets, period of growth		8
8		

		Farmers	
Quest pototo co	10	Bulletin N	
Sweet potato so.	ils. lue as horse feed	$ 129 \\ 222$	10-11 22
			1-39
- 1	American, in Europe	129	30-32
	unnual production		5
(eanning	120	$\frac{25}{26}$
(cooking, recipes	129	27-29
(cost of production	26	27-29
C	cultivation, manuring	$ \sum_{129} 26$	13–17 19
	culture and uses		1-32
	lifference in value, causes.		21
(liseases		32-33
(lrying	$\begin{cases} 26 \\ 129 \end{cases}$	25 27
		169	25
	exportation		29-30
1	eed for pigs	84	19
1 f	eeding value for stock ertilizing constituents of roots and vines	129	34-37 14
	oliage system of classification		8
f	orage for hogs	100	23
	ungous diseases		21-23
g	rading	129	21-22 18
ł	narvesting	(129)	20
	nsect enemies	129	32-34
1	description. treatment		24-25
	reeping		$25 \\ 22-23$
	nomenclature		5-6
I	packing for market	62	30
	plant bed, directions		608
- I	planting production in the United States	129	
1 7	propagation by sets	26	5-10
	vine cutting	26	10
	of plants.		15-17
	equirements of the markets		9 18
	ots. description		21-23
S	hipping	129	20-22
S	oil. character and preparation		11
c	torage	$\int \frac{26}{125}$	18–20 19
		129	20, 23-26
S	weating process	129	25
t	ransplanting, labor-saving devices	26	12_{7}
1	ypes	$ \frac{129}{26} $	7-8 25-27
	value as feed for stock, roots and vines		27, 29
T	arieties	$\begin{cases} 26 \\ -26 \end{cases}$	20
			6-9 26
sage, fora	average composition, food value		16
william,	growing	195	-42
Sweet-fern tea,	medicine for pigeons	177	29
Swens, cann	ed vegetables, cause and prevention	73 89	28 12
fattening	g, Canadian field peas, manner of growing		15
fecundit	v, Poland-China. Berkshire, and Chester		23
market	classes and grades	$\frac{222}{24}$	24-31 16
	pacteria, methods of spreading disease		8, 13
8			,

INDEX TO FARMERS' BULLETINS, NOS. 1 TO 250.

	'armers' lletin No.	Page.
Swine plague, diagnosis and prognosis	. 24	9
general character, symptoms, post-mortem appearance sanitary measures to prevent introduction	e 24 . 24	4-8 13-14
symptoms, treatment		15-14 36-37
treatment, formula and directions	. 24	10 - 13
See also Hog, Hog cholera, Hogs, Pigs, Sows.		
SWINGLE, WALTER T., bulletin on "Cause and prevention of grain	. 75	20
smuts"	. 70 f	20
wheat and loose smut of oats ".	. 250	1-16
"Treatment of smuts, oats and	5	то
wheat"Swiss, brown, dairy cattle, characteristics		1-8 11-15
wrappers, tobacco, description	. 60	21
Sycamore, use on home grounds	. 185	17
Synchytrium vaccinii, description, treatment	. 13	14
Syngamus trachealis. See Gape disease. Syrian bees, general characteristics	. 59	18
	. 00	10
Т.		
Table wastes, value as fertilizer	. 69	25
Tachina fly, parasite to army worm	. 132	33
Tachycineta thalassina lepida, food and nesting habits	54. 72	$\frac{37}{29}$
Tanacetum vulgare, drug use, price, description and range	188	25
Tanbark roads, construction	. 95	$\frac{-1}{25}$
Tank outfit for spraying	. 243	26
Tankage, feed for pigs		$\begin{array}{c} 29\\ 27\end{array}$
Tapeworm, turkey, symptoms and treatment		$\frac{27}{39}$
Tar screen or shield to catch grape insects	. 70	21
Taraxacum spp., drug use, price, description and range		13 - 15
Tariff on mohair and goatskins.		$\frac{47}{36}$
Telford roads, construction	95	41
Temperature, cream separator, best	. 241	13
limits, fruit growing	. 161	7
table, perishable products		$25-26 \\ 1-28$
Tenebrio spp. See Meal worms.	. 120	1 20
Tennessee, apple varieties		20
silage experiments, 1879	. 32	6
tobacco lands Tent caterpillars, use by toad as food	$\begin{array}{c} 83 \\ 196 \end{array}$	$\frac{17}{11}$
Tents, fumigation, used in gas treatment, description	. 19	18 - 20
use in protecting citrus trees Teosinte, description, directions for sowing seed	238	32
Teosinte, description, directions for sowing seed	18	$\frac{16}{27}$
use for forage in South	102	12-17
vacciniivorana, description, damages, remedies	13	13
Terrace, construction and maintenance	248	16
Terracing and soil washing, objections	$\frac{245}{20}$	$\frac{10}{13}$
Terrell grass, description, directions for sowing seed	18	16
Testing alfalfa seed	194	12
Tests, cream.		22-24
red clover seed		6, 8-10 41-42
Tetrao urogallus, introduction experiments	197	17
Texas and Louisiana, territory affected by boll weevil	216	10-12
Pacific Railroad, effect on condition of Texas range land.	72	$\frac{8}{21}$
apple varieties bollworm experiments, 1904	212	$\frac{21}{11-25}$
territory, 1903	191	5
0		

	Farmers' Bulletin No.	Dago
Texas, cotton, miscellaneous insects	223	Page. 24
fever, prevention, and protection of northern cattle		$\begin{array}{c} 42\\ 27\end{array}$
frost protection	104	17
grape varieties suitable	18	$\frac{13}{19}$
remarks	102	$12 \\ 21-31$
pastures, early use and present condition	72	5–10
rice cultivation	104	25–27 8
Thinning apples	$ 202 \\ 67$	$\begin{array}{c} 16 \\ 40 - 42 \end{array}$
fruit experiments, methods	73	15-20
peach fruit, recommendation Thistle, blessed, drug use, with price, description, and range	33 188	$\begin{array}{c} 20\\ 34 \end{array}$
Thomas slag, origin, use, and value as fertilizer	$ \begin{cases} 77 \\ 144 \end{cases}$	$\begin{array}{c} 18\\ 6-8 \end{array}$
THOMPSON, GEORGE FAYETTE, bulletin on "The Angora goat" Thorn apple, purple. See Jimson weed.	137	1-48
Thrasher, brown, food habits		$\begin{array}{c} 40\\18.\ 27\end{array}$
Thrips, tobacco enemy Tick fever. See Texas fever.	120	24
Ticks, cattle, extermination		29-32
Tile drainage, directions, cost and profit	$ \begin{cases} 40 \\ 187 \end{cases}$	6-18 14-33
use in drainage Tiles, drain, use in blanching celery	187 148	14–33 23
laying and covering.		$ \begin{array}{c} 16\\ 25 \end{array} $
sizes, drainage capacity of different diameters	$\begin{cases} 107\\ \\ \\ 40\\ \\ 107 \end{cases}$	8-9, 24
sizes, drainage capacity of different diameters See also Tile.	(187	20-23
<i>Tilia americana</i> , blossoms, bee pasturage Tillage, effect on fertility of soil	$ 59 \\ 245$	9 8
effect on orchards	237	9
importance in fruit growing Tillering, grains, remarks	161 105	$\begin{array}{c} 12\\ 10-12 \end{array}$
<i>Tilletia</i> spp., description	5	3 7-8
Timber cutting, to clear land Timothy, description, value, seed mixtures	66	18
soil. note		7 13
Tinea granella, description and life history	45	6
Tip burn, potato. description, treatment worm, cranberry. description	13	* 14 14
descriptions, injuries, remedies. etc	···· 178	17-19 24, 44
Tires, wide, advantages in improving roads		21 21–22
Tissue culture method, mushroom growing Title to land, perfecting, necessity	126	6
Titmouse, food habits. usefulness Toad, American, food	54	42 7
life history and habits	196	4-6
usefulness	87	1-16 28-30
enemies, natural	196	$\begin{array}{c} 14 \\ 14 \end{array}$
management for usefulness		12, 13 26-29
Toast, food use and digestibility Tobacco belt, effects of climate on quality	6	7
bright, lands bug or "suck fly," description and remedies	83	$\begin{array}{c} 15\\ 16-18 \end{array}$
climate and distribution	83	8

		Farmers Bulletin N	'o. Page.
Tobacco,	cultivation and curing	6	1-8
	culture		$\begin{array}{c} 6, 9, 14, 22 \\ 1-24 \end{array}$
	curing, methods	60	1-24 1-24
	cutting and curing.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6
	drying dips, sheep scab		$\begin{array}{c} 19\\ 2830\end{array}$
	dust as insecticide, value, application	127	33-34
	treatment of woolly aphis fertilizer, compost, formulas	$\begin{array}{cccc} 19\\ 21 \end{array}$	24 28
	fields, cover crops	237	13-14
	frost protection	104 60	21 8
		(6	8 5
	insect pests, remedies	120 12	22 1-32
	insects, foreign, and not in United States	120	31
	kinds injurious to dried tobaccoleaf-feeders, miscellaneous	120 120	$30 \\ 24-26$
	leaf-miner or split worm, description and remedies	120	19-22
	manufacturing, lands on the Atlantic		$\frac{16}{23}$
	northern cigar, curing	60	20 5-8
	planting machines watering, and cultivation	82	$\begin{array}{c} 15\\ 13-16\end{array}$
	priming. See Tobacco pruning.		10-10
	pruning and topping	6	6 3
	seed bed, old or new land, preparation	\cdots $\left\{ \begin{array}{c} 82 \\ 82 \end{array} \right\}$	6-9
	saving selection, quantity to sow, germinating test	82 82	$20 \\ 5-7$
	separation		10
	sowing, manner and time	237 82	12 9–13
			1-24
	soils	82 6	17 5
	transplantingvarieties for different uses	83	5 7
	worm, note	$ \begin{array}{ccc} 6 \\ 120 \end{array} $	5 10–14
Tobacco-a	and-sulphur dip, sheep scab	$\ldots 120$ $\ldots 159$	20
Tofu, or k	ean cheese, preparation	58	21
Tomato, t	pacterial disease, prevention		28 24
	líseases	[76	27
(nseases	$ \begin{cases} 78 \\ 220 \end{cases}$	$\frac{28}{31-32}$
		Č 76	12-15.
f	ertilizers	{124	20-22, 24 14
(ield crop	$\{162$	8
1		220	7-19 27
I	ungous enemies, and prevention	(220)	31 - 32
E	greenhouse, directions for growing yield, and prices	1.1.220 76	$ \begin{array}{r} 19-26 \\ 24-26 \end{array} $
	insect enemies, remedies	220	24 1-30
g	growing	$ \begin{cases} 76 \\ 220 \end{cases} $	1-30 1-32
		225	17–18 17
	cost per a cre in New Jersey for canneries	∫ 76	18 - 23
	season	(220)	26-31 7
i	nsect pests and remedies		26
8			

Farmer Bulletin 2	s' No. Page.
Tomato rot, description. prevention	28
	$\begin{array}{c} 8, 18, 24 \\ 12, 13, 14 \\ 14, 18, 26 \end{array}$
wilt, description, spread and prevention	14. 10, 20 27 26
Tomatoes, canning, directions	20 13
cold storage	21
food value, fresh and canned	21 7-17
forcing, directions, varieties $\begin{cases} 76\\220 \end{cases}$	24-26 19-26
harvesting and marketing	13-17
hothouse production, comparison of kinds $\begin{cases} 133\\ 186 \end{cases}$	$18 \\ 12-15$
packing for market $\begin{cases} 62\\220\\220 \end{cases}$	30 13
	5-6
Tongue grafting, apple.113"Topping" corn. discussion.81	$\begin{array}{c} 10\\ 20 \end{array}$
tobacco $\begin{cases} 6\\.60 \end{cases}$	6 9, 13, 18
	17
Top-working, citrus trees.238Tortoise beetles, sweet potato, description, treatment.26	33 24
Toulouse, grav, geese, history, description, weight	38
Toxostoma rufum, food habits54TRACY, S. M., bulletin on "Cassava"167	$40 \\ 1-32$
"Corn culture in the South"	1-24 1-48
"Forage plants for the South"	1-40
"Grape growing in the South"	1-32 1-40
Trade in farm produce, general rules for attaining success	10-13
Training, apple tree113Transplanting, citrus fruit trees238	$\begin{array}{r} 26-29\\ 39\end{array}$
grape vine	8
trees, care of fibrous roots	9 13
Transportation, food products, use of weather reports	23-25
game, laws and regulation $\begin{cases} 160\\ 180 \end{cases}$	27-39, 43-51 19-26
	0
live stock	* ²⁸⁻³⁵ *24
perishable products, temperature management 125	1-15 24
Trap crop for bollworm. $\begin{cases} 130\\212 \end{cases}$	25-28, 32
rocks, use in road building	32 10–12, 21–23
Traps, coyotes, methods of use	15-16
Tree, death from weakness and decay	32–33 7–8
form development	17-19
growth, rate	$19-21 \\ 5-7$
planting, directions	16-19 1-31
on rural school grounds	8-12
seed, planting, recovery of washed soil	$\frac{17}{29}$
Trees and shrubs for school grounds, various localities, cultural di- rections	

	Farmers' Bulletin No.	Page.
Trees, buds, formation and development		1 age. 12
care after planting	134	19 - 21
characteristics, studies	134	21-27
cuttings for forest planting, directions		$\begin{array}{r} 19\\15-18\end{array}$
educational value	134	10 10
food materials, growth and soil conditions	67	3-6
forest, choice for planting	67	1-23 26-28
planting methods number per acre	67 67	20-28 27, 38
growth culmination		31
description		3-22
in length and in thickness	567 173	11-17 19-20
heat and moisture requirements		16-17
honey and pollen, useful to bees, list	59	27-29
knots, cause, prevention		13
lateral or indeterminate root system, methods of clearing . life processes, reproduction, food, essentials to growth, effect		16–18
surroundings		27-30
light requirements	173	17-18
mixture, recommendation for forest planting, various loc ties	eali- 228	15-17
pruning for timber		38
removal by wind and rain	150	13
reproduction, methods and power	$\begin{cases} 67 \\ 170 \end{cases}$	21
requirements, various		20 15-16
seedling, wild, home-grown and nursery, comparison		13-16
selection for school-ground planting	134	12
species of value in forest planting		9 37-38
street, pruning taproot system, method of clearing	151	15
transplanting, application of water pressure	87	21-23
water requirements variations		9
Trefoil, yellow, adulterant of alfalfa seed yellow, use in South	102	8 33
Trellis, grape	156	12, 13
Trellises, grape, and systems of training	<i>{</i> 118	20-25
		12, 13 13
Trench, digging and grading for tile drainage Tribolium spp., description and life history	45	11-14
Trichogramma pretiosa, cotton-worm parasite		7, 14
Trifolium hybridum. See Alsike clover.		
incarnatum. See Clover, crimson. pratense. See Red clover.		
<i>reflexum</i> , forage value in South	147	25
repens. See Clover, white.		
spp. See Clover. Triticum dicoccum. See Emmer.		
repens. See Couch grass.		
Troglodytes aëdon, nesting and food habits	54	41
Tropical fruits, shipping, temperature management	125	$\frac{13}{20}$
storage, temperature management Troughs, hogs.	205	15-16
Troughs, hogs. Trucking, adaptation to new land	150	23
capabilities of Mississippi soil	98	7 14
Tuber cuttings, propagation of plants Tubercles, nitrogen, soy bean roots	$ \begin{array}{ccc} 157 \\ 58 \end{array} $	14
Tuberculin test, value in eradicating cattle tuberculosis	69	22
Tuberculosis, animal, experiments	69	21-23
germs in milk, destruction		$24 \\ 25, 45$
Tuberculous cows, milk, effect on calves	107	20, 40
Tubers, feed value.	170	19

	Farmers'	
Tulip tree, freedom from insect pests	Bulletin No. 99	Page. 23
use on home grounds		23 17
Tumbleweed, description, remedies		13
Turkestan alfalfa	215	8
Turkey, black, description, etc		16
breeding stock, care	200	18-21
selection, etcbronze, description, selection, etc		17-21 9-11
buff, description, etc		12
diseases, causes, and remedies	200	36-40
domestic, origin		3
varieties	200	8
egg laying, incubation, and hatching	200	22-25
eggs, food value		22 31–33
feeding for market young		28-31
food value		20-01
gapes		36
growing, condition of industry	200	5-8
poults	200	25-31
profits		7-8
incubation period	230	8 34–36
marketing. Narragansett, description, etc	200	11-13
parasites	200	36
slate, description, etc	200	14
white, description, etc	200	15-16
wild, varieties	200	-1
See also Game.	225	01 05
Turkeys, experiments, 1905 food use, important features	220 182	21-25 9
killing, plucking, and packing for shipment	144	25-27
varieties and management	200	1-40
Turnips, cultural directions	94	24
fertilizers	<i>∫</i> 107	7
		8
packing for market	$\begin{array}{ccc} & 62 \\ & 49 \end{array}$	5 11 20
sheep feedingstorage, temperature management		5, 11, 20 19
Turtle, use as food.		8,18
Turtur chinensis, food habits and weed destruction		6
Tussock moth, white-marked, distribution, food, life history, re	eme-	
dies		12-20
Twig-borer, parasites		12
peach, description. remedies, etc	${}^{80}_{153}$	16 * 27
Tympanitis. See Bloat.		
Typhlocyba vitifex, life history and remedies		19-21
Typhoid fever, prevention.	100	13-16
protection methodssources	155	6, 12–17 5–6
Tyrannus, spp. See Kingbird.	100	0.0
U.		
Ulmus americana. See Elm.	88	16-23
Underdrainage, effect in removing salt	00	7 0 20

Underdrainage, effect in removing salt	88	16-23
Urine, animal, fertilizing value. composition	f 21	7-9, 30
Orme, animal, fertilizing value, composition	192	11
Urocystis cepulæ, treatment	39	27
Ustilago avenæ, description		3
tritici, note	5	5
Utah, apple varieties	113	23
Sugar Company, production of sugar-beet seed	52	12, 31
Utensils. canning and preserving	203	9-11
dairy, kinds and care		39-41
8		

V.	Farmers'	
<i>Vaccinium macrocarpon</i> See Cranberry.	Bulletin No.	Page.
Veal, composition, fuel value as food, table	34	26
cuts, directions	34	21
preparing for market	$ \begin{array}{ccc} $	$18 \\ 1-24$
Vegetable garden farmer's, experiment, description, cost, returns		6-10
irrigation	46	12, 25
planting, directions	94	11-13
mulching pathology, publications	202	8-12
school garden	218	$11 \\ 8-10$
school garden Vegetables, canned, cause and prevention of "swells"	73	28
regreening by copper process	7	20
cooking, losses	73 -	22-25
cultural directions effect of lime in soil	94 65	$\begin{array}{c} 15-24\\ 22 \end{array}$
shading		18-19
greenhouse, grown in summer	133	18–19
subwatering experiments	78	21
packing for market	62	25-31
shipping, temperature management	146	14 14
Velvet bean. See Bean, velvet.	140	14
Veneer grafting; propagation of plants	157	20
Ventilation, chicken house	41	8
stable		23-31
Veranda, farmhouse, suggestions.	86	31 7
Veratrum viride, description Verbascum thapsus, drug use, price, description, and range	188	• 24-26
Verbena, growing	195	47
Vermin, hog, prevention and destruction	205	38-40
Vermont, apple varieties.	113	20_{22}
Vertigo, pigeon		$\frac{23}{28}$
Vetch, Carolina, value for hay, pasture, and green manure	147	$\frac{20}{29}$
European, as cover crop for orchard	87	15
hairy, as winter pasture, seed, quantity per acre, with	01'	10.00
without cereals	(18	$13,30\\28$
description, directions for sowing seed	$\dots \left\{ \begin{array}{c} 10 \\ 66 \end{array} \right\}$	$\frac{20}{27}$
soil inoculation	€124	8
		44
with oats, pasture for hogs	100	$\begin{array}{c} 21 \\ 43 \end{array}$
or sand, use as forage in South	147	43
hay value Louisiana, value for pasture	147	32
Russian, cover crop for tobacco fields	237	13-14
sand. See Vetch, hairy. seed, quantity per acre	1.47	0.0
spring, or smooth, value for pasture and green manure	147	33 32
stolley, value for forage	72	$\frac{32}{29}$
use as hog feed	117	20
winter, use as forage in South	102	44
See also Pea, winter flat.	40	7
Vetches, sheep feedinguse as green manure	245	14
uses, value for hay or pasture	147	29-33
Vicia caroliniana, value for hay, pasture, and green manure	147	29
faba, description and food use		$\begin{array}{c} 8-9\\ 29\end{array}$
leavenworthii, value for forage ludoviciana, value for pasture		29 32
sativa, value for pasture and green manure	147	32
spp. See Vetch.		
villosa. See Vetch, hairy.		

Vigna catjang. See Cowpea.

\$

⁸

, I	Farmers' Bulletin No.	Pagē.
		g g
Vilmorin Improved beet, description	02	9
Vine. See Grapevine.	ຈາຍ	20.20
Vinegar, cider, suggestions		28-32
generated	73	21
honey, directions for making		42
making, directions	233	30-32
from low-grade apples	73	21
productions, normal changes		28
prune	233	32
raspberry	203	31
Vines, use on home grounds	∫156	1-24
Thes, use on nome grounds	\185	20 - 21
Vineyard, home		1 - 24
planting, cultivating, and fertilizing	∫118	15 - 17
		1-24
site, location, and soil	118	5
Viola tricolor, growing	195	39
Virginia, apple varieties		20
Visco, cream and milk. preparation		24
Viscogen, preparation and use		24
test with phenolphthalein solution	69	24
Vitis vinifera, diseases, susceptibility		7
VOORHEES, EDWARD B., bulletin on "Commercial fertilizers"	44	1-24
"Tomato growing"		1-30

W.

Wages, farm laborers, California	52	26
Wagon, draft, influence of height of wheel	162	31
WAITE, M. B., bulletin on "Fungicides and their use in preventing		
diseases of fruits"	243	1-32
Walnut, black, care of nuts for planting, method of planting	228	13
growth and value, comparison with silver maple		9
Persian, food use		19
Wash, lime-salt-sulphur, experiments	227	19-22
lime-sulphur, use against six-spotted mite		42
resin. use against scale insects		18
Washing, soils, prevention and reclamation		1-22
Washington, apple varieties	113	23
game preserves	207	15
Waste and garbage, farm, disposal	43	15
food	23	23 - 25
dietary errors.	142	45
products, composition, table	22	36-39
Wastes, kitchen and table, value as fertilizer	69	25
Water, amount needed for irrigation		14 - 16
breaks, roads	95	15
constituents of feeding stuffs		4, 30-39
contamination, ways		5, 7, 17
content of tobacco soils	83	20-21
control of artesian or flowing wells	138	19
dairy cows, requirements	55	16, 27
diversion of streams	138	11
drinking. distillation	124	5-7
protection on the farm	43	16-18
dry stream beds, development	138	15
evaporation, use for protection from frost	104	14
flow of spring, measurement	138	18
fountains for chickens	41	10
glass, use in preserving eggs	103	17
glass, use in preserving eggs	18	20
use in South	102	18
value for pasture		+6
hard compared with soft water for boiling		31
irrigation, distribution	138	23-26

.

	armer	
	lletin 1	0
Water, irrigation, methods of applying lifting, various powers	46 46	$23-26 \\ 17-20$
meadows, England, antiquity, value	46	9, 11
measurement, small streams	. 138	9-11
meats, quantity in various cuts	34 . 138	7,8
methods of applying in irrigation		26-38 13-15
pressure, application to transplanted trees	. 87	21-23
proportion in various foods	23	12
pure, for milch cows on the farm	169. 73	5-6 3-4
relation to frost and climate	. 75	3-4 9
requirements of celery, methods of supplying	. 148	13–14
soil conditions and changes	. 187	7
storm, storagesuited to irrigation		21 13
supply, beet culture.		13 8
for ducks	. 64	29
preservation, necessity on range lands	. 72	16
relation to animal diseasessources and use		$17 \\ 11-22$
southern dairy		11-22 16-18
tobacco soil, control	83	22
troughs, poultry	. 64	29
wheels, Bavaria, description	46	17
Watermelon, Georgia, culture	$\begin{array}{c}193\\-65\end{array}$	$\begin{array}{c} 8-10\\ 23\end{array}$
northern growing.	193	5-7
packing for market	. 62	24
Water-right laws, problems	. 97	28
WATSON, G. C., bulletin on "Fowls: Care and feeding" WATTS, R. L., bulletin on "Onion culture"	. 41 . 39	$1-24 \\ 1-32$
Wax grafting, composition and making		1-32 29
production and extraction	59	34
scale, Florida, characteristics	. 172	31
Weaning pigs. Weather Bureau and the farmer.	. 205 . 98	$30 \\ 46-48$
Weather forecasts, how made		40-40
reports, use in storage of food	. 125	23-25
WEBBER, HERBERT J., article on "Care and selection of seed corn"	. 229	21-24
WEBSTER, ED. H., and C. E. GRAY, bulletin on "The cream separa	- 201	1-24
tor on western farms '' bulletin on ''Butter making on the farm''	$201 \\ 241$	$1-24 \\ 1-32$
Webworm, fall, distribution, remedies	99	20
Webworm, fall, distribution, remedies	l	
remedies	$ \begin{array}{c} 223 \\ 12 \end{array} $	7-8
Weed, dandelion in lawn, removal		
destruction by use of chemicals		19-21
seeds, mixture with alfalfa seed	. 194	_11
Weeds, destruction by birds, notes	54	5-7
use of chemicals	194	25,27,32,34 19-21
destructive to flax.		5, 11
enemies of alfalfa		36-38
eradication, general methods		$\begin{array}{c}8-11\\15\end{array}$
general remedies		1-32
hundred, table.		24-30
injuries to alfalfa	. 31	9, 15
killing, vegetable garden	94 68	15 7
occurrence of cabbage black rot troublesome	. 08	1-16
troublesome		1-16
use in medicine		1-45

	Farmers Bulletin No.	Page.
Weedy grasses, rice field		15
Weevil, black, injuries to stored corn, treatment	` 81	21
boll. See Boll weevil. rice, tobacco enemy	7.20	
Wearily seem distinction from actton ball wearil	120	30
Weevils, acorn, distinction from cotton boll weevil	150	$10 \\ 4-6$
grain, description live, in seed cotton, efforts to destroy by machinery	209	12-14
Well water contamination	43	5. 7. 17
Wells, artesian, irrigation capacity		21
construction and protection		18
flowing. See Artesian wells.		
horizontal, obtained by tunneling into hillsides		19
irrigation, capacity		21
use in drainage of irrigated lands	116	18 36
water contamination, prevention	$\frac{107}{73}$	·
West Indies, citrus fruit growing.	238	14
West Virginia, apple varieties.	113	20
farmers' reading courses	109	13
Western States, suggestions for planting windbreaks		16-18
Wether lambs, fattening.		12,16
shearing	49	15
Wethersfield onion, description	39	12
Whale oil soap and quassia, insecticide preparation	153	19
Wheat. breakfast food, value	237	15.16.17
breeding, use of emmer	139	15
bulb-worm description. distribution. and remedies	132	29-30
by-products, origin and use as feeding stuff	119	20 15
composition, milling, etc		9-13
crop, damages by Russian thistle	10	6
damaged, as feed	237	18-20
early plowing		7-9
feed value	170	13
fertilizer, compost, formulas	21	28
formula	44	21
flinty kernels, selection	237	11
flour, impurities and falsification		13
fodder use in dairy	151	32
food value, analysisuse		14 10
grass, western, value for hay and forage		30
growing, insect enemies, principal		1-38
Hessian fly.	- 132	19
Hessian flylate planting, to prevent Hessian fly	132	20
loose smut, note	5	5
midge, description, habits, etc	132	22-23
effect on wheat	132	22 - 23
preventives		24
plant food, requirements		8
plant-louse. origin, habits, and natural enemies		24-25
preparations, relation of bran to food use		19
products, digestibility resistant to Hessian fly. recommendations	129	$\frac{18}{19,22}$
root system	102	10, 22
root system		
seed selection, experiments	84	10
See also Seed wheat.		
sheep feeding	49	17, 21, 22
shrinkage during storage, experiments	149	11-12
smut, loose	\cdots $\begin{cases} 75\\5 \end{cases}$	7-8
	0	3, 5-7
stinking, prevention) 250	3, 5-7 1-16
smuts description	(200	1-10 6.7
smuts, description	10	0.7

6838—No. 8--07—10

145

Farmers'

	urmers'	Dam
	letin No. (5	Page. 1–8
Wheat smuts, treatment	75	11–14
to all and locations and	250	4-12
starch production per acre	$\frac{87}{5}$	$27 \\ 3, 5-7$
principal treatments.	250	3, 5-7 4-12
straw for bedding cows	237	21
straw-worm. See Straw-worm.	00	20
supply of world, prospective shortage	- 98 - 210	$26 \\ 9-11$
resistant to Hessian fly.	132	$\frac{5-11}{22}$
versus corn as feed for cattle	56	4
with hairy vetch, for winter pasture crop		13
yield, as affected by irrigation Wheats, durum, resistance to rust		$\begin{array}{c} 14\\9-14\end{array}$
hard winter, importance of growing	219 219	$\frac{9-14}{18-20}$
resistance to rust	219	10 20
Japanese and Chinese, quality compared with other varie-		
ties	219	
macaroni, experiments and qualities	180	6-8 1-24
Wherry, J. P., letter about sorghum-sirup making	90	
Whey for cheese making, handling	237	31
use in production of alcohol.	9	14
Whip grafting, propagation of plants	197	18-19
fly, characteristics, etc	172	3638
tobacco enemy	120	25
H. C., bulletin on "The manuring of cotton"	48	1-16
leaf scab, sweet potato, description, prevention		$\begin{array}{c} 23\\ 23\end{array}$
Whitewash, Light-House Board receipt.		23 24
WHITNEY, MILTON, and THOMAS H. MEANS, bulletin on "Alkali		
lands"		1-23
bulletin on "Methods of curing tobacco" "Tobacco soils"	$\frac{60}{83}$	$1-24 \\ 1-24$
Whortleberries, packing for market		21
WICKSON, E. J., bulletin on "Irrigation in field and garden"	138	1-40
"Irrigation in fruit growing"	116	1-48
Wild cherry, poison in leaves	$\frac{103}{3}$	$\frac{16}{1-24}$
"Nostrums for increasing the yield of		1 - 1
butter". "Sugar beet"	12	1 - 16
· "Sugar beet"	52	1-48
WILLIAMS, FRANKLIN, Jr., bulletin on "Clearing new land"	150	1-24
rious temperatures"	125	1 - 28
rious temperatures"		
"Game laws for 1903"	180	1-56
T. S. PALMER, and HENRY OLDYS, bulletin on "Game laws for 1904"	207	1-64
T. S. PALMER, and HENRY OLDYS, bulletin on		1 0 1
"Game laws for 1905"	230	1 - 56
WILLIAMS, THOMAS A., bulletin on "Millets '	101 .	$1-32 \\ 1-24$
"Sorghum as a forage crop" "Soy bean as forage crop"	50 58	3-19
Willow, use on home grounds		17
Wilt disease, cucurbits, description	231	10
tomato, description, spread, prevention	$\frac{76}{173}$	$\frac{27}{38}$
Wind, forest injury		00 9
Wind-break for wood lot	- 67	34
Wind-breaks, advantages in protection of cattle	228	19-20
planting, recommendations	228, 298	$16-17 \\ 20$
value in protection of orenards		20

	– Farmers' Bulletin No.	Page.
Windmill, use in irrigation, tables showing power	46	18-19
pumping water for dairy	151	17
Windmills, cost of grinding feed	149	31
Windows, farm houses, suggestions Winds, protection of citrus trees	120	30-31 29
Wines, storage, temperature	125	29 21
Winter eggs, cost of production	190	5-6
fat, forage plant for alkali lands	108	16
protection for peach trees	78	17-21
Wintering, bees, outdoor and indoor	59	38-41
Winter-killing, fruit trees		12-15 1-32
manufacture		1-52
samples, examination, analysis		15-21
See also Fence wire.		
zinc covering, method of estimating weight	239	30
Wisconsin, apple varieties. Experiment Station, early work.	113	· 12
game preserves	207	12
round silo, directions, cost	32	11-14
tobacco soils	83	13
WITHYCOMBE, JAMES, bulletin on "Sheep husbandry in the Pac Northwest"	ific	
Northwest "	117	5-16
Wittman, N. B., discussion on wrought iron and steel		29
Wolf moth, description. life history Wolves, prairie. See Coyotes.	45	7
trapping	137	45
Wood ashes, constituents, value	65	25-
use on apple orchard	113	
composition	173	63
crop, cultivation	67	37-
methods of reproducing	67	31-31
lice, mushrooms, treatmentlot, care and treatment		28-
RICHARD H. bulletin on "Incubation and incubators".		20- 1-
structure		11-
Woodcock. See Game.		
Woodpecker, yellow-bellied, habits, food	54	
Woodpeckers, food habits, destruction of insects	54	8-
WOODS, CHARLES D., and HARRY SNYDER, bulletin on "Cereal bre	ak- 249	1-
fast foods". bulletin on "Composition and cooking	of	1-
meats"	34	12
Wooly aphis. See Aphis, wooly.		
Worm, cotton. See Cotton worm.		
fall army. See Army worm.	10-	м
screw. goat. remedy.		
stomach, goat, remedy tomato, life history, treatment	76	2
WORMLEY, PHILLIP L., Jr., bulletin on "Cement mortar and c		
crete"	235	1-
Worms, bud, tobacco enemies, descriptions and enemies		14-
cranberry, description, remedies		13-
descriptions and remedies		9-
cut. See Cutworms. horn, description and remedies	120	10-
meal, description life history	45	14-
meal, description, life history tobacco, description and remedies	120	10-
use by toad as food	196	8.9
Wormseed, American, drug use, with price. description. and range	e 188	· 41-42
Wormwood, description, remedies.		13 41
Wren, house, nesting habits, food habits		
Wyoming. apple varieties		22
8		

X.

	Bulletin No.	Page.
Xanthium canadense, description, remedies	10	12
spinosum, distribution, description, and remedies	28	18-19

Y.

Yale University-Sheffield Scientific School, mushroom study	79	19
Yam, Chinese, use as forage in South	102	-46
incorrect use of word, notes on varieties	$\overline{26}$	20
Yarrow, drug use, with price, description, and range	188	35
Yeast as a disinfectant.		32
notive and used	- 104 - 00	
nature and uses.	29	6
plant, classification and description		1.7
substitutes	112	18
use in abortion in cows	237	32
leavening bread	112	15-18
Yeasts, bacteria and fermentation in canning and preserving	203	5-6
Yellow fever, spread by mosquitoes	155	18-19
wash, for keeping meats	183	37
wood, use on home grounds	185	18
wood, use on home grounds. Yellowhead cranberry worm, description, injuries, remedies, etc	178	12-17
Yellows, peach. See Peach yellows.		
Yellowstone Valley, Montana, alkali conditions	88	6-8
Yokohama fowls, description		48
Youth-and-old-age, growing.		48
routh-and-ord-age, growing	1.00	J.()

Z.

Zamelodia spp. See Grosbeak. Zenaidura macroura, food habits and weed destruction	5 4 •	6
Zinnia, growing	. 195	48
Zizania aquatica, wild rice, food use	249	10

0

- # 3